

# LUSCINIA, Band 1 - 53

## Index der Vogelarten

mit Rückmeldungen beringter Vogelarten:  
B=Beringung, R=Rückmeldung

- Aaskrähe:** 50 (1999): 181, 186, 193
- Abdimstorch:** 46 (1988-90): 289; 47 (1991-93): 154
- Abendammer:** 47 (1991-93): 52
- Abendkernbeisser:** 47 (1991-93): 26, 48, 133
- Acanthis cannabina meadewaldoi:** 46 (1988-90): 239
- Accipiter brevipes:** 45 (1983-86): 83-87, 343-344; 48 (1994/95): 36
- Accipiter gentilis:** 09 (1932/33): 13R; 09 (1935/36): 15R, 26; 10 (1936/37): 14R; 11 (1937/38): 12R; 13 (1939/40): 29, 30; 14 (1940/41): 57; 28 (1954/55): 8B, 79; 30 (1956/57): 7B; 31 (1957/58): 48, 53, 75, 97B; 33 (1960): 33; 34 (1960/61): 8B; 36 (1963): 9B, 30; 38 (1965): 86B; 39 (1966): 108B, 111R; 40 (1967-69): 186, 192B; 41 (1970-72): 7, 60, 185B, 211, 264; 42 (1973-75): 41B, 248B; 43 (1976-78): 46B, 63, 187-205, 206-235, 264B, 272R; 44 (1979-82): 41-88, 159-186, 269-302, 327B, 337R; 45 (1983-86): 91; 46 (1988-90): 36, 92, 321; 47 (1991-93): 91, 359, 360; 48 (1994/95): 36; 50 (1999): 144, 186, 189; 51 (2003): 20, 22, 117, 168; 53 (2012): 139
- Accipiter nisus:** 07 (1930/31): 25R; 09 (1932/33): 15, 19, 29; 09 (1935/36): 15R; 10 (1936/37): 14R; 12 (1938/39): 38; 13 (1939/40): 30; 14 (1940/41): 57, 81; 21 (1947/48): 6; 27 (1953/54): 11R; 28 (1954/55): 8B, 79; 30 (1956/57): 7B; 31 (1957/58): 75; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 14; 36 (1963): 9B, 19R, 30; 37 (1964): 10B, 18R; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 7, 60, 185B, 211, 239, 264; 42 (1973-75): 41B, 248B; 43 (1976-78): 46B, 63, 187-205, 206-235, 264B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 327B, 338R; 45 (1983-86): 91; 46 (1988-90): 237, 322; 51 (2003): 20, 22; 53 (2012): 140
- Acridotheres cristatellus:** 46 (1988-90): 156; 47 (1991-93): 54
- Acridotheres fuscus:** 46 (1988-90): 145
- Acridotheres javanicus:** 46 (1988-90): 149
- Acridotheres tristis:** 45 (1983-86): 194; 46 (1988-90): 145, 149
- Acrocephalus arundinaceus:** 09 (1932/33): 14; 14 (1940/41): 48; 28 (1954/55): 7B4; 29 (1955/56): 7B; 32 (1959): 9B; 35 (1962): 9B, 43; 36 (1963): 10B, 24; 37 (1964): 11B, 61; 38 (1965): 87B; 39 (1966): 16, 109B; 40 (1967-69): 193B; 41 (1970-72): 187B, 211; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 95-114, 269-302, 330B; 45 (1983-86): 195, 196, 231, 244; 46 (1988-90): 16, 30, 324; 47 (1991-93): 95; 50 (1999): 171, 186, 192; 53 (2012): 39, 120, 138, 139
- Acrocephalus melanopogon:** 42 (1973-75): 42B; 51 (2003): 167
- Acrocephalus paludicola:** 12 (1938/39): 30; 34 (1960/61): 23; 37 (1964): 11B, 28; 38 (1965): 87B; 39 (1966): 129; 40 (1967-69): 193B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 150, 250B; 43 (1976-78): 47B, 65, 266B; 44 (1979-82): 330B; 50 (1999): 170, 192; 51 (2003): 167; 53 (2012): 38

- Acrocephalus palustris:** 09 (1932/33): 14; 14 (1940/41): 49; 28 (1954/55): 7B4; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 33; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 187B; 42 (1973-75): 13, 18, 42B, 110, 111, 206, 250B; 43 (1976-78): 47B, 52R, 206-235, 266B; 44 (1979-82): 41-88, 159-186, 220, 269-302, 305-316, 330B; 45 (1983-86): 90, 91, 194; 46 (1988-90): 30, 54, 322-325; 48 (1994/95): 159; 51 (2003): 35, 103, 110, 112, 118-129, 168; 52 (2009): 137, 139; 53 (2012): 39, 88, 140, 153, 155
- Acrocephalus schoenobaenus:** 08 (1931/32): 25; 09 (1932/33): 36; 12 (1938/39): 30; 14 (1940/41): 49; 28 (1954/55): 7B4; 32 (1959): 9B; 35 (1962): 9B, 44; 36 (1963): 11B, 24; 37 (1964): 11B, 28, 61; 38 (1965): 87B; 39 (1966): 15, 109B; 40 (1967-69): 191, 193B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 250B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 213-225, 269-302, 305-316, 330B; 45 (1983-86): 195; 47 (1991-93): 35; 50 (1999): 171, 188, 192
- Acrocephalus scirpaceus:** 09 (1932/33): 14; 14 (1940/41): 48; 22 (1948/49): 44; 28 (1954/55): 7B4; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B, 114R; 40 (1967-69): 193B, 197R; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B, 255R, 261R; 43 (1976-78): 47B, 52R, 55R, 266B; 44 (1979-82): 95-114, 213-225, 269-302, 305-316, 330B; 45 (1983-86): 90, 91; 46 (1988-90): 50, 54, 81, 322-325; 47 (1991-93): 91, 104; 50 (1999): 171, 192; 51 (2003): 121-125, 168; 52 (2009): 137, 139; 53 (2012): 140, 153
- Acrocephalus stentoreus:** 44 (1979-82): 213-225
- Actitis hypoleucos:** 09 (1932/33): 14; 14 (1940/41): 71; 28 (1954/55): 8B; 30 (1956/57): 26; 31 (1957/58): 41, 49, 52; 32 (1959): 20; 35 (1962): 8B, 34, 36; 36 (1963): 9B, 22, 23, 46, 47; 37 (1964): 10B, 25, 36, 49; 38 (1965): 86B; 39 (1966): 17, 108B, 123; 40 (1967-69): 59, 192B, 196R, 259; 41 (1970-72): 56, 94, 186B, 211, 244, 249, 250; 42 (1973-75): 42B, 195, 249B; 43 (1976-78): 46B, 63, 255, 265B; 44 (1979-82): 112, 213-225, 328B; 45 (1983-86): 89-91, 229, 231; 46 (1988-90): 25, 233, 321, 358; 47 (1991-93): 91, 96, 234, 359; 48 (1994/95): 139; 50 (1999): 152, 191; 53 (2012): 139
- Adeliepinguin:** 46 (1988-90): 281; 47 (1991-93): 38
- Adler:** 46 (1988-90): 90-92; 48 (1994/95): 48
- Adlerbussard:** 44 (1979-82): 213-225; 45 (1983-86): 229, 232; 48 (1994/95): 36
- Aegithalos caudatus:** 08 (1931/32): 31; 09 (1932/33): 36; 11 (1934/35): 20; 11 (1937/38): 10R; 12 (1938/39): 16R, 30, 39; 14 (1940/41): 46; 21 (1947/48): 9; 28 (1954/55): 7B, 73; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 45, 86, 96B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B, 27; 35 (1962): 9B, 41; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 75, 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 95-114, 159-186, 265, 269-302; 45 (1983-86): 90, 91; 46 (1988-90): 28, 34, 40, 54, 278, 280, 322; 47 (1991-93): 12, 91, 102, 365; 51 (2003): 40; 52 (2009): 137, 138; 53 (2012): 140, 161, 163, 164
- Aegolius acadicus:** 46 (1988-90): 274; 47 (1991-93): 44
- Aegolius funereus:** 25 (1951/52): 25; 38 (1965): 32; 40 (1967-69): 19, 117, 118; 41 (1970-72): 8, 102, 178, 181, 211; 42 (1973-75): 249B; 43 (1976-78): 46B, 64,

- 265B; 44 (1979-82): 319-324; 45 (1983-86): 243; 51 (2003): 25
- Aegypius monachus:** 44 (1979-82): 95-114; 48 (1994/95): 36
- Aeronautes saxatalis:** 46 (1988-90): 267
- Aethopyga siparaja:** 47 (1991-93): 44, 128
- Afrikanische Blaumeise:** 46 (1988-90): 238
- Afrikanischer Scherenschnabel:** 47 (1991-93): 155
- Agapornis roseicollis:** 47 (1991-93): 44
- Agelaius phoeniceus:** 46 (1988-90): 1, 126, 153, 154
- Aix galericulata:** 45 (1983-86): 89-91; 46 (1988-90): 22, 33, 36, 109; 47 (1991-93): 100, 239, 348, 351, 362, 363; 48 (1994/95): 118, 119, 120, 132; 50 (1999): 138, 189; 52 (2009): 120-121; 53 (2012): 161, 163, 181
- Aix sponsa:** 46 (1988-90): 23; 47 (1991-93): 95, 233, 348, 358; 48 (1994/95): 118, 119; 50 (1999): 138, 189
- Alaemon alaudipes:** 45 (1983-86): 83-87
- Alauda arvensis:** 08 (1931/32): 11R; 11 (1934/35): 20; 14 (1940/41): 44; 21 (1947/48): 6; 22 (1948/49): 25; 28 (1954/55): 6B, 72; 30 (1956/57): 6B; 31 (1957/58): 41, 53, 54; 32 (1959): 9B; 33 (1960): 12B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 249B, 254R; 43 (1976-78): 1, 47B, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 269-302, 328B; 45 (1983-86): 231; 46 (1988-90): 321; 47 (1991-93): 91, 92, 192, 340, 359; 48 (1994/95): 141; 50 (1999): 162, 191; 51 (2003): 103, 110, 111, 117-125; 53 (2012): 85, 89, 117, 132, 139, 153
- Albatros:** 45 (1983-86): 83-87; 47 (1991-93): 336
- Alca torda:** 13 (1939/40): 24; 45 (1983-86): 237; 46 (1988-90): 259; 47 (1991-93): 16, 193, 316, 340; 48 (1994/95): 158
- Alcedo atthis:** 08 (1931/32): 26; 09 (1932/33): 14, 24; 09 (1935/36): 23; 10 (1936/37): 13R; 11 (1937/38): 12R; 14 (1940/41): 53; 20 (1946/47): 5; 21 (1947/48): 13; 30 (1956/57): 7B; 31 (1957/58): 48, 97B; 33 (1960): 14B; 36 (1963): 10B, 31; 37 (1964): 10B, 60; 38 (1965): 38, 86B; 39 (1966): 109B, 129, 130; 40 (1967-69): 59, 193B, 273; 41 (1970-72): 56, 95, 102, 175, 182, 186B, 211; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 64, 206-235, 252, 265B; 44 (1979-82): 95-114, 213-225, 269-302, 328B; 45 (1983-86): 83-87, 89-91, 229, 243; 46 (1988-90): 26, 103, 352; 51 (2003): 117; 53 (2012): 139, 161, 162, 164, 181
- Alcidae:** 46 (1988-90): 259
- Alectoris barbara koenigi:** 46 (1988-90): 237
- Alectoris chukar:** 44 (1979-82): 213-225; 46 (1988-90): 81
- Alectoris rufa:** 16 (1942/43): 18-20; 44 (1979-82): 95-114; 46 (1988-90): 237
- Alectoris rufa australis:** 46 (1988-90): 237
- Alexandersittich:** 46 (1988-90): 36, 40
- Alkenvögel:** 46 (1988-90): 259
- Alle alle:** 43 (1976-78): 129

**Allenkolibri:** 47 (1991-93): 26, 53

**Alopochen aegyptiacus:** 45 (1983-86): 89; 47 (1991-93): 348; 48 (1994/95): 118, 119; 53 (2012): 140, 161, 163

**Alpenbraunelle:** 44 (1979-82): 112

**Alpendohle:** 44 (1979-82): 95-114; 46 (1988-90): 223, 226; 48 (1994/95): 47, 144, 159

**Alpenkrähe:** 44 (1979-82): 95-114; 46 (1988-90): 223, 239, 352, 353; 53 (2012): 34

**Alpenschneehuhn:** 38 (1965): 29; 47 (1991-93): 48, 127, 128

**Alpensegler:** 39 (1966): 129; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 100, 230; 51 (2003): 57

**Alpenstrandläufer:** 10 (1936/37): 20-22; 12 (1938/39): 28; 14 (1940/41): 69; 31 (1957/58): 51, 52; 32 (1959): 19; 33 (1960): 40; 35 (1962): 36; 36 (1963): 27, 47, 48; 37 (1964): 26, 33, 36, 49; 38 (1965): 86B; 39 (1966): 113R, 123; 40 (1967-69): 67, 169, 192B, 259, 273; 41 (1970-72): 102, 186B, 211, 245, 249; 42 (1973-75): 42B, 249; 43 (1976-78): 46B, 65, 255, 261, 265B; 44 (1979-82): 95-114, 213-225, 328B; 46 (1988-90): 76, 81; 47 (1991-93): 193, 232, 320, 340; 50 (1999): 150, 190

**Amadina fasciata:** 47 (1991-93): 44

**Amazona ochrocephala:** 46 (1988-90): 36

**Amazona viridigenalis:** 47 (1991-93): 44

**Amerikanerkrähe:** 47 (1991-93): 26, 46, 124

**Amerikanischer Goldregenpfeifer:** 47 (1991-93): 146, 339

**Amerikanischer Schlangenhalsvogel:** 47 (1991-93): 44

**Amethystglanzköpfchen:** 47 (1991-93): 50

**Ammodramus savannarum:** 45 (1983-86): 196; 47 (1991-93): 44

**Ammomanes deserti:** 44 (1979-82): 213-225

**Ammonperdix heyi:** 44 (1979-82): 213-225; 47 (1991-93): 21

**Amsel:** 07 (1930/31): 15-17R, 28-31, 35; 08 (1931/32): 8R, 12; 09 (1932/33): 10R, 15; 10 (1933/34): 13R; 11 (1934/35): 11R, 20; 09 (1935/36): 9R, 20, 23; 10 (1936/37): 11R, 23; 11 (1937/38): 11R; 13 (1939/40): 30; 14 (1940/41): 51; 21 (1947/48): 5; 22 (1948/49): 25; 23 (1949/50): 20R; 24 (1950/51): 26-28, 36; 25 (1951/52): 19; 27 (1953/54): 15; 28 (1954/55): 7B, 76; 29 (1955/56): 7B, 10; 30 (1956/57): 6B, 19; 31 (1957/58): 41, 97B; 32 (1959): 9B, 13; 33 (1960): 13B, 16, 51; 34 (1960/61): 9B, 27, 28; 35 (1962): 9B, 14; 36 (1963): 10B, 33, 66; 37 (1964): 11B, 66; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 23, 187B, 192R, 238; 42 (1973-75): 13, 14, 18, 19, 43B, 104, 110, 206, 250B, 256R; 46 (1988-90): 321; 51 (2003): 34, 121-125; 52 (2009): 115, 136, 138; 53 (2012): 71, 82, 83, 88, 89, 114, 118, 125, 134, 135, 141, 145, 153, 160, 161, 162, 164, 175-177, 183-185

**Anas acuta:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 65; 30 (1956/57): 24, 25; 31 (1957/58): 89; 36 (1963): 25; 37 (1964): 21; 41 (1970-72): 68, 87, 211; 43 (1976-78): 63; 44 (1979-82): 213-225; 46 (1988-90): 22; 47 (1991-93): 19, 92,

- 103, 241; 48 (1994/95): 133; 50 (1999): 139, 189; 53 (2012): 140
- Anas clypeata:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 65; 28 (1954/55): 8B; 30 (1956/57): 24, 25; 31 (1957/58): 51; 32 (1959): 29; 35 (1962): 29; 36 (1963): 25, 52; 37 (1964): 21; 38 (1965): 100; 41 (1970-72): 211; 43 (1976-78): 30, 64, 132; 44 (1979-82): 213-225; 45 (1983-86): 354; 46 (1988-90): 22, 322; 47 (1991-93): 91, 92, 99, 100, 238, 239, 340, 362; 48 (1994/95): 133; 50 (1999): 139, 189
- Anas crecca:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 64; 22 (1948/49): 43; 28 (1954/55): 8B; 30 (1956/57): 24, 25; 31 (1957/58): 89; 36 (1963): 25; 37 (1964): 20; 39 (1966): 117R; 40 (1967-69): 192B; 41 (1970-72): 56, 67, 91, 170, 177, 211; 42 (1973-75): 248B; 43 (1976-78): 63, 131, 264B; 44 (1979-82): 213-225, 327B; 45 (1983-86): 89-91; 46 (1988-90): 22, 322; 47 (1991-93): 19, 91, 99, 192, 238, 362; 48 (1994/95): 132, 133; 50 (1999): 138, 189
- Anas penelope:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 65; 25 (1951/52): 9R; 30 (1956/57): 24; 31 (1957/58): 89; 36 (1963): 25; 37 (1964): 21; 40 (1967-69): 16; 41 (1970-72): 70; 43 (1976-78): 30, 259; 44 (1979-82): 213-225; 46 (1988-90): 22, 322; 47 (1991-93): 91, 100, 101, 363; 48 (1994/95): 132; 50 (1999): 138, 189
- Anas platyrhynchos:** 09 (1932/33): 15; 12 (1938/39): 27; 13 (1939/40): 8, 24, 25; 14 (1940/41): 64; 28 (1954/55): 8B; 29 (1955/56): 8B; 30 (1956/57): 24, 25; 31 (1957/58): 49, 51, 89, 98B; 32 (1959): 29; 34 (1960/61): 8B; 36 (1963): 9B, 25, 30; 37 (1964): 10B, 15R; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 17, 192B; 41 (1970-72): 66, 87, 103R, 185B, 238; 42 (1973-75): 41B, 52R, 248B; 43 (1976-78): 46B, 71, 198, 206-235, 264B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 265, 269-302, 327B; 45 (1983-86): 89-91; 46 (1988-90): 22, 33-36, 47, 54, 265, 322; 51 (2003): 21, 121-125; 53 (2012): 140, 141, 161, 163, 164
- Anas querquedula:** 12 (1938/39): 27; 14 (1940/41): 64; 28 (1954/55): 8B; 30 (1956/57): 24; 31 (1957/58): 51; 36 (1963): 25; 37 (1964): 20; 38 (1965): 100; 41 (1970-72): 56, 69, 185B, 211; 42 (1973-75): 45R; 43 (1976-78): 63, 132, 264B; 44 (1979-82): 213-225, 269-302, 327B; 45 (1983-86): 91; 46 (1988-90): 22, 81; 47 (1991-93): 98, 236; 48 (1994/95): 133; 50 (1999): 139, 189
- Anas strepera:** 14 (1940/41): 65; 30 (1956/57): 24, 25; 31 (1957/58): 89; 33 (1960): 37; 36 (1963): 25; 37 (1964): 21; 41 (1970-72): 87, 211; 43 (1976-78): 30, 64, 131; 46 (1988-90): 22, 322; 47 (1991-93): 91, 102, 240, 364; 48 (1994/95): 132
- Andenkolibri:** 47 (1991-93): 51
- Anhinga anhinga:** 47 (1991-93): 44
- Anhingidae:** 46 (1988-90): 285
- Annakolibri:** 47 (1991-93): 26, 45
- Anser albifrons:** 14 (1940/41): 64; 29 (1955/56): 17; 35 (1962): 31; 38 (1965): 68, 101; 40 (1967-69): 96, 121, 186; 41 (1970-72): 100, 189R, 211; 42 (1973-75): 146; 43 (1976-78): 31, 65; 46 (1988-90): 36, 108; 48 (1994/95): 101, 131
- Anser anser:** 14 (1940/41): 63; 29 (1955/56): 21; 33 (1960): 38; 38 (1965): 68; 39 (1966): 10, 126; 40 (1967-69): 113, 121, 186; 41 (1970-72): 211; 42 (1973-75): 243; 43 (1976-78): 31, 64; 45 (1983-86): 242, 354; 47 (1991-93): 45, 96, 97, 128, 152, 234, 348; 48 (1994/95): 101, 118, 119, 131, 132; 50 (1999): 138, 189

- Anser brachyrhynchus:** 37 (1964): 56; 38 (1965): 107; 41 (1970-72): 185; 42 (1973-75): 146; 43 (1976-78): 129; 44 (1979-82): 41-88
- Anser erythropus:** 14 (1940/41): 64; 43 (1976-78): 31
- Anser fabalis:** 12 (1938/39): 27; 14 (1940/41): 64; 31 (1957/58): 53; 33 (1960): 38; 35 (1962): 31; 37 (1964): 55; 38 (1965): 28, 37, 68, 71, 101; 40 (1967-69): 186; 41 (1970-72): 100, 211; 42 (1973-75): 41B, 146, 236; 43 (1976-78): 31, 37, 65, 253; 44 (1979-82): 41-88; 46 (1988-90): 109; 47 (1991-93): 364; 48 (1994/95): 101; 53 (2012): 140
- Anser indicus:** 46 (1988-90): 86; 47 (1991-93): 104, 348; 48 (1994/95): 118, 132
- Anseriformes:** 46 (1988-90): 259, 358, 300; 48 (1994/95): 99
- Antherpes collaris:** 47 (1991-93): 45
- Antherpes orientalis:** 47 (1991-93): 45
- Anthus berthelotii:** 46 (1988-90): 234, 238
- Anthus campestris:** 14 (1940/41): 44; 20 (1946/47): 4, 6; 25 (1951/52): 25; 28 (1954/55): 6B; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 43; 33 (1960): 36; 35 (1962): 43; 36 (1963): 34, 73, 74; 37 (1964): 12B, 66; 38 (1965): 34, 38, 88B, 107; 39 (1966): 129; 40 (1967-69): 98, 191, 193B, 274; 41 (1970-72): 37, 175, 186B, 211; 42 (1973-75): 42B, 97, 249B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 330B; 46 (1988-90): 74, 81, 111; 47 (1991-93): 95; 50 (1999): 162, 192; 53 (2012): 116, 138, 139
- Anthus cervinus:** 37 (1964): 28, 31; 38 (1965): 34, 104; 39 (1966): 11; 40 (1967-69): 191; 42 (1973-75): 237; 44 (1979-82): 213-225; 47 (1991-93): 192, 196, 199; 53 (2012): 49, 140
- Anthus hodgsoni:** 47 (1991-93): 321
- Anthus pratensis:** 14 (1940/41): 44; 20 (1946/47): 6; 21 (1947/48): 12; 28 (1954/55): 7B2; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 43; 32 (1959): 32; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 24, 48; 37 (1964): 12B, 28; 38 (1965): 88B; 39 (1966): 110B, 115R; 40 (1967-69): 193B; 41 (1970-72): 186B, 211, 238; 42 (1973-75): 42B, 50R, 249B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 41-88, 159-186, 213-225, 230, 330B; 46 (1988-90): 278; 47 (1991-93): 91, 105, 192, 196, 200, 243, 340, 366; 48 (1994/95): 159; 50 (1999): 164, 192; 53 (2012): 112, 140
- Anthus similis:** 44 (1979-82): 213-225
- Anthus spinoletta:** 14 (1940/41): 44; 33 (1960): 40; 35 (1962): 9B; 37 (1964): 28; 38 (1965): 88B; 39 (1966): 15; 40 (1967-69): 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 249B; 43 (1976-78): 47B, 266B; 44 (1979-82): 41-88, 213-225, 330B; 46 (1988-90): 31, 111; 47 (1991-93): 105, 242, 340, 366; 48 (1994/95): 142, 143; 50 (1999): 164, 192; 53 (2012): 49, 139
- Anthus spinoletta petrosus:** 47 (1991-93): 193, 322; 53 (2012): 112
- Anthus trivialis:** 10 (1933/34): 56; 11 (1934/35): 20; 14 (1940/41): 44; 28 (1954/55): 6B, 72; 29 (1955/56): 6B, 10; 30 (1956/57): 6B, 8R; 31 (1957/58): 96B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34, 48; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 193B; 41 (1970-72): 186B, 238; 42 (1973-75): 42B, 99, 249B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 41-88, 159-186, 213-225, 264, 269-302, 330B; 45

(1983-86): 91, 145, 231, 233; 46 (1988-90): 321-325; 47 (1991-93): 91, 94; 48 (1994/95): 159; 50 (1999): 162, 192; 51 (2003): 20, 30; 52 (2009): 136, 138; 53 (2012): 120, 137, 139, 155

**Apodiformes:** 46 (1988-90): 263, 267, 301; 48 (1994/95): 17

**Aptenodytes forsteri:** 46 (1988-90): 261, 274, 281, 282; 47 (1991-93): 27, 32, 36, 39

**Aptenodytes patagonica:** 47 (1991-93): 32

**Apterygiformes:** 46 (1988-90): 259, 300

**Apus affinis:** 44 (1979-82): 213-225

**Apus apus:** 09 (1932/33): 11R, 15; 11 (1934/35): 20; 09 (1935/36): 20, 22; 11 (1937/38): 12R; 13 (1939/40): 18; 14 (1940/41): 52; 21 (1947/48): 12; 28 (1954/55): 7B, 78; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 41, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B, 113R; 40 (1967-69): 20, 193B, 273; 41 (1970-72): 186B; 42 (1973-75): 42B, 249B; 43 (1976-78): 1, 46B, 197, 198, 206-235, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 328B; 46 (1988-90): 322; 51 (2003): 25, 55-85, 117; 53 (2012): 136, 139

**Apus melba:** 39 (1966): 129; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 100, 230; 51 (2003): 57

**Apus pallidus:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 238 ; 51 (2003): 57

**Apus pallidus brehmorum:** 46 (1988-90): 238

**Apus unicolor u.:** 46 (1988-90): 234, 238

**Aquila audax:** 46 (1988-90): 285

**Aquila chrysaetos:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 70, 81, 90, 91, 94, 352; 48 (1994/95): 36

**Aquila clanga:** 45 (1983-86): 83-87; 48 (1994/95): 36

**Aquila heliaca:** 44 (1979-82): 112, 213-225; 45 (1983-86): 83-87; 46 (1988-90): 81, 283; 48 (1994/95): 43

**Aquila nipalensis:** 44 (1979-82): 213-225; 45 (1983-86): 231, 341-344; 48 (1994/95): 36, 43

**Aquila pomarina:** 22 (1948/49): 43; 40 (1967-69): 121, 257; 42 (1973-75): 236; 45 (1983-86): 83-87, 145, 341-344; 48 (1994/95): 36

**Aquila spec.:** 46 (1988-90): 90-92; 48 (1994/95): 48

**Arabisches Wüstenhuhn:** 44 (1979-82): 213-225; 47 (1991-93): 21

**Archilochus alexandri:** 47 (1991-93): 26, 45, 128

**Archilochus colubris:** 47 (1991-93): 19, 145, 147

**Ardea cinerea:** 08 (1931/32): 28; 09 (1932/33): 15; 10 (1933/34): 19-51; 12 (1938/39): 39; 14 (1940/41): 37, 60; 22 (1948/49): 30-35; 27 (1953/54): 11R; 28 (1954/55): 8B; 29 (1955/56): 23; 30 (1956/57): 25; 31 (1957/58): 53; 33 (1960): 17R; 34 (1960/61): 19; 35 (1962): 13R, 17; 37 (1964): 20; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 7, 56, 60, 185B, 209, 211; 42 (1973-75): 45R, 133; 43 (1976-78): 63, 134, 242, 258; 44 (1979-82): 27-88, 95-114, 213-225, 269-302, 327B; 45 (1983-86): 83-87; 46 (1988-90): 21, 76, 81, 233, 321, 358 ; 51 (2003):

- 21; 53 (2012): 120, 136, 139, 161, 162, 164
- Ardea goliath:** 44 (1979-82): 213-225; 46 (1988-90): 76
- Ardea purpurea:** 14 (1940/41): 29, 62; 32 (1959): 29; 39 (1966): 12; 40 (1967-69): 57, 96, 120, 261, 270; 41 (1970-72): 99, 211; 42 (1973-75): 243; 43 (1976-78): 63, 258; 44 (1979-82): 92, 95-114, 213-225; 46 (1988-90): 21, 81, 233; 50 (1999): 137, 189
- Ardeidae:** 47 (1991-93): 15; 48 (1994/95): 22, 43, 48
- Ardeola ralloides:** 14 (1940/41): 63; 37 (1964): 53; 42 (1973-75): 229; 43 (1976-78): 30; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 229
- Arenaria interpres:** 36 (1963): 26; 37 (1964): 16, 47; 38 (1965): 108; 39 (1966): 11, 127; 40 (1967-69): 67, 180, 262, 272; 42 (1973-75): 148; 43 (1976-78): 260; 44 (1979-82): 213-225; 46 (1988-90): 107; 47 (1991-93): 192, 196, 198, 320, 335, 340; 53 (2012): 112
- Argusnachtschwalbe:** 46 (1988-90): 267; 47 (1991-93): 47
- Arktische Amerikanerkrähe:** 47 (1991-93): 122
- Asio flammeus:** 08 (1931/32): 26; 12 (1938/39): 35-36; 14 (1940/41): 55; 28 (1954/55): 7B8; 29 (1955/56): 6B; 33 (1960): 32, 40; 37 (1964): 26; 38 (1965): 15, 86B; 39 (1966): 128; 40 (1967-69): 59, 189, 195B; 41 (1970-72): 56, 102, 174, 180, 211; 42 (1973-75): 42B, 136, 242, 244, 249B; 43 (1976-78): 63; 44 (1979-82): 41-88, 213-225; 46 (1988-90): 81; 47 (1991-93): 366; 48 (1994/95): 158; 50 (1999): 156, 191
- Asio otus:** 07 (1930/31): 26R; 09 (1932/33): 18, 29; 11 (1934/35): 31; 14 (1940/41): 54; 28 (1954/55): 7B8; 31 (1957/58): 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 24, 31; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 193B, 197R; 41 (1970-72): 104R, 186B; 42 (1973-75): 42B, 249B, 254R, 261R; 43 (1976-78): 46B, 50R, 265B; 44 (1979-82): 328B; 45 (1983-86): 90, 91, 325; 46 (1988-90): 238; 47 (1991-93): 91, 104, 366; 48 (1994/95): 38, 47, 141; 50 (1999): 156, 188, 191; 51 (2003): 25; 53 (2012): 140
- Asio otus canariensis:** 46 (1988-90): 238
- Athene noctua:** 07 (1930/31): 27R; 09 (1932/33): 17, 28; 11 (1934/35): 15R, 31; 10 (1936/37): 14R; 11 (1937/38): 12R; 13 (1939/40): 29; 14 (1940/41): 55; 23 (1949/50): 20R; 27 (1953/54): 10R; 28 (1954/55): 7B, 78; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 97B; 33 (1960): 14B; 36 (1963): 31; 40 (1967-69): 192B; 41 (1970-72): 186B, 211, 272; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 64, 242, 265B; 44 (1979-82): 95-114, 213-225, 328B, 339R; 44 (1979-82): 339R; 45 (1983-86): 90, 91, 232; 46 (1988-90): 322-324; 47 (1991-93): 91, 103, 241, 355, 365; 48 (1994/95): 140, 141; 50 (1999): 155, 186, 191; 51 (2003): 134-136; 53 (2012): 140
- Atlaswitwe:** 45 (1983-86): 194-196
- Auerhuhn:** 24 (1950/51): 40; 31 (1957/58): 76; 33 (1960): 41; 36 (1963): 30; 40 (1967-69): 187; 41 (1970-72): 56, 172, 208, 211; 42 (1973-75): 183; 43 (1976-78): 63, 243; 47 (1991-93): 58; 50 (1999): 40
- Auriparus flaviceps:** 46 (1988-90): 274

- Austernfischer:** 35 (1962): 8B; 37 (1964): 33; 38 (1965): 107; 39 (1966): 127; 40 (1967-69): 67, 122, 180, 195B, 259, 271; 41 (1970-72): 101; 42 (1973-75): 148, 237, 244; 43 (1976-78): 260; 47 (1991-93): 94, 192, 196, 340; 50 (1999): 149, 190
- Australischer Kasuar:** 47 (1991-93): 23
- Aythya ferina:** 12 (1938/39): 28; 13 (1939/40): 24; 14 (1940/41): 66; 28 (1954/55): 8B; 30 (1956/57): 24; 31 (1957/58): 49, 89, 90; 36 (1963): 25; 37 (1964): 21; 40 (1967-69): 17; 41 (1970-72): 56, 68, 211; 43 (1976-78): 30, 64, 133; 44 (1979-82): 95-114; 45 (1983-86): 89-91; 46 (1988-90): 23, 274, 322; 47 (1991-93): 91, 104, 242, 348, 349, 351, 366; 48 (1994/95): 118, 119, 133; 50 (1999): 140, 189
- Aythya fuligula:** 12 (1938/39): 28; 13 (1939/40): 24; 14 (1940/41): 66; 22 (1948/49): 44; 30 (1956/57): 24, 25; 31 (1957/58): 89; 32 (1959): 29; 33 (1960): 41; 36 (1963): 25; 37 (1964): 21; 40 (1967-69): 256; 41 (1970-72): 68, 87, 100, 211; 42 (1973-75): 140, 146; 43 (1976-78): 64, 133; 44 (1979-82): 213-225; 45 (1983-86): 89-91; 46 (1988-90): 23; 47 (1991-93): 91, 101, 340, 348, 349, 351, 363, 364; 48 (1994/95): 118, 119, 133, 134; 50 (1999): 140, 189
- Aythya marila:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 67; 30 (1956/57): 25; 31 (1957/58): 89; 37 (1964): 21; 38 (1965): 102; 40 (1967-69): 17, 270; 41 (1970-72): 87, 178; 43 (1976-78): 259; 45 (1983-86): 354; 46 (1988-90): 109; 47 (1991-93): 94, 192, 232; 48 (1994/95): 119, 134
- Aythya nyroca:** 14 (1940/41): 66; 34 (1960/61): 19; 36 (1963): 25; 37 (1964): 54; 38 (1965): 37; 39 (1966): 13, 126; 41 (1970-72): 87, 211; 42 (1973-75): 146; 43 (1976-78): 30, 65; 45 (1983-86): 354; 50 (1999): 140, 189
- Bachstelze:** 07 (1930/31): 21R; 09 (1932/33): 14, 26, 33; 10 (1933/34): 56; 11 (1934/35): 20; 09 (1935/36): 23; 14 (1940/41): 45; 20 (1946/47): 8; 24 (1950/51): 27; 27 (1953/54): 21; 28 (1954/55): 6B, 73; 29 (1955/56): 6B, 9R, 10, 21; 30 (1956/57): 6B, 8R, 22; 31 (1957/58): 96B; 32 (1959): 9B, 32; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34, 67; 37 (1964): 12B, 17R; 38 (1965): 88B; 39 (1966): 110B, 115R; 40 (1967-69): 193B, 273; 41 (1970-72): 186B, 238; 42 (1973-75): 42B, 50R, 249B; 43 (1976-78): 47B, 51R, 206-235, 266B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 264, 269-302, 330B; 46 (1988-90): 321; 51 (2003): 30, 117; 53 (2012): 139, 153, 161, 162
- Bandamadine:** 47 (1991-93): 44
- Bankivahuhn:** 47 (1991-93): 48
- Bartgeier:** 44 (1979-82): 95-114; 46 (1988-90): 90, 93, 220-231, 259; 48 (1994/95): 36
- Bartlaubsänger:** 47 (1991-93): 339
- Bartmeise:** 40 (1967-69): 21, 60, 194B; 42 (1973-75): 237, 245, 250B; 43 (1976-78): 47B, 65; 44 (1979-82): 329B; 48 (1994/95): 99, 159; 53 (2012): 36
- Basstölpel:** 29 (1955/56): 11; 44 (1979-82): 95-114; 45 (1983-86): 353; 47 (1991-93): 328, 329, 336, 340
- Baumammer:** 47 (1991-93): 145
- Baumfalke:** 08 (1931/32): 27; 11 (1934/35): 31; 14 (1940/41): 56; 28 (1954/55): 7B9; 31 (1957/58): 48; 33 (1960): 14B; 36 (1963): 24, 30, 57; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 112R; 40 (1967-69): 192B; 41 (1970-72): 185B, 211, 267; 43 (1976-78): 63, 134-138, 187-205, 206-235, 265B; 44 (1979-82): 95-114,

213-225; 46 (1988-90): 247; 47 (1991-93): 94, 232, 357; 48 (1994/95): 35, 44, 136; 50 (1999): 145, 186, 190; 51 (2003): 167; 53 (2012): 139

**Baumhopf:** 47 (1991-93): 90

**Baumläufer:** 44 (1979-82): 189-200; 46 (1988-90): 47, 79, 102

**Baumpieper:** 10 (1933/34): 56; 11 (1934/35): 20; 14 (1940/41): 44; 28 (1954/55): 6B, 72; 29 (1955/56): 6B, 10; 30 (1956/57): 6B, 8R; 31 (1957/58): 96B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34, 48; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 193B; 41 (1970-72): 186B, 238; 42 (1973-75): 42B, 99, 249B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 41-88, 159-186, 213-225, 264, 269-302, 330B; 45 (1983-86): 91, 145, 231, 233; 46 (1988-90): 321-325; 47 (1991-93): 91, 94; 48 (1994/95): 159; 50 (1999): 162, 192; 51 (2003): 20, 30; 52 (2009): 136, 138; 53 (2012): 120, 137, 139, 155

**Baumwaldsänger:** 45 (1983-86): 196

**Bekassine:** 09 (1932/33): 14; 11 (1937/38): 12R; 14 (1940/41): 72; 28 (1954/55): 8B1; 30 (1956/57): 24; 32 (1959): 21; 33 (1960): 14B, 43; 35 (1962): 8B, 35; 36 (1963): 9B, 12R, 27, 31, 46, 47; 37 (1964): 10B, 34, 48; 38 (1965): 86B, 105; 39 (1966): 75, 108B, 112R; 40 (1967-69): 3, 188, 192B, 196R, 250, 259, 261; 41 (1970-72): 60, 173, 186B, 211, 238, 243, 248; 42 (1973-75): 42B, 46R, 195, 249B, 253R; 43 (1976-78): 46B, 50R, 63, 243, 255, 265B; 48 (1994/95): 139, 158; 51 (2003): 103, 110-129, 168; 53 (2012): 114, 139

**Beo:** 45 (1983-86): 194

**Berber-Alpenkrähe:** 46 (1988-90): 239

**Bergente:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 67; 30 (1956/57): 25; 31 (1957/58): 89; 37 (1964): 21; 38 (1965): 102; 40 (1967-69): 17, 270; 41 (1970-72): 87, 178; 43 (1976-78): 259; 45 (1983-86): 354; 46 (1988-90): 109; 47 (1991-93): 94, 192, 232; 48 (1994/95): 119, 134

**Bergfink:** 12 (1938/39): 24-26, 29; 14 (1940/41): 43; 24 (1950/51): 9R; 28 (1954/55): 6B, 71; 29 (1955/56): 6B, 10; 30 (1956/57): 6B, 8R; 31 (1957/58): 42, 96B, 99; 32 (1959): 9B, 11R, 26, 34; 33 (1960): 12B, 16; 34 (1960/61): 9B; 35 (1962): 10B, 12R; 36 (1963): 11B, 48; 37 (1964): 12B, 18R, 29; 38 (1965): 88B, 96R, 99R; 39 (1966): 110B, 117R, 119R, 130; 40 (1967-69): 194B, 198R; 41 (1970-72): 187B, 189R, 192R; 42 (1973-75): 43B, 54R, 250B, 258R, 262R; 43 (1976-78): 48B, 53R, 57R, 70, 206-235, 267B, 271R; 44 (1979-82): 41-88, 159-186, 264, 331B, 338R; 45 (1983-86): 209; 46 (1988-90): 32; 47 (1991-93): 35, 91, 176, 232; 48 (1994/95): 99, 145, 159; 52 (2009): 138; 53 (2012): 139, 160, 161, 164

**Berghänfling:** 36 (1963): 11B; 37 (1964): 12B; 38 (1965): 36; 39 (1966): 123; 40 (1967-69): 195B; 42 (1973-75): 43B, 237; 43 (1976-78): 39; 46 (1988-90): 112; 47 (1991-93): 233, 322, 335, 340; 50 (1999): 183, 194

**Bergkalarnderleche:** 44 (1979-82): 213-225

**Bergkohlmeise:** 47 (1991-93): 51

**Berglaubsänger:** 40 (1967-69): 264; 41 (1970-72): 96, 187B; 53 (2012): 36-37

**Bergpieper:** 14 (1940/41): 44; 33 (1960): 40; 35 (1962): 9B; 37 (1964): 28; 38 (1965): 88B; 39 (1966): 15; 40 (1967-69): 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 249B; 43 (1976-78): 47B, 266B; 44 (1979-82): 41-88, 213-225, 330B;

46 (1988-90): 31, 111; 47 (1991-93): 105, 242, 340, 366; 48 (1994/95): 142, 143; 50 (1999): 164, 192; 53 (2012): 49, 139

**Beringmöwe:** 47 (1991-93): 49

**Beutelmeise:** 24 (1950/51): 32; 35 (1962): 41; 36 (1963): 24, 64; 40 (1967-69): 123, 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 150, 228, 237, 245, 250B; 43 (1976-78): 47B, 64, 261, 266B; 44 (1979-82): 133, 329B; 45 (1983-86): 83-87, 90; 46 (1988-90): 112, 247, 323, 325; 47 (1991-93): 2, 12, 91, 229; 48 (1994/95): 144; 50 (1999): 175, 193; 51 (2003): 07, 117, 167; 53 (2012): 35, 137, 139

**Bienenfresser:** 41 (1970-72): 153; 42 (1973-75): 149; 44 (1979-82): 95-114, 213-225; 46 (1988-90): 217-231, 234, 285, 355; 47 (1991-93): 90; 48 (1994/95): 29, 158

**Bindenkreuzschnabel:** 39 (1966): 130; 45 (1983-86): 99; 47 (1991-93): 49; 53 (2012): 51

**Bindenseeadler:** 48 (1994/95): 36

**Bindenstrandläufer:** 46 (1988-90): 106-107

**Bindentaucher:** 47 (1991-93): 19

**Birkenzeisig:** 13 (1939/40): 9; 14 (1940/41): 42; 21 (1947/48): 8; 28 (1954/55): 6B, 71; 29 (1955/56): 6B; 31 (1957/58): 42; 36 (1963): 11B; 37 (1964): 12B, 28, 64; 38 (1965): 88B, 95R; 39 (1966): 110B; 40 (1967-69): 99, 195B, 199R; 41 (1970-72): 187B; 42 (1973-75): 43B, 251B, 259R; 43 (1976-78): 48B, 54R, 267B; 44 (1979-82): 331B, 337R; 45 (1983-86): 356; 46 (1988-90): 112, 257-295; 47 (1991-93): 20, 91, 94, 122, 126, 133, 135, 144, 149, 233, 353, 357; 48 (1994/95): 145, 159; 50 (1999): 184, 194; 51 (2003): 47; 53 (2012): 139

**Birkhuhn:** 31 (1957/58): 76; 33 (1960): 41; 41 (1970-72): 7, 56, 211; 43 (1976-78): 63, 243; 46 (1988-90): 274, 278-280; 47 (1991-93): 49, 126, 133

**Blassspötter:** 44 (1979-82): 213-225; 46 (1988-90): 243, 244

**Blauelster:** 44 (1979-82): 95-114

**Blauflügel-Waldsänger:** 47 (1991-93): 54

**Blauhäher:** 47 (1991-93): 19, 26, 46

**Blaukehlchen:** 41 (1970-72): 56, 176, 187B, 211; 42 (1973-75): 150, 250B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 213-225; 50 (1999): 166, 192; 51 (2003): 167, 172-173

**Blaukehlchen, Rotsterniges:** 28 (1954/55): 7B7; 37 (1964): 28; 38 (1965): 87B; 39 (1966): 109B, 129; 40 (1967-69): 99, 194B; 42 (1973-75): 43B; 44 (1979-82): 329B; 46 (1988-90): 307; 47 (1991-93): 354; 50 (1999): 166, 192; 53 (2012): 47

**Blaukehlchen, Weisssterniges:** 07 (1930/31): 32; 08 (1931/32): 7R; 09 (1932/33): 15; 11 (1934/35): 20; 09 (1935/36): 22; 14 (1940/41): 52; 21 (1947/48): 6; 24 (1950/51): 35; 28 (1954/55): 7B, 77; 29 (1955/56): 7B; 30 (1956/57): 6B, 23; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B, 40; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 10B, 24, 33, 48; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B, 113R, 118R; 40 (1967-69): 194B; 42 (1973-75): 43B; 44 (1979-82): 269-302, 329B; 45 (1983-86): 253-278, 323-336; 46 (1988-90): 36, 303-318, 324; 47 (1991-93): 91, 95; 48 (1994/95): 143; 50 (1999): 166, 192; 53 (2012): 46-47, 139

**Blaukehlnymphe:** 46 (1988-90): 274; 47 (1991-93): 48

- Blaumeise:** 07 (1930/31): 24R; 08 (1931/32): 31; 09 (1932/33): 25, 32; 11 (1934/35): 20; 09 (1935/36): 11R, 20, 22; 10 (1936/37): 24; 12 (1938/39): 16R; 14 (1940/41): 46; 21 (1947/48): 8; 22 (1948/49): 37; 28 (1954/55): 7B, 73; 29 (1955/56): 6B, 10, 22, 23; 30 (1956/57): 6B, 14; 31 (1957/58): 61, 64, 65, 66, 96B; 32 (1959): 9B, 13, 32; 33 (1960): 13B, 47; 34 (1960/61): 8B; 35 (1962): 8B, 21; 36 (1963): 10B, 14R, 32; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 40, 194B; 41 (1970-72): 23, 104, 187B, 192R; 42 (1973-75): 15, 43B, 111, 207, 250B, 257R; 43 (1976-78): 47B, 56R, 206-235, 266B, 272R; 44 (1979-82): 41-88, 95-114, 159-186, 189-200, 228, 262-265, 269-302, 329B, 335R; 46 (1988-90): 321; 51 (2003): 41, 117, 118; 52 (2009): 115, 136, 138; 53 (2012): 137, 139, 141, 148, 150, 153-155, 160, 161, 162, 164 179-180, 183-185
- Blaumerle:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 229-232; 46 (1988-90): 81, 221, 227 ; 53 (2012): 43-44
- Blaunackenmausvogel:** 46 (1988-90): 260, 282, 283; 47 (1991-93): 54, 128, 134; 48 (1994/95): 15-31
- Blauracke:** 08 (1931/32): 25; 25 (1951/52): 23; 33 (1960): 46; 37 (1964): 27; 40 (1967-69): 21, 23, 98, 122, 273; 41 (1970-72): 102; 42 (1973-75): 142, 149, 244; 43 (1976-78): 65; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 83-87; 50 (1999): 156, 191
- Blauwangenspint:** 45 (1983-86): 83-87
- Bluthänfling:** 07 (1930/31): 32; 09 (1932/33): 14; 10 (1933/34): 17R, 56; 09 (1935/36): 20; 10 (1936/37): 12R; 13 (1939/40): 9; 14 (1940/41): 42; 28 (1954/55): 6B, 71; 29 (1955/56): 6B; 30 (1956/57): 5B, 22; 31 (1957/58): 96B; 32 (1959): 8B; 33 (1960): 12B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 195B; 41 (1970-72): 187B, 238; 42 (1973-75): 11, 13, 43B, 110, 206, 251B; 43 (1976-78): 48B, 57R, 206-235, 267B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 262, 269-302, 331B; 45 (1983-86): 91, 229; 46 (1988-90): 32, 55, 72, 239, 321; 47 (1991-93): 35, 91; 48 (1994/95): 145, 159; 50 (1999): 183, 186, 188, 194; 51 (2003): 121-125; 53 (2012): 88, 89, 115, 134-136, 139, 151, 153
- Blutschabelweber:** 13 (1939/40): 8; 46 (1988-90): 126
- Blutspecht:** 44 (1979-82): 213-225
- Blässgans:** 14 (1940/41): 64; 29 (1955/56): 17; 35 (1962): 31; 38 (1965): 68, 101; 40 (1967-69): 96, 121, 186; 41 (1970-72): 100, 189R, 211; 42 (1973-75): 146; 43 (1976-78): 31, 65; 46 (1988-90): 36, 108; 48 (1994/95): 101, 131
- Blässralle:** 09 (1932/33): 14, 15; 14 (1940/41): 74; 25 (1951/52): 9R; 26 (1952/53): 7R; 28 (1954/55): 8B2; 30 (1956/57): 7B, 26; 31 (1957/58): 90; 34 (1960/61): 8B, 21; 36 (1963): 9B, 28, 31; 37 (1964): 10B, 19R; 38 (1965): 89R; 40 (1967-69): 192B; 41 (1970-72): 60, 66; 42 (1973-75): 53R, 260R; 43 (1976-78): 206-235; 44 (1979-82): 95-114, 213-225, 269-302, 327B; 45 (1983-86): 89-91; 46 (1988-90): 24, 33, 40, 47, 54, 74, 81, 287, 321; 47 (1991-93): 91, 92, 95, 340, 348; 48 (1994/95): 118, 119; 50 (1999): 149, 186, 190; 53 (2012): 139, 142, 153
- Bobolink:** 47 (1991-93): 145
- Bolborhynchus lineola:** 47 (1991-93): 45
- Bombycilla garrulus:** 08 (1931/32): 32; 09 (1932/33): 39; 21 (1947/48): 15; 24 (1950/51): 32; 30 (1956/57): 22; 31 (1957/58): 54, 80; 32 (1959): 25, 33; 33

(1960): 48; 37 (1964): 28, 38, 66; 38 (1965): 35; 39 (1966): 11, 90, 110B; 40 (1967-69): 59, 99, 193B; 41 (1970-72): 102, 175; 42 (1973-75): 150; 46 (1988-90): 31; 50 (1999): 170, 192

**Bonasa bonasia:** 25 (1951/52): 19; 31 (1957/58): 76; 41 (1970-72): 7, 56, 211; 42 (1973-75): 183; 43 (1976-78): 63, 243; 46 (1988-90): 278, 279

**Bonasa unbellus:** 46 (1988-90): 153

**Borneobronzemännchen:** 46 (1988-90): 259, 274

**Borstenrabe:** 44 (1979-82): 213-225; 45 (1983-86): 83-87

**Botaurus stellaris:** 08 (1931/32): 29; 14 (1940/41): 63; 28 (1954/55): 10R; 35 (1962): 27; 37 (1964): 20; 39 (1966): 120; 40 (1967-69): 270; 41 (1970-72): 56, 170, 211; 42 (1973-75): 145, 227, 243; 43 (1976-78): 63, 258, 264B; 44 (1979-82): 327B; 47 (1991-93): 364; 48 (1994/95): 131; 50 (1999): 134, 188; 51 (2003): 168, 169

**Brachpieper:** 14 (1940/41): 44; 20 (1946/47): 4, 6; 25 (1951/52): 25; 28 (1954/55): 6B; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 43; 33 (1960): 36; 35 (1962): 43; 36 (1963): 34, 73, 74; 37 (1964): 12B, 66; 38 (1965): 34, 38, 88B, 107; 39 (1966): 129; 40 (1967-69): 98, 191, 193B, 274; 41 (1970-72): 37, 175, 186B, 211; 42 (1973-75): 42B, 97, 249B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 330B; 46 (1988-90): 74, 81, 111; 47 (1991-93): 95; 50 (1999): 162, 192; 53 (2012): 116, 138, 139

**Brachtschwalbe:** 44 (1979-82): 95-114

**Brandgans:** 36 (1963): 53; 39 (1966): 10, 121; 40 (1967-69): 195B; 41 (1970-72): 87, 89, 211; 43 (1976-78): 65; 44 (1979-82): 213-225; 47 (1991-93): 95, 340

**Brandseeschwalbe:** 44 (1979-82): 213-225

**Branta bernicla:** 14 (1940/41): 64; 45 (1983-86): 354; 47 (1991-93): 26, 45

**Branta canadensis:** 40 (1967-69): 113, 114, 270; 41 (1970-72): 100; 43 (1976-78): 31; 46 (1988-90): 259; 47 (1991-93): 98, 235, 348; 48 (1994/95): 99, 118, 119, 132

**Branta leucopsis:** 40 (1967-69): 113; 42 (1973-75): 243; 43 (1976-78): 38, 259; 47 (1991-93): 243; 48 (1994/95): 101, 119, 132; 50 (1999): 138, 189

**Branta ruficollis:** 38 (1965): 71; 40 (1967-69): 113

**Braun-Honigfresser:** 46 (1988-90): 262

**Braunflügelmausvogel:** 47 (1991-93): 46, 134, 158

**Braunkehlchen:** 09 (1932/33): 15; 10 (1933/34): 56; 11 (1934/35): 10R, 20; 14 (1940/41): 51; 21 (1947/48): 6; 28 (1954/55): 7B, 76; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B, 23; 35 (1962): 9B; 36 (1963): 10B, 33; 37 (1964): 11B, 16R; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 190, 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 49R, 101, 250B; 43 (1976-78): 39, 47B, 64, 266B; 44 (1979-82): 41-88, 95-114, 213-225, 329B; 45 (1983-86): 233; 46 (1988-90): 50, 54, 81, 321; 47 (1991-93): 91, 95, 233, 358; 48 (1994/95): 143, 159; 50 (1999): 167, 188, 192; 51 (2003): 34, 111, 117, 122, 124, 167, 170; 52 (2009): 136; 53 (2012): 114

**Braunkopfammer:** 40 (1967-69): 60

**Braunkopfkuhstärling:** 46 (1988-90): 274; 47 (1991-93): 18, 19

**Braunliest:** 44 (1979-82): 213-225; 45 (1983-86): 83-87

**Braunmaina:** 46 (1988-90): 145

**Braunnackenrabe:** 45 (1983-86): 83-87; 46 (1988-90): 288-294; 47 (1991-93): 21, 156, 158

**Braunrückens-Grundammer:** 47 (1991-93): 52

**Brauntöpel:** 44 (1979-82): 213-225; 44 (1979-82): 213-225

**Brautente:** 46 (1988-90): 23; 47 (1991-93): 95, 233, 348, 358; 48 (1994/95): 118, 119; 50 (1999): 138, 189

**Brillengrasmücke:** 46 (1988-90): 233, 234, 238

**Brillenmausvogel:** 47 (1991-93): 134; 48 (1994/95): 24

**Brillenstärling:** 47 (1991-93): 334

**Bronzenektarvogel:** 47 (1991-93): 50

**Bruchwasserläufer:** 14 (1940/41): 71; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 39; 35 (1962): 36; 36 (1963): 9B, 22, 23, 46, 47; 37 (1964): 10B, 25, 35, 48; 38 (1965): 86B, 90R; 39 (1966): 17, 85, 108B, 123; 40 (1967-69): 23, 192B, 259; 41 (1970-72): 186B, 211, 244, 250; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 65, 255, 265B; 44 (1979-82): 213-225, 328B; 45 (1983-86): 229; 47 (1991-93): 95, 233; 50 (1999): 152, 191; 53 (2012): 137, 139

**Bubo bubo:** 08 (1931/32): 23, 26; 31 (1957/58): 75; 41 (1970-72): 56; 43 (1976-78): 63; 46 (1988-90): 353; 47 (1991-93): 33; 51 (2003): 134; 53 (2012): 120

**Bubulcus ibis:** 44 (1979-82): 213-225

**Bucanetes githagineus:** 45 (1983-86): 83-87; 46 (1988-90): 239

**Bucephala clangula:** 12 (1938/39): 28; 13 (1939/40): 24; 14 (1940/41): 67; 28 (1954/55): 8B1; 29 (1955/56): 17; 30 (1956/57): 24, 25; 36 (1963): 26; 37 (1964): 21, 54; 41 (1970-72): 69, 211; 43 (1976-78): 65, 253; 45 (1983-86): 354; 46 (1988-90): 109; 47 (1991-93): 102, 240, 364; 48 (1994/95): 119, 134; 50 (1999): 141, 189

**Bucephala islandica:** 37 (1964): 22, 29

**Buchentyrann:** 47 (1991-93): 47

**Buchfink:** 07 (1930/31): 32; 08 (1931/32): 32; 09 (1932/33): 12R, 15, 26, 34, 37; 10 (1933/34): 17R, 56; 11 (1934/35): 13R, 21; 09 (1935/36): 11R, 27; 10 (1936/37): 12R; 11 (1937/38): 9R, 26; 12 (1938/39): 29; 13 (1939/40): 8, 30; 14 (1940/41): 43; 21 (1947/48): 7-8; 22 (1948/49): 25; 24 (1950/51): 31; 25 (1951/52): 27; 28 (1954/55): 6B, 9R, 71; 29 (1955/56): 6B, 10; 30 (1956/57): 6B; 31 (1957/58): 41, 96B; 32 (1959): 9B; 33 (1960): 12B, 16, 17, 53; 34 (1960/61): 9B, 14; 35 (1962): 10B; 36 (1963): 11B, 18-19R, 34, 48; 37 (1964): 12B, 19R; 38 (1965): 88B, 96R, 99R; 39 (1966): 110B, 119R; 40 (1967-69): 120, 194B, 198R, 265; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 51R, 54R, 111, 250B, 258R; 43 (1976-78): 48B, 53R, 56R, 206-235, 267B; 46 (1988-90): 321; 51 (2003): 46, 122-125; 52 (2009): 115, 136, 138; 53 (2012): 64, 71, 84, 89, 112, 115, 137, 139, 141, 153, 160, 161, 162, 164, 168-172, 183-185

**Bulwer-Sturmvoegel:** 46 (1988-90): 236

- Bulweria bulwerii:** 46 (1988-90): 236
- Buntspecht:** 08 (1931/32): 12R; 09 (1932/33): 13R, 27; 10 (1933/34): 18R; 11 (1934/35): 20; 09 (1935/36): 14R; 11 (1937/38): 11R; 12 (1938/39): 37R; 14 (1940/41): 53; 20 (1946/47): 8; 28 (1954/55): 7B, 78; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 10B, 31; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 11B; 38 (1965): 86B, 91R; 39 (1966): 109B; 40 (1967-69): 52, 193B; 41 (1970-72): 186B, 239; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 51R, 198, 206-235, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 264, 269-302, 328B; 45 (1983-86): 91, 220-223; 46 (1988-90): 26, 33, 40, 54, 238, 321; 51 (2003): 27, 117; 52 (2009): 117, 136, 138; 53 (2012): 139, 141, 161, 162, 164
- Burhinus oedicnemus:** 37 (1964): 26; 39 (1966): 128; 43 (1976-78): 35; 45 (1983-86): 230; 46 (1988-90): 237
- Burhinus oedicnemus distinctus:** 46 (1988-90): 237
- Burhinus oedicnemus insularum:** 46 (1988-90): 237
- Buschgrasmücke:** 44 (1979-82): 213-225
- Bussard:** 45 (1983-86): 83-87, 91, 229, 232, 242, 337-346
- Buteo buteo:** 07 (1930/31): 26R, 32; 09 (1932/33): 19, 29, 39; 10 (1933/34): 18R; 11 (1934/35): 15R, 31; 09 (1935/36): 15R; 13 (1939/40): 29; 14 (1940/41): 56; 22 (1948/49): 44; 28 (1954/55): 7B, 79; 29 (1955/56): 8B; 30 (1956/57): 7B; 31 (1957/58): 53, 75, 100; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 9B, 30; 37 (1964): 10B, 15R; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 7, 60, 104R, 185B, 189R, 239, 261; 42 (1973-75): 41B, 45R, 248B; 43 (1976-78): 46B, 187-205, 206-235, 265B, 268R, 272R; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 269-302, 327B; 45 (1983-86): 91; 46 (1988-90): 322; 51 (2003): 22, 117-123; 53 (2012): 139, 141, 153, 161, 163, 164
- Buteo buteo insularum:** 46 (1988-90): 237
- Buteo buteo vulpinus:** 45 (1983-86): 83-87, 342
- Buteo lagopus:** 11 (1934/35): 31; 33 (1960): 38; 36 (1963): 53; 37 (1964): 23; 40 (1967-69): 96; 41 (1970-72): 7, 60, 170, 185B; 42 (1973-75): 236; 43 (1976-78): 187-205; 44 (1979-82): 41-88, 327B; 45 (1983-86): 242; 46 (1988-90): 36, 105, 109; 47 (1991-93): 101; 48 (1994/95): 36; 50 (1999): 144, 189
- Buteo rufinus:** 44 (1979-82): 213-225; 45 (1983-86): 229, 232; 48 (1994/95): 36
- Buteo spec.:** 45 (1983-86): 83-87, 91, 229, 232, 242, 337-346
- Butorides striatus:** 44 (1979-82): 213-225
- Bülbül:** 46 (1988-90): 154
- Calandrella brachydactyla:** 44 (1979-82): 95-114, 213-225; 47 (1991-93): 321; 53 (2012): 51
- Calandrella rufescens:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 238
- Calandrella rufescens polatzeki:** 46 (1988-90): 238
- Calcarius lapponicus:** 41 (1970-72): 178; 47 (1991-93): 192
- Calidris alba:** 14 (1940/41): 70; 37 (1964): 26, 36; 39 (1966): 127; 40 (1967-69): 46, 67, 161; 41 (1970-72): 102, 178; 42 (1973-75): 249B; 43 (1976-78): 261; 44

(1979-82): 95-114; 46 (1988-90): 234; 47 (1991-93): 335, 340

**Calidris alpina:** 10 (1936/37): 20-22; 12 (1938/39): 28; 14 (1940/41): 69; 31 (1957/58): 51, 52; 32 (1959): 19; 33 (1960): 40; 35 (1962): 36; 36 (1963): 27, 47, 48; 37 (1964): 26, 33, 36, 49; 38 (1965): 86B; 39 (1966): 113R, 123; 40 (1967-69): 67, 169, 192B, 259, 273; 41 (1970-72): 102, 186B, 211, 245, 249; 42 (1973-75): 42B, 249; 43 (1976-78): 46B, 65, 255, 261, 265B; 44 (1979-82): 95-114, 213-225, 328B; 46 (1988-90): 76, 81; 47 (1991-93): 193, 232, 320, 340; 50 (1999): 150, 190

**Calidris canutus:** 25 (1951/52): 27; 29 (1955/56): 11; 31 (1957/58): 52; 32 (1959): 20; 37 (1964): 25; 38 (1965): 108; 39 (1966): 127; 40 (1967-69): 45, 67, 163, 272; 41 (1970-72): 244; 43 (1976-78): 260; 44 (1979-82): 93; 47 (1991-93): 340

**Calidris ferruginea:** 10 (1936/37): 20-22; 14 (1940/41): 69; 32 (1959): 19; 36 (1963): 26; 37 (1964): 26, 36, 49; 38 (1965): 108; 39 (1966): 123; 40 (1967-69): 67, 158, 192B, 259, 273; 41 (1970-72): 186B, 245; 42 (1973-75): 42B; 43 (1976-78): 256, 261; 44 (1979-82): 95-114, 328B; 46 (1988-90): 358; 47 (1991-93): 193, 324, 340; 50 (1999): 150, 190

**Calidris maritima:** 47 (1991-93): 193

**Calidris melanotos:** 36 (1963): 28; 40 (1967-69): 51, 67, 157; 43 (1976-78): 34, 248; 47 (1991-93): 339

**Calidris minuta:** 10 (1936/37): 20-22; 14 (1940/41): 70; 32 (1959): 20; 35 (1962): 36; 36 (1963): 27, 47, 48; 37 (1964): 25, 33, 36, 41, 49; 39 (1966): 108B, 123; 40 (1967-69): 67, 166, 192B, 259, 272; 41 (1970-72): 186B, 244; 42 (1973-75): 42B, 53R, 249B, 253R; 43 (1976-78): 256, 265B; 44 (1979-82): 213-225, 328B; 46 (1988-90): 107; 47 (1991-93): 192, 193, 340; 50 (1999): 150, 190

**Calidris minutilla:** 47 (1991-93): 19

**Calidris temminckii:** 10 (1936/37): 20-22; 36 (1963): 27, 47, 48; 37 (1964): 25, 36, 41, 49; 39 (1966): 123; 40 (1967-69): 67, 175, 272; 42 (1973-75): 42B; 46 (1988-90): 358; 47 (1991-93): 192, 320, 340; 50 (1999): 150, 190

**Calonectris diomedea borealis:** 46 (1988-90): 236

**Calonetta leucophrys:** 46 (1988-90): 36

**Calypte anna:** 47 (1991-93): 26, 45

**Calypte costae:** 47 (1991-93): 26, 45, 128, 158

**Caprimulgiformes:** 46 (1988-90): 260, 267, 287, 291, 299; 47 (1991-93): 153; 48 (1994/95): 17

**Caprimulgus europaeus:** 10 (1933/34): 18R; 11 (1934/35): 20; 09 (1935/36): 20; 14 (1940/41): 53; 35 (1962): 8B, 37; 36 (1963): 31; 37 (1964): 10B; 40 (1967-69): 193B; 41 (1970-72): 211; 43 (1976-78): 64; 44 (1979-82): 95-114, 328B; 46 (1988-90): 267; 47 (1991-93): 243; 48 (1994/95): 141, 154

**Caprimulgus ruficollis:** 44 (1979-82): 112

**Carduelis cannabina:** 07 (1930/31): 32; 09 (1932/33): 14; 10 (1933/34): 17R, 56; 09 (1935/36): 20; 10 (1936/37): 12R; 13 (1939/40): 9; 14 (1940/41): 42; 28 (1954/55): 6B, 71; 29 (1955/56): 6B; 30 (1956/57): 5B, 22; 31 (1957/58): 96B; 32 (1959): 8B; 33 (1960): 12B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 195B; 41 (1970-72): 187B, 238; 42 (1973-75): 11, 13, 43B, 110, 206, 251B; 43 (1976-78): 48B, 57R, 206-235, 267B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 262, 269-302,

331B; 45 (1983-86): 91, 229; 46 (1988-90): 32, 55, 72, 239, 321; 47 (1991-93): 35, 91; 48 (1994/95): 145, 159; 50 (1999): 183, 186, 188, 194; 51 (2003): 121-125; 53 (2012): 88, 89, 115, 134-136, 139, 151, 153

**Carduelis carduelis:** 08 (1931/32): 32; 10 (1933/34): 56; 13 (1939/40): 9; 14 (1940/41): 42; 24 (1950/51): 9R; 28 (1954/55): 6B, 71; 29 (1955/56): 6B, 10; 30 (1956/57): 5B, 7R; 31 (1957/58): 42, 96B; 32 (1959): 8B; 33 (1960): 12B, 15; 34 (1960/61): 9B, 11R; 35 (1962): 9B, 12R; 36 (1963): 11B, 15R, 19R, 34, 70; 37 (1964): 12B, 17R, 19, 63; 38 (1965): 88B, 94R; 39 (1966): 110B, 116R; 40 (1967-69): 194B; 41 (1970-72): 187B, 192R; 42 (1973-75): 11, 23, 43B, 51R, 54R, 251B, 258R; 43 (1976-78): 48B, 206-235, 267B, 272R; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 269-302, 331B; 45 (1983-86): 91, 230; 46 (1988-90): 32, 39, 72, 81, 239, 283, 322; 51 (2003): 47, 117, 118; 52 (2009): 115, 137, 139; 53 (2012): 84, 135, 136, 140, 150-151

**Carduelis carduelis parva:** 46 (1988-90): 239

**Carduelis chloris:** 07 (1930/31): 22R, 32; 08 (1931/32): 13, 15, 27, 34; 10 (1933/34): 17R, 56; 11 (1934/35): 13R; 09 (1935/36): 12R, 16-17, 20; 10 (1936/37): 12R, 26; 11 (1937/38): 9R; 13 (1939/40): 19, 30; 14 (1940/41): 42; 22 (1948/49): 19R, 25; 24 (1950/51): 9R; 28 (1954/55): 6B, 9R, 71; 29 (1955/56): 6B, 9R, 10, 23; 30 (1956/57): 5B, 22; 31 (1957/58): 41, 96B; 32 (1959): 8B, 34; 33 (1960): 12B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 88B, 99R; 39 (1966): 110B; 40 (1967-69): 194B, 198R; 41 (1970-72): 104R, 187B; 42 (1973-75): 13, 23, 43B, 53R, 110, 206, 250B, 262R; 43 (1976-78): 48B, 53R, 70, 206-235, 267B, 273R; 44 (1979-82): 339R; 46 (1988-90): 321; 51 (2003): 46, 122-125; 52 (2009): 136, 138; 53 (2012): 112, 125, 131, 134, 136, 139, 141, 149-151, 153, 161, 163, 164

**Carduelis chloris aurantiiventris:** 46 (1988-90): 239

**Carduelis citrinella:** 37 (1964): 12B; 53 (2012): 50-51

**Carduelis flammea:** 13 (1939/40): 9; 14 (1940/41): 42; 21 (1947/48): 8; 28 (1954/55): 6B, 71; 29 (1955/56): 6B; 31 (1957/58): 42; 36 (1963): 11B; 37 (1964): 12B, 28, 64; 38 (1965): 88B, 95R; 39 (1966): 110B; 40 (1967-69): 99, 195B, 199R; 41 (1970-72): 187B; 42 (1973-75): 43B, 251B, 259R; 43 (1976-78): 48B, 54R, 267B; 44 (1979-82): 331B, 337R; 45 (1983-86): 356; 46 (1988-90): 112, 257-295; 47 (1991-93): 20, 91, 94, 122, 126, 133, 135, 144, 149, 233, 353, 357; 48 (1994/95): 145, 159; 50 (1999): 184, 194; 51 (2003): 47; 53 (2012): 139

**Carduelis flavirostris:** 36 (1963): 11B; 37 (1964): 12B; 38 (1965): 36; 39 (1966): 123; 40 (1967-69): 195B; 42 (1973-75): 43B, 237; 43 (1976-78): 39; 46 (1988-90): 112; 47 (1991-93): 233, 322, 335, 340; 50 (1999): 183, 194

**Carduelis spinus:** 08 (1931/32): 11R, 32; 09 (1932/33): 13R; 10 (1933/34): 18R, 56; 11 (1934/35): 14R, 21; 09 (1935/36): 12R; 10 (1936/37): 12R; 11 (1937/38): 9R; 13 (1939/40): 9; 14 (1940/41): 42; 20 (1946/47): 4; 21 (1947/48): 6; 22 (1948/49): 25; 24 (1950/51): 9R; 25 (1951/52): 9R; 26 (1952/53): 7R; 27 (1953/54): 11R; 28 (1954/55): 6B, 71; 29 (1955/56): 6B, 9R, 23; 30 (1956/57): 5B, 22; 31 (1957/58): 21, 41, 96B, 98R; 32 (1959): 8B, 11R, 27; 33 (1960): 12B, 15, 36, 52; 34 (1960/61): 9B, 11R, 24; 35 (1962): 9B, 12R; 36 (1963): 11B, 16R, 69; 37 (1964): 12B, 19R, 28; 38 (1965): 38, 88B, 94R, 99R; 39 (1966): 110B, 116R, 118R; 40 (1967-69): 195B, 199R; 41 (1970-72): 187B, 189R, 192R; 42 (1973-75): 43B, 51R, 54R, 251B, 258R, 263R; 43 (1976-78): 48B, 54R, 57R, 206-235, 267B,

270R; 44 (1979-82): 264, 331B, 336R; 46 (1988-90): 321; 53 (2012): 115, 135, 139, 160, 161, 164

**Carolinameise:** 46 (1988-90): 262

**Carolinaspecht:** 47 (1991-93): 19

**Carolinataube:** 47 (1991-93): 55

**Carpodacus erythrinus:** 47 (1991-93): 35, 321; 53 (2012): 50

**Carpodacus mexicanus:** 46 (1988-90): 274; 47 (1991-93): 133, 158

**Carpospiza brachydactyla:** 44 (1979-82): 213-225

**Casmerodus albus:** 14 (1940/41): 63; 37 (1964): 53; 38 (1965): 29; 43 (1976-78): 248; 44 (1979-82): 213-225; 45 (1983-86): 231, 323

**Casuariformes:** 46 (1988-90): 259, 300

**Casuarius casuarius:** 47 (1991-93): 23

**Cathartes aura:** 46 (1988-90): 262, 285; 47 (1991-93): 45, 153

**Centurus carolensis:** 47 (1991-93): 19

**Cephus columba:** 47 (1991-93): 45

**Cephus grylle:** 46 (1988-90): 259; 47 (1991-93): 16, 193, 319, 321, 328, 340

**Cercomela melanura:** 44 (1979-82): 213-225

**Cercotrichas galactotes:** 45 (1983-86): 233

**Certhia brachydactyla:** 14 (1940/41): 45; 28 (1954/55): 7B, 73; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 44, 64, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 9B, 21; 36 (1963): 10B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 22, 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 48B, 206-235, 266B; 44 (1979-82): 159-186, 269-302, 329B; 45 (1983-86): 91; 46 (1988-90): 28, 34, 39, 54, 81, 278-281, 321; 47 (1991-93): 12, 91; 48 (1994/95): 29; 50 (1999): 177, 193; 51 (2003): 42; 52 (2009): 136, 138; 53 (2012): 115, 139, 141, 161, 162, 164

**Certhia familiaris:** 11 (1934/35): 14R, 20; 28 (1954/55): 7B; 29 (1955/56): 7B; 31 (1957/58): 40, 44, 54, 64, 97B; 32 (1959): 10B; 33 (1960): 13B; 35 (1962): 9B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 60, 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 48B, 266B; 44 (1979-82): 95-114, 265, 329B; 45 (1983-86): 145, 153; 46 (1988-90): 281; 47 (1991-93): 91, 104; 48 (1994/95): 29; 50 (1999): 177, 193; 51 (2003): 20, 42; 52 (2009): 137, 139; 53 (2012): 161, 162

**Certhiidae:** 44 (1979-82): 189-200; 46 (1988-90): 47, 79, 102

**Certhilauda burra:** 46 (1988-90): 278, 286

**Ceryle rudis:** 44 (1979-82): 213-225

**Cettia cetti:** 44 (1979-82): 213-225; 46 (1988-90): 72, 81

**Charadriiformes:** 46 (1988-90): 259, 299, 358; 47 (1991-93): 155

**Charadrius alexandrinus:** 40 (1967-69): 45, 67, 180, 195B, 259, 272; 41 (1970-72): 101; 44 (1979-82): 95-114, 213-225; 46 (1988-90): 233, 237; 50 (1999): 149, 190

**Charadrius dubius:** 14 (1940/41): 69; 31 (1957/58): 52; 32 (1959): 19; 34 (1960/61): 8B; 35 (1962): 8B, 34, 35; 36 (1963): 9B, 26, 31, 46, 47; 37 (1964):

- 10B, 33, 47; 38 (1965): 86B, 102; 39 (1966): 14, 85, 108B, 123; 40 (1967-69): 67, 122, 176, 188, 192B, 250, 259, 272; 41 (1970-72): 9, 101, 173, 186B, 191R, 211, 243; 42 (1973-75): 42B, 46R, 148, 191, 193, 249B, 253R; 43 (1976-78): 46B, 50R, 64, 254, 265B; 44 (1979-82): 328B; 45 (1983-86): 89-91, 229; 46 (1988-90): 101, 110, 233, 237; 50 (1999): 149, 190; 53 (2012): 139
- Charadrius hiaticula:** 14 (1940/41): 69; 31 (1957/58): 52; 32 (1959): 19; 33 (1960): 38, 43; 36 (1963): 26, 45, 47; 37 (1964): 24, 33, 47; 39 (1966): 123; 40 (1967-69): 67, 171, 188, 192B, 195R; 41 (1970-72): 186B, 243; 42 (1973-75): 42B; 43 (1976-78): 254, 260; 44 (1979-82): 95-114, 213-225, 328B; 46 (1988-90): 81; 47 (1991-93): 192, 196, 200, 320, 335, 340; 50 (1999): 149, 190
- Charadrius leschenaultii:** 44 (1979-82): 213-225
- Charadrius marginatus:** 47 (1991-93): 155
- Charadrius morinellus:** 40 (1967-69): 67, 180, 260; 46 (1988-90): 104, 110
- Charadrius pallidus:** 47 (1991-93): 155
- Charadrius pecuarius:** 47 (1991-93): 155
- Charadrius tricollaris:** 47 (1991-93): 155
- Cheramoeca leucosternum:** 46 (1988-90): 268
- Chettusia gregaria:** 43 (1976-78): 33; 47 (1991-93): 103, 339
- Chettusia leucura:** 44 (1979-82): 213-225
- Chileflamingo:** 44 (1979-82): 90
- Chinesische Nachtigall:** 45 (1983-86): 196; 46 (1988-90): 322
- Chlamydotis undulata:** 46 (1988-90): 237
- Chlamydotis undulata fuerteventurae:** 46 (1988-90): 237
- Chlidonias hybrida:** 39 (1966): 11; 40 (1967-69): 122, 262; 43 (1976-78): 31; 44 (1979-82): 95-114
- Chlidonias leucopterus:** 33 (1960): 44, 45; 37 (1964): 59; 39 (1966): 11, 128; 40 (1967-69): 189, 262; 42 (1973-75): 149; 43 (1976-78): 38
- Chlidonias niger:** 14 (1940/41): 72; 21 (1947/48): 13; 29 (1955/56): 14; 33 (1960): 40, 44, 45; 36 (1963): 28, 48; 37 (1964): 26, 59; 39 (1966): 110B; 40 (1967-69): 262; 41 (1970-72): 56, 211; 43 (1976-78): 63; 44 (1979-82): 112; 47 (1991-93): 242; 48 (1994/95): 140; 50 (1999): 153, 191
- Chloebia gouldiae:** 47 (1991-93): 45, 158
- Chordeiles acutipennis:** 46 (1988-90): 267
- Chordeiles minor:** 46 (1988-90): 267, 274; 47 (1991-93): 19, 45, 158
- Chrysolophus pictus:** 13 (1939/40): 8
- Chukarhuhn:** 44 (1979-82): 213-225; 46 (1988-90): 81
- Ciconia abdimii:** 46 (1988-90): 289; 47 (1991-93): 154
- Ciconia ciconia:** 07 (1930/31): 26R; 08 (1931/32): 13-20; 09 (1932/33): 19, 29, 34-35; 11 (1934/35): 16R; 09 (1935/36): 15R; 10 (1936/37): 14R; 11 (1937/38): 12R; 12 (1938/39): 40; 14 (1940/41): 60; 24 (1950/51): 9R; 24 (1950/51): 38; 25 (1951/52): 9R; 26 (1952/53): 7R, 8-38; 27 (1953/54): 10R, 16, 19, 20; 28 (1954/55): 8B, 9R, 80; 29 (1955/56): 8B, 9R; 30 (1956/57): 7B, 9R; 31 (1957/58): 81, 83, 97B, 100R; 32 (1959): 10B, 11-12R; 33 (1960): 14B, 17R, 18, 48; 34

(1960/61): 8B, 10R, 19; 35 (1962): 8B, 27; 36 (1963): 9B, 30, 48, 51; 37 (1964): 10B, 13-15R, 53; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 49, 192B, 196R, 219, 230; 41 (1970-72): 7, 56, 89, 99, 179, 185B, 211; 42 (1973-75): 41B, 45R, 93, 145; 43 (1976-78): 46B, 63, 115-123, 182-186, 187, 188, 242, 264B; 51 (2003): 168; 52 (2009): 86

**Ciconia nigra:** 08 (1931/32): 23, 28; 14 (1940/41): 60; 25 (1951/52): 27; 29 (1955/56): 19; 30 (1956/57): 23; 35 (1962): 28, 29; 37 (1964): 20; 39 (1966): 12, 121, 126; 40 (1967-69): 16, 96; 41 (1970-72): 56, 99, 211; 42 (1973-75): 145, 243; 43 (1976-78): 30, 32, 37, 63, 258; 44 (1979-82): 213-225; 45 (1983-86): 83-87, 242; 47 (1991-93): 102, 241; 48 (1994/95): 131, 158

**Ciconiiformes:** 46 (1988-90): 259, 289, 300

**Cinclus cinclus:** 09 (1932/33): 14; 11 (1934/35): 15R, 20; 09 (1935/36): 13R, 20, 23; 10 (1936/37): 13R; 13 (1939/40): 9-12; 22 (1948/49): 39; 31 (1957/58): 48; 33 (1960): 14B, 51; 35 (1962): 42; 36 (1963): 10B; 37 (1964): 11B, 27; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 190, 193B, 274; 41 (1970-72): 8, 103, 176, 184, 186B, 211, 277, 298; 42 (1973-75): 42B, 199-203, 249B; 43 (1976-78): 23-28, 47B, 64, 266B; 44 (1979-82): 159-186; 46 (1988-90): 352; 47 (1991-93): 19, 366; 48 (1994/95): 143; 51 (2003): 20, 31; 53 (2012): 140, 161, 163, 164

**Cinclus mexicanus:** 47 (1991-93): 46

**Circaetus gallicus:** 08 (1931/32): 27; 31 (1957/58): 53; 40 (1967-69): 58, 271; 41 (1970-72): 56, 100; 43 (1976-78): 63; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 83-87, 341-344; 48 (1994/95): 36

**Circus aeruginosus:** 08 (1931/32): 27; 14 (1940/41): 56; 28 (1954/55): 7B9; 30 (1956/57): 11; 31 (1957/58): 53, 74, 75; 32 (1959): 11; 33 (1960): 38; 36 (1963): 24; 37 (1964): 23; 38 (1965): 86B; 40 (1967-69): 50, 121, 192B, 271; 41 (1970-72): 56, 171, 185B, 211; 42 (1973-75): 249B, 260R; 43 (1976-78): 63, 187-205, 254, 265B, 271R; 44 (1979-82): 41-88, 95-114, 213-225, 327B; 45 (1983-86): 231; 46 (1988-90): 355; 47 (1991-93): 101, 364; 48 (1994/95): 36, 135; 50 (1999): 143, 189; 51 (2003): 111, 117-123, 168, 169; 53 (2012): 140

**Circus cyaneus:** 08 (1931/32): 27; 14 (1940/41): 56; 28 (1954/55): 7B9; 31 (1957/58): 53; 33 (1960): 38, 42; 35 (1962): 32; 36 (1963): 24, 55; 37 (1964): 23; 39 (1966): 121; 40 (1967-69): 58, 186, 192B; 41 (1970-72): 56, 100, 171, 211; 43 (1976-78): 31, 63, 254, 259; 44 (1979-82): 41-88, 95-114, 154, 213-225, 327B; 45 (1983-86): 232, 242, 355; 46 (1988-90): 81, 110; 47 (1991-93): 92, 98, 236, 361; 48 (1994/95): 36, 135, 136; 50 (1999): 143, 189; 53 (2012): 139

**Circus macrourus:** 14 (1940/41): 57; 44 (1979-82): 213-225; 46 (1988-90): 81, 77; 48 (1994/95): 36

**Circus pygargus:** 14 (1940/41): 57; 25 (1951/52): 10-14; 30 (1956/57): 11; 36 (1963): 55; 37 (1964): 23; 39 (1966): 121; 40 (1967-69): 58, 122, 192B, 271; 41 (1970-72): 56, 211; 43 (1976-78): 63, 187-205, 251, 265B; 44 (1979-82): 95-114, 213-225, 327B; 46 (1988-90): 110; 48 (1994/95): 36, 136; 50 (1999): 144, 189

**Circus spec.:** 45 (1983-86): 231, 232, 242, 337-346, 355

**Cistensänger:** 44 (1979-82): 95-114; 46 (1988-90): 72, 81

**Cisticola juncidis:** 44 (1979-82): 95-114; 46 (1988-90): 72, 81

**Clamator glandarius:** 42 (1973-75): 137; 44 (1979-82): 95-114, 213-225

- Clangula hyemalis:** 30 (1956/57): 25, 26; 31 (1957/58): 51; 32 (1959): 29; 33 (1960): 41; 35 (1962): 30; 37 (1964): 22; 38 (1965): 37, 107; 39 (1966): 126; 41 (1970-72): 100, 178; 42 (1973-75): 147, 236, 244; 43 (1976-78): 259; 45 (1983-86): 83-87; 48 (1994/95): 119, 134
- Coccothraustes coccothraustes:** 09 (1932/33): 13R; 09 (1935/36): 13R; 10 (1936/37): 12R, 24; 11 (1937/38): 8R; 12 (1938/39): 29, 38; 14 (1940/41): 42; 21 (1947/48): 14; 22 (1948/49): 19R; 24 (1950/51): 31; 27 (1953/54): 15; 28 (1954/55): 6B, 8, 71; 29 (1955/56): 6B, 9R, 23; 30 (1956/57): 5B; 31 (1957/58): 41, 88, 96B, 98R; 32 (1959): 8B, 33, 34; 33 (1960): 12B, 15; 34 (1960/61): 9B, 29; 35 (1962): 9B, 11R; 36 (1963): 11B, 15R, 34; 37 (1964): 12B; 38 (1965): 88B, 93R, 99R; 39 (1966): 110B, 118R; 40 (1967-69): 195B, 200R; 41 (1970-72): 188B, 190R, 238; 42 (1973-75): 43B, 50R, 53R, 251B, 259R; 43 (1976-78): 39, 48B, 54R, 206-235, 267B, 270R; 44 (1979-82): 159-186, 262, 265, 331B, 336R; 45 (1983-86): 91; 46 (1988-90): 321; 51 (2003): 48; 52 (2009): 137, 138; 53 (2012): 139, 161, 163, 164
- Coliiformes:** 46 (1988-90): 259-300; 47 (1991-93): 17, 127, 152, 153; 48 (1994/95): 15-31
- Colius castanotus:** 47 (1991-93): 46, 134; 48 (1994/95): 22
- Colius indicus:** 47 (1991-93): 134; 48 (1994/95): 24
- Colius striatus:** 47 (1991-93): 46, 134, 158
- Columba domestica:** 27 (1953/54): 19; 40 (1967-69): 18; 43 (1976-78): 70, 197-199; 44 (1979-82): 261, 264; 46 (1988-90): 54; 47 (1991-93): 133, 155, 160; 51 (2003): 23
- Columba junoniae:** 46 (1988-90): 237
- Columba livia:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 81, 237; 47 (1991-93): 46, 158, 322, 335, 340; 48 (1994/95): 158
- Columba livia canariensis:** 46 (1988-90): 237
- Columba oenas:** 09 (1935/36): 25; 14 (1940/41): 68; 25 (1951/52): 9R; 28 (1954/55): 8B; 31 (1957/58): 100R; 32 (1959): 10B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 10B; 38 (1965): 86B, 90R; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 249B, 253R; 43 (1976-78): 46B, 50R, 64, 265B, 269R; 44 (1979-82): 41-88, 159-186, 265, 328B, 333-334R; 46 (1988-90): 25, 33, 35, 40, 111; 47 (1991-93): 98, 360; 50 (1999): 153, 186, 191; 51 (2003): 20, 24, 168; 53 (2012): 139, 161, 163
- Columba palumbus:** 14 (1940/41): 69; 20 (1946/47): 8; 25 (1951/52): 29; 28 (1954/55): 8B1; 29 (1955/56): 8B; 31 (1957/58): 49; 35 (1962): 8B; 36 (1963): 10B, 19R, 31; 37 (1964): 10B; 38 (1965): 86B, 90R; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 148, 186B, 239; 42 (1973-75): 23, 42B, 47R, 249B, 260R; 43 (1976-78): 46B, 50R, 206-235, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 264, 269-302, 328B; 45 (1983-86): 91, 231; 46 (1988-90): 25, 33, 37, 54, 322; 47 (1991-93): 25, 91, 340; 51 (2003): 24, 117-123; 52 (2009): 115; 53 (2012): 125, 131, 136, 140, 141, 142-143, 161, 163, 182-183
- Columba trocaz bollei:** 46 (1988-90): 237
- Columbiformes:** 46 (1988-90): 259, 274, 291, 299; 47 (1991-93): 15, 138, 153; 48 (1994/95): 43; 52 (2009): 137

- Contopus virens:** 47 (1991-93): 46
- Coracias garrulus:** 08 (1931/32): 25; 25 (1951/52): 23; 33 (1960): 46; 37 (1964): 27; 40 (1967-69): 21, 23, 98, 122, 273; 41 (1970-72): 102; 42 (1973-75): 142, 149, 244; 43 (1976-78): 65; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 83-87; 50 (1999): 156, 191
- Coraciiformes:** 46 (1988-90): 301; 47 (1991-93): 15
- Coragyps atratus:** 47 (1991-93): 46, 153
- Corvidae:** 48 (1994/95): 43
- Corvidae:** 41 (1970-72): 12
- Corvus brachyrhynchos:** 47 (1991-93): 122
- Corvus caurinus:** 47 (1991-93): 26, 46, 124
- Corvus corax:** 08 (1931/32): 23; 31 (1957/58): 75, 76; 41 (1970-72): 56; 42 (1973-75): 150; 43 (1976-78): 63; 44 (1979-82): 95-114; 45 (1983-86): 77, 347; 46 (1988-90): 36, 223, 231, 234, 239, 257, 355; 47 (1991-93): 32, 322, 335, 340; 48 (1994/95): 37, 44, 45; 53 (2012): 120, 161, 163, 164
- Corvus corax ruficollis:** 45 (1983-86): 83-87; 46 (1988-90): 288-294; 47 (1991-93): 21, 156, 158
- Corvus corax tingitanus:** 46 (1988-90): 239
- Corvus corone:** 50 (1999): 181, 186, 193
- Corvus corone cornix:** 11 (1934/35): 30; 14 (1940/41): 40; 21 (1947/48): 14, 16; 34 (1960/61): 22, 23; 37 (1964): 27; 38 (1965): 33, 38; 40 (1967-69): 274; 42 (1973-75): 23, 150, 251B; 43 (1976-78): 257; 44 (1979-82): 213-225; 45 (1983-86): 229, 347; 46 (1988-90): 70, 81; 47 (1991-93): 100, 340; 48 (1994/95): 42, 45, 46
- Corvus corone corone:** 07 (1930/31): 26R; 09 (1932/33): 15, 27; 10 (1933/34): 55; 11 (1934/35): 30; 14 (1940/41): 40; 22 (1948/49): 40; 24 (1950/51): 27; 25 (1951/52): 28; 28 (1954/55): 6B, 70; 29 (1955/56): 6B, 10; 30 (1956/57): 5B, 17, 18, 20; 31 (1957/58): 88, 96B; 32 (1959): 8B; 35 (1962): 8B; 36 (1963): 10B, 32, 48; 37 (1964): 11B; 38 (1965): 87B; 40 (1967-69): 195B; 41 (1970-72): 188B, 239; 42 (1973-75): 23, 44B, 251B; 43 (1976-78): 48B, 77, 198, 206-235, 265B; 44 (1979-82): 22, 30, 41-88, 95-114, 159-186, 264; 45 (1983-86): 91, 99, 347-348; 46 (1988-90): 27, 33, 39, 55, 259, 291-293, 322; 51 (2003): 45, 111, 112, 117-124; 52 (2009): 33, 117; 53 (2012): 125, 134, 135, 140, 141, 161, 163, 164
- Corvus frugilegus:** 08 (1931/32): 12R, 23; 09 (1932/33): 37; 10 (1933/34): 36; 11 (1934/35): 30; 14 (1940/41): 40; 21 (1947/48): 6; 24 (1950/51): 29; 27 (1953/54): 11R; 28 (1954/55): 7B; 29 (1955/56): 10R, 20, 21; 30 (1956/57): 19; 33 (1960): 17R; 36 (1963): 10B; 37 (1964): 27; 38 (1965): 87B, 97R; 41 (1970-72): 7, 56, 177, 211; 42 (1973-75): 23, 44B, 251R; 43 (1976-78): 48B, 57R, 64, 206-235, 265B, 272R; 44 (1979-82): 41-88, 159-186, 329B; 46 (1988-90): 27, 35; 47 (1991-93): 91, 92; 48 (1994/95): 35, 37, 42, 45, 145; 50 (1999): 181, 193; 53 (2012): 85, 140
- Corvus monedula:** 09 (1935/36): 14R; 14 (1940/41): 41; 25 (1951/52): 19; 28 (1954/55): 6B, 70; 29 (1955/56): 6B; 30 (1956/57): 20; 32 (1959): 8B; 33 (1960): 12B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 32, 48; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B; 40 (1967-69): 195B; 41 (1970-72): 188B; 42 (1973-75): 44B, 251B; 43 (1976-78): 48B, 257, 265B; 44 (1979-82): 22, 41-88,

95-114, 159-186, 265, 269-302, 329B; 45 (1983-86): 77; 46 (1988-90): 27, 34, 35, 40, 70, 81, 259, 274, 321; 47 (1991-93): 30, 46, 91, 122, 123, 126, 130, 133, 156, 158, 358; 53 (2012): 135, 136, 139, 141

**Corvus monedula soemmeringii:** 47 (1991-93): 97, 235

**Corvus rhipidurus:** 44 (1979-82): 213-225; 45 (1983-86): 83-87

**Corvus ruficollis:** 44 (1979-82): 213-225; 45 (1983-86): 83-87; 47 (1991-93): 124

**Corvus splendens:** 44 (1979-82): 213-225; 45 (1983-86): 83-87

**Costakolibri:** 47 (1991-93): 26, 45, 128, 158

**Coturnix coturnix:** 08 (1931/32): 30; 11 (1934/35): 21; 14 (1940/41): 74; 21 (1947/48): 6; 25 (1951/52): 19; 36 (1963): 30; 39 (1966): 11; 40 (1967-69): 187; 41 (1970-72): 211; 43 (1976-78): 63, 243; 44 (1979-82): 41-88, 213-225; 45 (1983-86): 231; 46 (1988-90): 81, 237, 277; 47 (1991-93): 46, 91, 128, 158; 48 (1994/95): 22, 137; 50 (1999): 147, 186, 188, 190; 53 (2012): 140

**Coturnix japonica:** 46 (1988-90): 259, 261, 274

**Creatophora cinerea:** 45 (1983-86): 181-200; 46 (1988-90): 125-163

**Crex crex:** 14 (1940/41): 74; 21 (1947/48): 6; 31 (1957/58): 91; 37 (1964): 24, 57; 40 (1967-69): 13, 97, 122; 41 (1970-72): 56, 101, 172, 186B, 211; 42 (1973-75): 148; 43 (1976-78): 64, 243; 50 (1999): 147, 188, 190

**Crotophaga ani:** 46 (1988-90): 262

**Cuculliformes:** 46 (1988-90): 259, 301; 47 (1991-93): 15

**Cuculus canorus:** 11 (1934/35): 20; 13 (1939/40): 27; 14 (1940/41): 54; 23 (1949/50): 27; 28 (1954/55): 7B, 79; 29 (1955/56): 7B; 30 (1956/57): 7B, 22; 31 (1957/58): 56, 97B; 33 (1960): 14B; 34 (1960/61): 8B, 11R; 35 (1962): 8B; 36 (1963): 10B, 12R, 31, 48, 62, 63; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 19, 192B; 41 (1970-72): 186B, 238; 42 (1973-75): 43B, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 95-114, 265, 269-302, 328B; 45 (1983-86): 90, 91, 230; 46 (1988-90): 26, 218, 265, 322; 47 (1991-93): 91, 99; 48 (1994/95): 158; 50 (1999): 155, 191; 51 (2003): 24, 122-125; 53 (2012): 139, 153, 161, 163

**Cursorius cursor:** 44 (1979-82): 213-225; 46 (1988-90): 237

**Cursorius cursor bannermani:** 46 (1988-90): 237

**Cyanocitta cristata:** 47 (1991-93): 19, 26, 46

**Cyanopica cyanus:** 44 (1979-82): 95-114

**Cygnus atratus:** 47 (1991-93): 348; 48 (1994/95): 118, 119, 131

**Cygnus bewickii:** 37 (1964): 66; 38 (1965): 68, 71; 41 (1970-72): 211; 42 (1973-75): 243; 43 (1976-78): 65; 44 (1979-82): 92; 47 (1991-93): 19

**Cygnus cygnus:** 13 (1939/40): 24; 14 (1940/41): 63; 16 (1942/43): 20; 20 (1946/47): 7; 29 (1955/56): 20; 33 (1960): 38; 36 (1963): 25, 53; 37 (1964): 23, 65, 66; 38 (1965): 68, 71; 39 (1966): 126; 40 (1967-69): 96, 121, 270; 41 (1970-72): 88, 99, 177, 211; 42 (1973-75): 145; 43 (1976-78): 30, 65, 258; 44 (1979-82): 92; 46 (1988-90): 108; 47 (1991-93): 103, 241, 323, 340; 50 (1999): 138, 189

**Cygnus olor:** 14 (1940/41): 63; 36 (1963): 30; 37 (1964): 66; 38 (1965): 68, 71; 40 (1967-69): 17; 41 (1970-72): 89; 44 (1979-82): 269-302; 46 (1988-90): 23, 33, 74, 81; 47 (1991-93): 126, 320, 348; 48 (1994/95): 118, 119; 50 (1999): 137, 189;

51 (2003): 21

**Dachsammer:** 46 (1988-90): 274, 290; 47 (1991-93): 55, 149

**Delichon urbica:** 07 (1930/31): 31; 09 (1932/33): 15, 24; 11 (1934/35): 20; 11 (1937/38): 11R; 12 (1938/39): 30; 14 (1940/41): 52; 27 (1953/54): 15; 28 (1954/55): 7B; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B, 27; 35 (1962): 8B, 42; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B, 91R; 40 (1967-69): 122, 193B; 41 (1970-72): 8, 175, 186B; 42 (1973-75): 42B, 249B, 255R, 261R; 43 (1976-78): 47B, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 329B; 45 (1983-86): 91, 145, 153, 229; 46 (1988-90): 27, 54, 81, 234, 259-280, 322; 51 (2003): 29, 117, 118, 131-132; 53 (2012): 139, 161, 163

**Dendrocopos major:** 08 (1931/32): 12R; 09 (1932/33): 13R, 27; 10 (1933/34): 18R; 11 (1934/35): 20; 09 (1935/36): 14R; 11 (1937/38): 11R; 12 (1938/39): 37R; 14 (1940/41): 53; 20 (1946/47): 8; 28 (1954/55): 7B, 78; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 10B, 31; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 11B; 38 (1965): 86B, 91R; 39 (1966): 109B; 40 (1967-69): 52, 193B; 41 (1970-72): 186B, 239; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 51R, 198, 206-235, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 264, 269-302, 328B; 45 (1983-86): 91, 220-223; 46 (1988-90): 26, 33, 40, 54, 238, 321; 51 (2003): 27, 117; 52 (2009): 117, 136, 138; 53 (2012): 139, 141, 161, 162, 164

**Dendrocopos major canariensis:** 46 (1988-90): 238

**Dendrocopos major thanneri:** 46 (1988-90): 238

**Dendrocopos medius:** 14 (1940/41): 53; 28 (1954/55): 7B8; 31 (1957/58): 48, 89, 97B; 32 (1959): 10B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 178, 186B; 42 (1973-75): 42B, 141, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 269-302, 328B; 45 (1983-86): 91; 46 (1988-90): 322; 47 (1991-93): 91, 100; 48 (1994/95): 141; 50 (1999): 160, 191; 51 (2003): 20, 28; 52 (2009): 137; 53 (2012): 139, 161

**Dendrocopos minor:** 14 (1940/41): 53; 28 (1954/55): 7B8; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 41, 48; 33 (1960): 13B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 15, 109B; 40 (1967-69): 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 141, 232, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 265, 269-302; 45 (1983-86): 91; 46 (1988-90): 26, 33, 322; 47 (1991-93): 91, 98, 235, 353, 360; 50 (1999): 160, 191; 51 (2003): 28; 52 (2009): 137, 138; 53 (2012): 139, 161

**Dendrocopos syriacus:** 44 (1979-82): 213-225

**Dendroica canadensis:** 47 (1991-93): 19

**Dendroica coronata:** 47 (1991-93): 46, 145

**Dendroica dominica:** 47 (1991-93): 47

**Dendroica fusca:** 47 (1991-93): 339

**Dendroica magnolia:** 47 (1991-93): 19

**Dendroica palmarum:** 47 (1991-93): 47

- Dendroica pina:** 47 (1991-93): 47
- Dendroica striata:** 47 (1991-93): 145
- Dendroica virens:** 45 (1983-86): 196
- Diamanttaube:** 47 (1991-93): 44, 48, 127, 128, 149, 156, 158
- Dickschnabelkolibri:** 47 (1991-93): 47
- Dickschnabellumme:** 47 (1991-93): 16
- Diomedea exulans:** 46 (1988-90): 259
- Diomedae:** 45 (1983-86): 83-87; 47 (1991-93): 336
- Dohle:** 09 (1935/36): 14R; 14 (1940/41): 41; 25 (1951/52): 19; 28 (1954/55): 6B, 70; 29 (1955/56): 6B; 30 (1956/57): 20; 32 (1959): 8B; 33 (1960): 12B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 32, 48; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B; 40 (1967-69): 195B; 41 (1970-72): 188B; 42 (1973-75): 44B, 251B; 43 (1976-78): 48B, 257, 265B; 44 (1979-82): 22, 41-88, 95-114, 159-186, 265, 269-302, 329B; 45 (1983-86): 77; 46 (1988-90): 27, 34, 35, 40, 70, 81, 259, 274, 321; 47 (1991-93): 30, 46, 91, 122, 123, 126, 130, 133, 156, 158, 358; 53 (2012): 135, 136, 139, 141
- Dolichonyx oryocivorus:** 47 (1991-93): 145
- Doppelschnepfe:** 38 (1965): 30; 39 (1966): 128; 40 (1967-69): 261; 41 (1970-72): 101; 43 (1976-78): 65
- Dorfweber:** 47 (1991-93): 160
- Dorngrasmücke:** 07 (1930/31): 22R; 09 (1932/33): 14, 27; 10 (1933/34): 56; 11 (1934/35): 20; 14 (1940/41): 50; 21 (1947/48): 6; 23 (1949/50): 27; 25 (1951/52): 19; 28 (1954/55): 7B, 75; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B; 40 (1967-69): 19, 193B; 41 (1970-72): 187B, 238; 42 (1973-75): 13, 43B, 110, 206, 250B, 255R; 43 (1976-78): 47B, 56R, 206-235, 266B; 44 (1979-82): 41-88, 159-186, 213-225, 269-302, 330B; 45 (1983-86): 91, 163; 46 (1988-90): 321; 51 (2003): 36, 110-129; 52 (2009): 136, 138; 53 (2012): 41, 82, 89, 139, 142, 153
- Dreibandregenpfeifer:** 47 (1991-93): 155
- Dreizehenmöwe:** 30 (1956/57): 16; 31 (1957/58): 49; 37 (1964): 26; 40 (1967-69): 122; 43 (1976-78): 38; 45 (1983-86): 237; 47 (1991-93): 53, 192, 197, 198, 337, 338, 340; 50 (1999): 153, 191
- Dromaius novaehollandiae:** 46 (1988-90): 259
- Drosselrohrsänger:** 09 (1932/33): 14; 14 (1940/41): 48; 28 (1954/55): 7B4; 29 (1955/56): 7B; 32 (1959): 9B; 35 (1962): 9B, 43; 36 (1963): 10B, 24; 37 (1964): 11B, 61; 38 (1965): 87B; 39 (1966): 16, 109B; 40 (1967-69): 193B; 41 (1970-72): 187B, 211; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 95-114, 269-302, 330B; 45 (1983-86): 195, 196, 231, 244; 46 (1988-90): 16, 30, 324; 47 (1991-93): 95; 50 (1999): 171, 186, 192; 53 (2012): 39, 120, 138, 139
- Dryocopus martius:** 11 (1934/35): 20; 09 (1935/36): 25; 14 (1940/41): 54; 24 (1950/51): 37; 28 (1954/55): 7B8; 31 (1957/58): 89; 35 (1962): 8B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 109B; 40 (1967-69): 52, 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 141, 249B; 43 (1976-78): 1, 46B, 265B; 44 (1979-82): 269-302, 328B; 46 (1988-90): 26; 47 (1991-93): 91, 102, 241,

365; 48 (1994/95): 141; 50 (1999): 158, 191; 51 (2003): 27, 168, 169; 53 (2012): 161, 163, 164

**Dunkellaubsänger:** 47 (1991-93): 339

**Dunkler Wasserläufer:** 14 (1940/41): 70; 16 (1942/43): 16-18; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 39; 35 (1962): 8B, 36; 36 (1963): 27, 46, 47; 37 (1964): 25, 35, 37, 48; 39 (1966): 17, 108B, 123; 40 (1967-69): 58, 259; 41 (1970-72): 186B, 244; 43 (1976-78): 255; 44 (1979-82): 95-114, 213-225; 47 (1991-93): 95; 50 (1999): 152, 190; 53 (2012): 139

**Dünn schnabelmöwe:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 74, 81

**Egretta garzetta:** 39 (1966): 119; 40 (1967-69): 57, 121, 262; 43 (1976-78): 258; 44 (1979-82): 92, 95-114, 213-225; 45 (1983-86): 83-87, 242; 46 (1988-90): 21, 78, 81, 233, 354, 358

**Eichelhäher:** 09 (1932/33): 27; 11 (1934/35): 15R; 09 (1935/36): 15R; 10 (1936/37): 13R; 11 (1937/38): 8R; 14 (1940/41): 42; 16 (1942/43): 10-14; 21 (1947/48): 6; 24 (1950/51): 27, 30, 31; 25 (1951/52): 19, 29; 27 (1953/54): 20; 28 (1954/55): 6B, 70; 29 (1955/56): 6B, 10; 30 (1956/57): 5B; 31 (1957/58): 75, 88, 96B; 32 (1959): 8B; 33 (1960): 12B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 14R, 32; 37 (1964): 11B, 16R; 38 (1965): 87B; 39 (1966): 109B, 117R; 40 (1967-69): 195B; 41 (1970-72): 188B, 239; 42 (1973-75): 23, 44B, 111, 251B, 260R; 43 (1976-78): 48B, 99, 198, 206-235, 252, 265B, 269R, 272R; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 261, 264, 269-302, 329B; 46 (1988-90): 321; 51 (2003): 44, 117; 52 (2009): 33; 53 (2012): 139, 141, 153, 161, 162, 164

**Eichelspecht:** 45 (1983-86): 221-222

**Eiderente:** 13 (1939/40): 21; 14 (1940/41): 67; 29 (1955/56): 15; 30 (1956/57): 25; 33 (1960): 41; 34 (1960/61): 8B, 13, 20; 35 (1962): 31; 37 (1964): 22; 39 (1966): 120; 40 (1967-69): 96, 186, 271; 41 (1970-72): 178, 211; 42 (1973-75): 146, 236; 43 (1976-78): 65; 45 (1983-86): 354; 46 (1988-90): 109; 47 (1991-93): 16, 95, 192, 196, 233, 322, 325, 331, 340, 348, 351, 358

**Einfarbsegler:** 46 (1988-90): 234, 238

**Einfarbstar:** 44 (1979-82): 95-114

**Eisente:** 30 (1956/57): 25, 26; 31 (1957/58): 51; 32 (1959): 29; 33 (1960): 41; 35 (1962): 30; 37 (1964): 22; 38 (1965): 37, 107; 39 (1966): 126; 41 (1970-72): 100, 178; 42 (1973-75): 147, 236, 244; 43 (1976-78): 259; 45 (1983-86): 83-87; 48 (1994/95): 119, 134

**Eismöwe:** 47 (1991-93): 121, 325, 340

**Eissturmvogel:** 45 (1983-86): 237; 47 (1991-93): 317, 322, 328, 340

**Eistaucher:** 41 (1970-72): 35; 46 (1988-90): 108; 47 (1991-93): 193

**Eisvogel:** 08 (1931/32): 26; 09 (1932/33): 14, 24; 09 (1935/36): 23; 10 (1936/37): 13R; 11 (1937/38): 12R; 14 (1940/41): 53; 20 (1946/47): 5; 21 (1947/48): 13; 30 (1956/57): 7B; 31 (1957/58): 48, 97B; 33 (1960): 14B; 36 (1963): 10B, 31; 37 (1964): 10B, 60; 38 (1965): 38, 86B; 39 (1966): 109B, 129, 130; 40 (1967-69): 59, 193B, 273; 41 (1970-72): 56, 95, 102, 175, 182, 186B, 211; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 64, 206-235, 252, 265B; 44 (1979-82): 95-114, 213-225, 269-302, 328B; 45 (1983-86): 83-87, 89-91, 229, 243; 46 (1988-90): 26, 103, 352; 51 (2003): 117; 53 (2012): 139, 161, 162, 164, 181

- Elanoides forficatus:** 48 (1994/95): 36
- Elanus caeruleus:** 14 (1940/41): 59; 47 (1991-93): 73-76; 48 (1994/95): 36
- Eleonorenfalke:** 46 (1988-90): 237
- Elfenkauz:** 47 (1991-93): 49
- Elster:** 07 (1930/31): 26R, 34; 14 (1940/41): 41; 21 (1947/48): 14; 24 (1950/51): 30; 25 (1951/52): 19, 28; 28 (1954/55): 7B; 29 (1955/56): 6B; 31 (1957/58): 41, 75, 88; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 32; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B; 40 (1967-69): 195B; 41 (1970-72): 188B; 42 (1973-75): 44B, 251B; 43 (1976-78): 48B, 99, 198, 206-235, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 265, 269-302, 329B; 45 (1983-86): 90-91; 46 (1988-90): 28, 34, 40, 55, 81, 259, 321; 47 (1991-93): 52, 91, 92; 48 (1994/95): 37, 38, 46, 47; 50 (1999): 179, 193; 51 (2003): 44, 117, 118, 122, 124; 52 (2009): 33; 53 (2012): 34, 139, 141, 153, 161, 162, 164
- Elsterchen:** 48 (1994/95): 24
- Elsterstar:** 46 (1988-90): 149
- Emberiza bruniceps:** 40 (1967-69): 60
- Emberiza caesia:** 44 (1979-82): 213-225; 45 (1983-86): 233; 46 (1988-90): 74, 76, 81
- Emberiza calandra:** 14 (1940/41): 43; 21 (1947/48): 6; 25 (1951/52): 19; 28 (1954/55): 7B2; 31 (1957/58): 43; 32 (1959): 9B; 34 (1960/61): 9B; 35 (1962): 10B; 36 (1963): 11B, 35; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 56, 110B, 117R, 119R; 40 (1967-69): 194B, 267; 41 (1970-72): 176, 187B; 42 (1973-75): 43B, 104, 110, 250B; 43 (1976-78): 48B, 53R, 267B; 44 (1979-82): 41-88, 95-114, 133, 213-225, 269-302, 331B; 45 (1983-86): 98, 229; 46 (1988-90): 72-78, 81, 218, 239, 355; 47 (1991-93): 96; 50 (1999): 186, 194; 51 (2003): 111, 122-125; 53 (2012): 90-104, 120, 137, 139
- Emberiza cia:** 08 (1931/32): 24; 23 (1949/50): 38; 25 (1951/52): 26; 31 (1957/58): 40, 43; 39 (1966): 110B, 130; 41 (1970-72): 103, 211; 42 (1973-75): 245; 43 (1976-78): 64; 44 (1979-82): 95-114, 331B
- Emberiza cirlus:** 12 (1938/39): 23; 21 (1947/48): 15; 23 (1949/50): 38; 31 (1957/58): 40; 39 (1966): 69-70, 110B; 43 (1976-78): 64; 44 (1979-82): 95-114; 46 (1988-90): 227; 50 (1999): 185, 194; 53 (2012): 51
- Emberiza citrinella:** 08 (1931/32): 11R, 32; 09 (1932/33): 14; 10 (1933/34): 56; 11 (1934/35): 13R; 09 (1935/36): 11R; 13 (1939/40): 9; 14 (1940/41): 43; 28 (1954/55): 6B, 72; 29 (1955/56): 6B, 10; 30 (1956/57): 6B; 31 (1957/58): 96B; 32 (1959): 9B; 33 (1960): 12B, 17, 36; 34 (1960/61): 9B, 12R; 35 (1962): 10B; 36 (1963): 11B, 35; 37 (1964): 12B, 18R; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 194B; 41 (1970-72): 184, 187B; 42 (1973-75): 11, 13, 14, 19, 43B, 110, 206, 250B; 43 (1976-78): 48B, 206-235, 267B; 44 (1979-82): 41-88, 159-186, 261, 269-302, 331B; 45 (1983-86): 91; 46 (1988-90): 321; 51 (2003): 48; 52 (2009): 136, 138; 53 (2012): 80-89, 91, 134-137, 139, 141, 150, 153, 155
- Emberiza hortulana:** 14 (1940/41): 44; 28 (1954/55): 7B2; 33 (1960): 36; 36 (1963): 35, 71; 38 (1965): 88B; 39 (1966): 130; 41 (1970-72): 103, 187B; 42 (1973-75): 43B, 150, 250B; 43 (1976-78): 64, 261, 267B; 44 (1979-82): 95-114, 213-225; 46 (1988-90): 76, 81, 274; 47 (1991-93): 26, 47, 270; 50 (1999): 185, 186, 194; 53

(2012): 140

**Emberiza melanocephala:** 40 (1967-69): 60, 194B

**Emberiza pusilla:** 38 (1965): 88B, 106; 40 (1967-69): 60; 43 (1976-78): 36; 47 (1991-93): 321

**Emberiza schoeniclus:** 09 (1932/33): 14; 10 (1933/34): 16R; 11 (1934/35): 13R; 14 (1940/41): 44; 21 (1947/48): 6; 28 (1954/55): 6B, 72; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 96B; 32 (1959): 9B; 33 (1960): 12B; 34 (1960/61): 9B; 35 (1962): 10B, 12R, 13; 36 (1963): 11B, 18R, 23, 35; 37 (1964): 12B; 38 (1965): 88B, 96R, 99R; 39 (1966): 110B; 40 (1967-69): 194B, 198R; 41 (1970-72): 104R, 187B, 192R; 42 (1973-75): 43B, 51R, 54R, 250B, 257R, 262R; 43 (1976-78): 48B, 53R, 56R, 206-235, 267B, 271R, 272R; 44 (1979-82): 41-88, 159-186, 269-302, 331B; 45 (1983-86): 90, 91; 46 (1988-90): 33, 322; 47 (1991-93): 91, 101, 323, 340; 51 (2003): 121-125, 168, 169; 52 (2009): 137; 53 (2012): 140

**Emberiza striolata:** 47 (1991-93): 133, 158

**Empidonax virescens:** 47 (1991-93): 47

**Emu:** 46 (1988-90): 259

**Entenvögel:** 46 (1988-90): 259, 358, 300; 48 (1994/95): 99

**Erdkuckuck:** 46 (1988-90): 285, 286; 46 (1988-90): 285, 286; 47 (1991-93): 24, 48, 158, 160; 47 (1991-93): 24, 48, 158, 160

**Eremophila alpestris:** 40 (1967-69): 54, 98, 118, 119, 193B, 273; 41 (1970-72): 102; 46 (1988-90): 111; 47 (1991-93): 192

**Erithacus rubecula:** 07 (1930/31): 20R; 08 (1931/32): 7R, 32; 09 (1932/33): 9R, 15, 26, 33; 10 (1933/34): 56; 11 (1934/35): 9R, 20; 09 (1935/36): 7R, 20; 10 (1936/37): 10R; 11 (1937/38): 10R; 12 (1938/39): 29; 13 (1939/40): 28, 30; 14 (1940/41): 52; 23 (1949/50): 20R; 24 (1950/51): 34; 25 (1951/52): 27; 26 (1952/53): 7R; 27 (1953/54): 10R, 20; 28 (1954/55): 7B, 9R, 77; 29 (1955/56): 7B, 8, 10; 30 (1956/57): 6B, 8R; 31 (1957/58): 47, 97B; 32 (1959): 9B, 11R; 33 (1960): 13B, 16; 34 (1960/61): 9B, 11R, 12; 35 (1962): 9B; 36 (1963): 10B; 37 (1964): 11B, 16R; 38 (1965): 87B, 98R; 39 (1966): 109B, 113R; 40 (1967-69): 19, 194B; 41 (1970-72): 23, 187B, 238; 42 (1973-75): 43B, 49R, 250B, 256R, 262R; 46 (1988-90): 322; 51 (2003): 31; 52 (2009): 137, 138; 53 (2012): 112, 140, 141, 142, 147, 160, 161, 163, 164-168, 183-185

**Erithacus rubecula superbus:** 46 (1988-90): 238

**Erlenzeisig:** 08 (1931/32): 11R, 32; 09 (1932/33): 13R; 10 (1933/34): 18R, 56; 11 (1934/35): 14R, 21; 09 (1935/36): 12R; 10 (1936/37): 12R; 11 (1937/38): 9R; 13 (1939/40): 9; 14 (1940/41): 42; 20 (1946/47): 4; 21 (1947/48): 6; 22 (1948/49): 25; 24 (1950/51): 9R; 25 (1951/52): 9R; 26 (1952/53): 7R; 27 (1953/54): 11R; 28 (1954/55): 6B, 71; 29 (1955/56): 6B, 9R, 23; 30 (1956/57): 5B, 22; 31 (1957/58): 21, 41, 96B, 98R; 32 (1959): 8B, 11R, 27; 33 (1960): 12B, 15, 36, 52; 34 (1960/61): 9B, 11R, 24; 35 (1962): 9B, 12R; 36 (1963): 11B, 16R, 69; 37 (1964): 12B, 19R, 28; 38 (1965): 38, 88B, 94R, 99R; 39 (1966): 110B, 116R, 118R; 40 (1967-69): 195B, 199R; 41 (1970-72): 187B, 189R, 192R; 42 (1973-75): 43B, 51R, 54R, 251B, 258R, 263R; 43 (1976-78): 48B, 54R, 57R, 206-235, 267B, 270R; 44 (1979-82): 264, 331B, 336R; 46 (1988-90): 321; 53 (2012): 115, 135, 139, 160, 161, 164

**Eselspinguin:** 47 (1991-93): 36, 38

**Estrilda melpoda:** 47 (1991-93): 47  
**Estrilda troglodytes:** 46 (1988-90): 274; 47 (1991-93): 26, 47  
**Estrildidae:** 47 (1991-93): 44  
**Eudyptula minor:** 46 (1988-90): 274  
**Eugenys fulgens:** 47 (1991-93): 47  
**Eulampis fugularis:** 46 (1988-90): 263  
**Eulenvögel:** 46 (1988-90): 92, 260, 274, 299; 47 (1991-93): 134; 48 (1994/95): 22  
**Euplectes franciscanus:** 13 (1939/40): 8  
**Eurostopodus guttatus:** 46 (1988-90): 267; 47 (1991-93): 47  
**Fahlbüzelsteinschmätzer:** 44 (1979-82): 213-225; 46 (1988-90): 277  
**Fahlkauz:** 46 (1988-90): 90, 93  
**Fahlkehlglanzköpfchen:** 47 (1991-93): 50  
**Fahlsegler:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 238 ; 51 (2003): 57  
**Fahlsegler, Westlicher :** 46 (1988-90): 238  
**Fahlsperling:** 44 (1979-82): 213-225  
**Falco:** 45 (1983-86): 83-87, 91, 229, 230, 337-347, 355  
**Falco biarmicus:** 44 (1979-82): 213-225; 46 (1988-90): 81, 77; 48 (1994/95): 37  
**Falco cherrug:** 46 (1988-90): 77, 81, 89; 48 (1994/95): 37, 44  
**Falco columbarius:** 13 (1939/40): 24; 14 (1940/41): 56; 31 (1957/58): 53; 35 (1962): 32; 36 (1963): 9B; 37 (1964): 23; 40 (1967-69): 97, 187; 43 (1976-78): 31; 45 (1983-86): 355; 47 (1991-93): 340; 48 (1994/95): 37, 158; 50 (1999): 146, 190; 53 (2012): 139  
**Falco eleonorae:** 46 (1988-90): 237  
**Falco naumanni:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 229; 48 (1994/95): 37  
**Falco pelegrinoides:** 46 (1988-90): 90, 93, 237  
**Falco peregrinus:** 08 (1931/32): 26; 11 (1934/35): 31; 12 (1938/39): 39; 14 (1940/41): 56; 28 (1954/55): 7B9; 31 (1957/58): 53; 32 (1959): 10B; 33 (1960): 31; 37 (1964): 23; 40 (1967-69): 187; 41 (1970-72): 7, 56, 148, 211; 42 (1973-75): 236; 43 (1976-78): 46B, 63, 124-128, 187-205, 243, 249, 260, 265B; 44 (1979-82): 112, 327B; 46 (1988-90): 36, 89, 90, 94, 101, 231; 47 (1991-93): 242; 48 (1994/95): 37, 48, 136; 50 (1999): 146, 190; 51 (2003): 52-54; 53 (2012): 120  
**Falco rusticus:** 46 (1988-90): 89; 47 (1991-93): 198; 48 (1994/95): 37  
**Falco subbuteo:** 08 (1931/32): 27; 11 (1934/35): 31; 14 (1940/41): 56; 28 (1954/55): 7B9; 31 (1957/58): 48; 33 (1960): 14B; 36 (1963): 24, 30, 57; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 112R; 40 (1967-69): 192B; 41 (1970-72): 185B, 211, 267; 43 (1976-78): 63, 134-138, 187-205, 206-235, 265B; 44 (1979-82): 95-114, 213-225; 46 (1988-90): 247; 47 (1991-93): 94, 232, 357; 48 (1994/95): 35, 44, 136; 50 (1999): 145, 186, 190; 51 (2003): 167; 53 (2012): 139  
**Falco tinnunculus:** 07 (1930/31): 25R; 09 (1932/33): 13R, 15, 18, 29; 11 (1934/35): 15R, 31; 09 (1935/36): 15R, 18-19; 10 (1936/37): 14R; 11 (1937/38): 12R; 13 (1939/40): 29; 14 (1940/41): 56; 21 (1947/48): 6; 22 (1948/49): 19R,

20-30; 23 (1949/50): 20R; 25 (1951/52): 28; 28 (1954/55): 7B, 79; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 53, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B, 12R; 35 (1962): 8B; 36 (1963): 9B, 30; 37 (1964): 10B; 38 (1965): 86B; 40 (1967-69): 192B; 41 (1970-72): 185B, 268; 42 (1973-75): 41B, 249B, 253R; 43 (1976-78): 46B, 49R, 55R, 187-205, 206-235, 265B, 268R, 271R; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 265, 269-302, 327B; 46 (1988-90): 322; 51 (2003): 23, 51, 117, 168; 53 (2012): 140, 141

**Falco tinnunculus canariensis:** 46 (1988-90): 237

**Falco tinnunculus dacotiae:** 46 (1988-90): 237

**Falco vespertinus:** 32 (1959): 30; 40 (1967-69): 257, 258; 42 (1973-75): 147; 45 (1983-86): 83-87, 344; 48 (1994/95): 37; 53 (2012): 138, 140, 152

**Falconiformes:** 46 (1988-90): 259, 300; 47 (1991-93): 148; 48 (1994/95): 43

**Falke:** 45 (1983-86): 83-87, 91, 229, 230, 337-347, 355

**Falkenbussard:** 45 (1983-86): 83-87, 342

**Falkennachtschwalbe:** 46 (1988-90): 267, 274; 47 (1991-93): 19, 45, 158

**Fasan:** 09 (1932/33): 15; 13 (1939/40): 8; 14 (1940/41): 74, 79; 25 (1951/52): 19; 28 (1954/55): 8B2; 29 (1955/56): 8B, 10; 30 (1956/57): 7B; 31 (1957/58): 75, 98B; 34 (1960/61): 8B, 30; 36 (1963): 9B, 30; 37 (1964): 10B; 40 (1967-69): 192B; 41 (1970-72): 60; 42 (1973-75): 23; 43 (1976-78): 72, 198, 206-235, 265B; 44 (1979-82): 41-88, 159-186, 269-302; 45 (1983-86): 91; 46 (1988-90): 24, 33, 40, 54, 153, 321; 47 (1991-93): 25, 91, 122, 126, 133, 176; 50 (1999): 146, 190; 51 (2003): 121-125; 53 (2012): 140

**Feldeggstelze:** 44 (1979-82): 213-225; 45 (1983-86): 231; 46 (1988-90): 74, 76, 81; 46 (1988-90): 74, 76, 81

**Feldlerche:** 08 (1931/32): 11R; 11 (1934/35): 20; 14 (1940/41): 44; 21 (1947/48): 6; 22 (1948/49): 25; 28 (1954/55): 6B, 72; 30 (1956/57): 6B; 31 (1957/58): 41, 53, 54; 32 (1959): 9B; 33 (1960): 12B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 249B, 254R; 43 (1976-78): 1, 47B, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 269-302, 328B; 45 (1983-86): 231; 46 (1988-90): 321; 47 (1991-93): 91, 92, 192, 340, 359; 48 (1994/95): 141; 50 (1999): 162, 191; 51 (2003): 103, 110, 111, 117-125; 53 (2012): 85, 89, 117, 132, 139, 153

**Feldschwirl:** 07 (1930/31): 33; 09 (1932/33): 15; 12 (1938/39): 30; 14 (1940/41): 48; 28 (1954/55): 7B4; 29 (1955/56): 18; 30 (1956/57): 6B; 32 (1959): 9B, 32; 33 (1960): 13B, 35; 35 (1962): 9B; 36 (1963): 10B, 24; 37 (1964): 11B; 38 (1965): 22, 87B; 39 (1966): 109B; 40 (1967-69): 191, 193B; 41 (1970-72): 95, 176, 186B, 238; 42 (1973-75): 42B, 250B; 43 (1976-78): 47B, 266B; 44 (1979-82): 159-186, 213-225, 269-302, 330B; 45 (1983-86): 89-91; 46 (1988-90): 30, 34, 321, 324; 47 (1991-93): 91; 48 (1994/95): 144; 50 (1999): 170, 192; 51 (2003): 35, 103, 121-125; 52 (2009): 136, 138; 53 (2012): 139, 153

**Feldsperling:** 07 (1930/31): 22R; 08 (1931/32): 11R, 32; 09 (1932/33): 12R, 15; 10 (1933/34): 17R, 56; 11 (1934/35): 14R; 09 (1935/36): 11R; 10 (1936/37): 12R; 11 (1937/38): 20-22; 13 (1939/40): 30; 14 (1940/41): 8, 43; 22 (1948/49): 40; 28 (1954/55): 6B, 72; 29 (1955/56): 6B, 10; 30 (1956/57): 6B, 14; 31 (1957/58): 43, 96B; 32 (1959): 9B, 13; 33 (1960): 12B; 34 (1960/61): 9B; 35 (1962): 10B, 13R, 21; 36 (1963): 11B, 35; 37 (1964): 12B; 38 (1965): 99R; 40 (1967-69): 39,

40, 195B; 41 (1970-72): 76, 105R, 188B; 42 (1973-75): 15, 17, 18, 23, 44B, 111, 207, 251B; 43 (1976-78): 48B, 198, 206-235, 266B; 51 (2003): 117, 118, 125; 52 (2009): 136, 138; 53 (2012): 70-79, 85, 91, 112, 117, 125, 131, 134, 136, 139, 141, 150, 152-155

**Felsenhuhn:** 46 (1988-90): 237

**Felsenschwalbe:** 44 (1979-82): 95-114; 45 (1983-86): 228-229; 46 (1988-90): 81, 221, 223

**Felsensteinschmätzer:** 44 (1979-82): 213-225

**Felsentaube:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 81, 237; 47 (1991-93): 46, 158, 322, 335, 340; 48 (1994/95): 158

**Feuerkehlkolibri:** 47 (1991-93): 51

**Feuerweber:** 13 (1939/40): 8

**Ficedula albicollis:** 11 (1934/35): 20; 13 (1939/40): 12-16; 21 (1947/48): 5, 10; 24 (1950/51): 36; 25 (1951/52): 24; 33 (1960): 13B; 38 (1965): 87B; 40 (1967-69): 194B, 267; 42 (1973-75): 43B, 143, 150, 250B; 43 (1976-78): 47B, 266B; 50 (1999): 174-175, 193

**Ficedula hypoleuca:** 08 (1931/32): 10R, 31; 09 (1932/33): 11R, 27; 11 (1934/35): 11R, 20; 10 (1936/37): 12R; 11 (1937/38): 11R; 13 (1939/40): 12-16; 14 (1940/41): 47; 21 (1947/48): 6; 23 (1949/50): 20R, 37; 24 (1950/51): 35; 25 (1951/52): 9R; 26 (1952/53): 7R; 27 (1953/54): 11R, 21; 28 (1954/55): 7B, 9R, 74; 29 (1955/56): 7B, 9R, 22; 30 (1956/57): 6B, 8R, 13; 31 (1957/58): 45, 56, 60-67, 97B, 99R; 32 (1959): 9B, 11R, 13; 33 (1960): 13B, 16; 34 (1960/61): 9B, 11R, 31; 35 (1962): 9B, 21; 36 (1963): 11B, 34, 41; 37 (1964): 12B, 62; 38 (1965): 87B; 39 (1966): 110B, 114R; 40 (1967-69): 56, 194B, 197R, 267; 41 (1970-72): 187B, 192R; 42 (1973-75): 43B, 49R, 111, 207, 250B, 256R; 46 (1988-90): 322; 51 (2003): 07, 40; 52 (2009): 137, 139; 53 (2012): 140, 161, 163, 181-182

**Ficedula parva:** 37 (1964): 28; 44 (1979-82): 330B; 53 (2012): 45

**Fichtenkreuzschnabel:** 09 (1932/33): 39; 09 (1935/36): 23-24; 13 (1939/40): 9; 14 (1940/41): 43; 20 (1946/47): 7; 30 (1956/57): 6B; 31 (1957/58): 40, 42, 96B; 33 (1960): 12B; 35 (1962): 10B; 36 (1963): 11B; 37 (1964): 12B, 18R, 29, 64; 38 (1965): 88B; 39 (1966): 110B, 117R; 40 (1967-69): 195B; 41 (1970-72): 187B, 239; 42 (1973-75): 43B, 251B; 43 (1976-78): 48B, 267B, 270R, 273R; 44 (1979-82): 95-114, 265, 331B; 45 (1983-86): 83-87, 99; 46 (1988-90): 262; 47 (1991-93): 35, 49, 91, 122, 126, 131, 133, 234, 359; 48 (1994/95): 145, 146, 159; 50 (1999): 184, 194; 51 (2003): 48; 53 (2012): 139, 161

**Fichtenwaldsänger:** 47 (1991-93): 339

**Fischadler:** 08 (1931/32): 28; 13 (1939/40): 17, 24; 14 (1940/41): 59; 27 (1953/54): 20; 31 (1957/58): 53; 33 (1960): 38; 36 (1963): 24, 74; 37 (1964): 23, 57; 39 (1966): 13; 40 (1967-69): 187; 41 (1970-72): 115, 172, 211; 43 (1976-78): 64, 254, 259; 44 (1979-82): 213-225; 45 (1983-86): 242, 344; 46 (1988-90): 24, 91, 236; 47 (1991-93): 96, 234, 359; 48 (1994/95): 33, 37, 41, 48, 54, 136; 50 (1999): 144, 190

**Fischmöwe:** 46 (1988-90): 86

**Fitis:** 08 (1931/32): 8R; 09 (1932/33): 15; 10 (1933/34): 56, 57; 11 (1934/35): 20; 14 (1940/41): 48; 16 (1942/43): 14-16R; 21 (1947/48): 6; 28 (1954/55): 7B, 74; 29 (1955/56): 7B, 10; 30 (1956/57): 6B, 8R; 31 (1957/58): 45, 97B; 32 (1959):

9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B; 37 (1964): 11B; 38 (1965): 87B, 98R; 39 (1966): 110B; 40 (1967-69): 193B; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 97, 250B, 256R; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 159-186, 213-225, 264, 269-302, 330B; 45 (1983-86): 91; 46 (1988-90): 31, 34, 38, 54, 321, 325; 47 (1991-93): 91; 50 (1999): 174, 193; 51 (2003): 38, 121-123; 52 (2009): 136, 138; 53 (2012): 89, 139, 142, 153, 155, 161, 162

**Flachbrustvögel:** 47 (1991-93): 15

**Flamingo:** 36 (1963): 25; 38 (1965): 99; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 83-87, 242; 46 (1988-90): 70, 74, 78, 81, 355

**Fleckeneule:** 47 (1991-93): 51

**Flughuhn:** 47 (1991-93): 155

**Flughühner:** 46 (1988-90): 284

**Flussregenpfeifer:** 14 (1940/41): 69; 31 (1957/58): 52; 32 (1959): 19; 34 (1960/61): 8B; 35 (1962): 8B, 34, 35; 36 (1963): 9B, 26, 31, 46, 47; 37 (1964): 10B, 33, 47; 38 (1965): 86B, 102; 39 (1966): 14, 85, 108B, 123; 40 (1967-69): 67, 122, 176, 188, 192B, 250, 259, 272; 41 (1970-72): 9, 101, 173, 186B, 191R, 211, 243; 42 (1973-75): 42B, 46R, 148, 191, 193, 249B, 253R; 43 (1976-78): 46B, 50R, 64, 254, 265B; 44 (1979-82): 328B; 45 (1983-86): 89-91, 229; 46 (1988-90): 101, 110, 233, 237; 50 (1999): 149, 190; 53 (2012): 139

**Flussseeschwalbe:** 14 (1940/41): 73; 33 (1960): 45; 38 (1965): 102; 39 (1966): 15, 128; 40 (1967-69): 59; 41 (1970-72): 56, 102; 43 (1976-78): 63, 273R; 44 (1979-82): 213-225; 46 (1988-90): 237; 48 (1994/95): 158

**Flussuferläufer:** 09 (1932/33): 14; 14 (1940/41): 71; 28 (1954/55): 8B; 30 (1956/57): 26; 31 (1957/58): 41, 49, 52; 32 (1959): 20; 35 (1962): 8B, 34, 36; 36 (1963): 9B, 22, 23, 46, 47; 37 (1964): 10B, 25, 36, 49; 38 (1965): 86B; 39 (1966): 17, 108B, 123; 40 (1967-69): 59, 192B, 196R, 259; 41 (1970-72): 56, 94, 186B, 211, 244, 249, 250; 42 (1973-75): 42B, 195, 249B; 43 (1976-78): 46B, 63, 255, 265B; 44 (1979-82): 112, 213-225, 328B; 45 (1983-86): 89-91, 229, 231; 46 (1988-90): 25, 233, 321, 358; 47 (1991-93): 91, 96, 234, 359; 48 (1994/95): 139; 50 (1999): 152, 191; 53 (2012): 139

**Francolinus francolinus:** 45 (1983-86): 83-87; 46 (1988-90): 81

**Fratercula arctica:** 47 (1991-93): 16, 316, 317, 322, 328, 329, 336, 337, 338, 340

**Fregata magnificens:** 47 (1991-93): 48

**Fringilla coelebs:** 07 (1930/31): 32; 08 (1931/32): 32; 09 (1932/33): 12R, 15, 26, 34, 37; 10 (1933/34): 17R, 56; 11 (1934/35): 13R, 21; 09 (1935/36): 11R, 27; 10 (1936/37): 12R; 11 (1937/38): 9R, 26; 12 (1938/39): 29; 13 (1939/40): 8, 30; 14 (1940/41): 43; 21 (1947/48): 7-8; 22 (1948/49): 25; 24 (1950/51): 31; 25 (1951/52): 27; 28 (1954/55): 6B, 9R, 71; 29 (1955/56): 6B, 10; 30 (1956/57): 6B; 31 (1957/58): 41, 96B; 32 (1959): 9B; 33 (1960): 12B, 16, 17, 53; 34 (1960/61): 9B, 14; 35 (1962): 10B; 36 (1963): 11B, 18-19R, 34, 48; 37 (1964): 12B, 19R; 38 (1965): 88B, 96R, 99R; 39 (1966): 110B, 119R; 40 (1967-69): 120, 194B, 198R, 265; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 51R, 54R, 111, 250B, 258R; 43 (1976-78): 48B, 53R, 56R, 206-235, 267B; 46 (1988-90): 321; 51 (2003): 46, 122-125; 52 (2009): 115, 136, 138; 53 (2012): 64, 71, 84, 89, 112, 115, 137, 139, 141, 153, 160, 161, 162, 164, 168-172, 183-185

- Fringilla coelebs canariensis:** 46 (1988-90): 239
- Fringilla coelebs palmae:** 46 (1988-90): 239
- Fringilla montifringilla:** 12 (1938/39): 24-26, 29; 14 (1940/41): 43; 24 (1950/51): 9R; 28 (1954/55): 6B, 71; 29 (1955/56): 6B, 10; 30 (1956/57): 6B, 8R; 31 (1957/58): 42, 96B, 99; 32 (1959): 9B, 11R, 26, 34; 33 (1960): 12B, 16; 34 (1960/61): 9B; 35 (1962): 10B, 12R; 36 (1963): 11B, 48; 37 (1964): 12B, 18R, 29; 38 (1965): 88B, 96R, 99R; 39 (1966): 110B, 117R, 119R, 130; 40 (1967-69): 194B, 198R; 41 (1970-72): 187B, 189R, 192R; 42 (1973-75): 43B, 54R, 250B, 258R, 262R; 43 (1976-78): 48B, 53R, 57R, 70, 206-235, 267B, 271R; 44 (1979-82): 41-88, 159-186, 264, 331B, 338R; 45 (1983-86): 209; 46 (1988-90): 32; 47 (1991-93): 35, 91, 176, 232; 48 (1994/95): 99, 145, 159; 52 (2009): 138; 53 (2012): 139, 160, 161, 164
- Fringilla teydea polatzeki:** 46 (1988-90): 239
- Fringilla teydea teydea:** 46 (1988-90): 239
- Fuchsammer:** 47 (1991-93): 52
- Fuerteventura-Wiedehopf:** 46 (1988-90): 238
- Fulica americana:** 47 (1991-93): 19
- Fulica atra:** 09 (1932/33): 14, 15; 14 (1940/41): 74; 25 (1951/52): 9R; 26 (1952/53): 7R; 28 (1954/55): 8B2; 30 (1956/57): 7B, 26; 31 (1957/58): 90; 34 (1960/61): 8B, 21; 36 (1963): 9B, 28, 31; 37 (1964): 10B, 19R; 38 (1965): 89R; 40 (1967-69): 192B; 41 (1970-72): 60, 66; 42 (1973-75): 53R, 260R; 43 (1976-78): 206-235; 44 (1979-82): 95-114, 213-225, 269-302, 327B; 45 (1983-86): 89-91; 46 (1988-90): 24, 33, 40, 47, 54, 74, 81, 287, 321; 47 (1991-93): 91, 92, 95, 340, 348; 48 (1994/95): 118, 119; 50 (1999): 149, 186, 190; 53 (2012): 139, 142, 153
- Fulmarus glacialis:** 45 (1983-86): 237; 47 (1991-93): 317, 322, 328, 340
- Galapagospinguin:** 47 (1991-93): 32
- Galerida cristata:** 07 (1930/31): 32; 11 (1934/35): 20; 14 (1940/41): 44; 25 (1951/52): 26; 28 (1954/55): 7B, 72; 31 (1957/58): 43, 89; 32 (1959): 9B; 34 (1960/61): 8B; 36 (1963): 32; 37 (1964): 11B; 38 (1965): 18, 20, 86B; 40 (1967-69): 193B; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 265B; 44 (1979-82): 95-114, 213-225, 328B; 45 (1983-86): 91, 228; 46 (1988-90): 74, 78, 81; 47 (1991-93): 97, 235; 48 (1994/95): 141; 50 (1999): 160, 186, 188, 191; 53 (2012): 113, 120
- Galerida theklae:** 44 (1979-82): 95-114
- Galliformes:** 46 (1988-90): 259, 291, 300; 47 (1991-93): 153
- Gallinago gallinago:** 09 (1932/33): 14; 11 (1937/38): 12R; 14 (1940/41): 72; 28 (1954/55): 8B1; 30 (1956/57): 24; 32 (1959): 21; 33 (1960): 14B, 43; 35 (1962): 8B, 35; 36 (1963): 9B, 12R, 27, 31, 46, 47; 37 (1964): 10B, 34, 48; 38 (1965): 86B, 105; 39 (1966): 75, 108B, 112R; 40 (1967-69): 3, 188, 192B, 196R, 250, 259, 261; 41 (1970-72): 60, 173, 186B, 211, 238, 243, 248; 42 (1973-75): 42B, 46R, 195, 249B, 253R; 43 (1976-78): 46B, 50R, 63, 243, 255, 265B; 48 (1994/95): 139, 158; 51 (2003): 103, 110-129, 168; 53 (2012): 114, 139
- Gallinago media:** 38 (1965): 30; 39 (1966): 128; 40 (1967-69): 261; 41 (1970-72): 101; 43 (1976-78): 65
- Gallinula chloropus:** 09 (1932/33): 14; 11 (1937/38): 13R; 12 (1938/39): 33-35; 14 (1940/41): 74; 22 (1948/49): 44; 24 (1950/51): 27; 28 (1954/55): 8B, 82;

29 (1955/56): 8B; 30 (1956/57): 7B, 26; 31 (1957/58): 41, 49; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 9B, 30, 58; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 186B, 191R; 42 (1973-75): 41B, 249B; 43 (1976-78): 46B, 198, 206-235, 265B; 44 (1979-82): 90, 95-114, 213-225, 265, 269-302, 327B; 45 (1983-86): 89-91, 229; 46 (1988-90): 24, 33, 40, 47, 54, 237, 322; 47 (1991-93): 91, 104, 340; 48 (1994/95): 158; 50 (1999): 148, 186, 190; 51 (2003): 23, 121-123; 53 (2012): 140, 153

**Gallus domesticus:** 13 (1939/40): 7; 46 (1988-90): 274; 47 (1991-93): 48, 138, 151, 158, 270

**Gallus gallus:** 47 (1991-93): 48

**Garrulus glandarius:** 09 (1932/33): 27; 11 (1934/35): 15R; 09 (1935/36): 15R; 10 (1936/37): 13R; 11 (1937/38): 8R; 14 (1940/41): 42; 16 (1942/43): 10-14; 21 (1947/48): 6; 24 (1950/51): 27, 30, 31; 25 (1951/52): 19, 29; 27 (1953/54): 20; 28 (1954/55): 6B, 70; 29 (1955/56): 6B, 10; 30 (1956/57): 5B; 31 (1957/58): 75, 88, 96B; 32 (1959): 8B; 33 (1960): 12B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 14R, 32; 37 (1964): 11B, 16R; 38 (1965): 87B; 39 (1966): 109B, 117R; 40 (1967-69): 195B; 41 (1970-72): 188B, 239; 42 (1973-75): 23, 44B, 111, 251B, 260R; 43 (1976-78): 48B, 99, 198, 206-235, 252, 265B, 269R, 272R; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 261, 264, 269-302, 329B; 46 (1988-90): 321; 51 (2003): 44, 117; 52 (2009): 33; 53 (2012): 139, 141, 153, 161, 162, 164

**Gartenbaumläufer:** 14 (1940/41): 45; 28 (1954/55): 7B, 73; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 44, 64, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 9B, 21; 36 (1963): 10B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 22, 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 48B, 206-235, 266B; 44 (1979-82): 159-186, 269-302, 329B; 45 (1983-86): 91; 46 (1988-90): 28, 34, 39, 54, 81, 278-281, 321; 47 (1991-93): 12, 91; 48 (1994/95): 29; 50 (1999): 177, 193; 51 (2003): 42; 52 (2009): 136, 138; 53 (2012): 115, 139, 141, 161, 162, 164

**Gartengrasstücke:** 10 (1933/34): 56; 11 (1934/35): 20; 14 (1940/41): 50; 23 (1949/50): 27; 28 (1954/55): 7B, 75; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 46, 96B; 32 (1959): 9B; 33 (1960): 13B, 47; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 23, 193B; 41 (1970-72): 23, 187B, 238; 42 (1973-75): 13, 43B, 110, 206, 250B, 255R; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 159-186, 213-225, 264, 269-302, 330B, 335R; 45 (1983-86): 91; 46 (1988-90): 36, 54, 321, 325; 47 (1991-93): 20, 35, 37, 91, 134, 135, 152, 340; 48 (1994/95): 159; 51 (2003): 36, 121-125; 52 (2009): 136, 138; 53 (2012): 115, 139, 153, 155, 161, 162

**Gartenrotschwanz:** 07 (1930/31): 20R; 08 (1931/32): 7R; 09 (1932/33): 9R; 10 (1933/34): 13R, 56; 11 (1934/35): 9R, 20; 09 (1935/36): 8R, 20, 21, 27; 10 (1936/37): 10R; 11 (1937/38): 10R; 12 (1938/39): 37; 14 (1940/41): 51; 21 (1947/48): 9; 24 (1950/51): 33; 26 (1952/53): 7R; 27 (1953/54): 22; 28 (1954/55): 7B, 9R, 76; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 60, 65-67, 97B; 32 (1959): 9B, 13; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B, 21; 36 (1963): 10B, 33; 37 (1964): 11B, 16R; 38 (1965): 87B, 92R; 39 (1966): 65, 109B; 40 (1967-69): 194B; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 41-88, 95-114, 159-186, 189-200, 213-225, 265, 269-302, 329B; 46 (1988-90): 321; 51 (2003): 33; 52 (2009): 136, 138; 53 (2012): 47-48, 138, 139

- Gavia adamsii:** 47 (1991-93): 193
- Gavia arctica:** 14 (1940/41): 68; 33 (1960): 37; 36 (1963): 26; 38 (1965): 28, 36, 59; 39 (1966): 11, 125; 40 (1967-69): 256, 270; 41 (1970-72): 87; 42 (1973-75): 145, 236; 43 (1976-78): 37, 257; 44 (1979-82): 232; 45 (1983-86): 241; 46 (1988-90): 108; 47 (1991-93): 101, 193, 340; 50 (1999): 133, 188
- Gavia immer:** 41 (1970-72): 35; 46 (1988-90): 108; 47 (1991-93): 193
- Gavia stellata:** 14 (1940/41): 68; 27 (1953/54): 21; 33 (1960): 37; 34 (1960/61): 18; 38 (1965): 59; 39 (1966): 125; 42 (1973-75): 236; 43 (1976-78): 29, 37, 258; 45 (1983-86): 354; 47 (1991-93): 103, 193, 324, 330, 335, 337, 340
- Gaviiformes:** 46 (1988-90): 301
- Gebirgsstelze:** 09 (1932/33): 14; 11 (1934/35): 20; 14 (1940/41): 45; 28 (1954/55): 7B3; 30 (1956/57): 6B; 31 (1957/58): 44; 32 (1959): 9B, 32; 33 (1960): 13B, 35; 34 (1960/61): 9B; 35 (1962): 9B, 45; 36 (1963): 11B, 34, 68; 37 (1964): 12B, 62; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 191, 193B; 41 (1970-72): 186B, 191R, 239; 42 (1973-75): 42B, 50R, 249B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 159-186, 331B; 45 (1983-86): 244; 46 (1988-90): 31, 112, 238; 47 (1991-93): 96, 234, 359; 48 (1994/95): 143, 159; 50 (1999): 164, 192; 51 (2003): 30; 53 (2012): 137, 139, 161, 162
- Geier:** 46 (1988-90): 220, 222, 289
- Gelbbrauenlaubsänger:** 47 (1991-93): 321
- Gelbhosen-Pipra:** 46 (1988-90): 262; 47 (1991-93): 52, 121
- Gelblappenkiebitz:** 47 (1991-93): 155
- Gelbscheitelamazone:** 46 (1988-90): 36
- Gelbschnabel-Eistaucher:** 47 (1991-93): 193
- Gelbschnabelsturmtaucher:** 46 (1988-90): 236
- Gelbspötter:** 11 (1934/35): 9R, 20; 09 (1935/36): 20, 22; 12 (1938/39): 30; 14 (1940/41): 50; 28 (1954/55): 7B5; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 89; 33 (1960): 13B; 34 (1960/61): 9B; 36 (1963): 11B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 269-302, 330B; 46 (1988-90): 30, 34, 40; 47 (1991-93): 35, 96, 234, 321; 48 (1994/95): 144; 50 (1999): 171, 186, 192; 51 (2003): 122, 124; 52 (2009): 115, 136; 53 (2012): 137, 139, 155
- Gelochelidon nilotica:** 33 (1960): 45; 44 (1979-82): 95-114
- Geococcyx californianus:** 46 (1988-90): 285, 286; 47 (1991-93): 24, 48, 158, 160
- Geococcyx californianus:** 46 (1988-90): 285, 286; 46 (1988-90): 285, 286; 47 (1991-93): 24, 48, 158, 160; 47 (1991-93): 24, 48, 158, 160
- Geococcyx velox:** 46 (1988-90): 285, 286; 47 (1991-93): 24
- Geopelia cuneata:** 47 (1991-93): 44, 48, 127, 128, 149, 156, 158
- Geothlypis trichas:** 47 (1991-93): 48
- Gerfalke:** 46 (1988-90): 89; 47 (1991-93): 198; 48 (1994/95): 37

- Gimpel:** 08 (1931/32): 32; 12 (1938/39): 31-33; 13 (1939/40): 8; 14 (1940/41): 43; 27 (1953/54): 15; 28 (1954/55): 6B, 71; 29 (1955/56): 6B, 10, 23; 30 (1956/57): 5B; 31 (1957/58): 96B; 32 (1959): 9B, 34; 33 (1960): 12B, 15, 53; 34 (1960/61): 9B, 12R, 30, 31; 35 (1962): 9B, 46; 36 (1963): 11B, 17R, 19R, 34, 71; 37 (1964): 12B, 17R, 64; 38 (1965): 88B, 95R; 39 (1966): 110B, 118R; 40 (1967-69): 195B, 200R; 41 (1970-72): 105R, 166, 188B, 190R, 238; 42 (1973-75): 23, 43B, 54R, 111, 251B, 259R, 263R; 43 (1976-78): 48B, 54R, 70, 206-235, 267B, 270R; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 262, 331B, 337R; 45 (1983-86): 91; 46 (1988-90): 321; 51 (2003): 48; 52 (2009): 136, 138; 53 (2012): 139, 161, 162, 164
- Girlitz:** 09 (1932/33): 26, 33, 36; 10 (1933/34): 56; 09 (1935/36): 12R, 19-21; 10 (1936/37): 12R; 11 (1937/38): 9R; 14 (1940/41): 43; 22 (1948/49): 19R, 35-38; 26 (1952/53): 7R; 27 (1953/54): 10R; 28 (1954/55): 6B, 71; 29 (1955/56): 6B; 30 (1956/57): 5B, 7R; 31 (1957/58): 42, 96B; 32 (1959): 9B; 33 (1960): 12B; 34 (1960/61): 9B, 12R; 35 (1962): 9B, 45; 36 (1963): 11B, 17R, 34; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 194B, 198R; 41 (1970-72): 187B; 42 (1973-75): 43B, 51R, 250B; 43 (1976-78): 48B, 206-235, 267B; 44 (1979-82): 95-114, 159-186, 213-225, 269-302, 331B; 45 (1983-86): 91, 244; 46 (1988-90): 32, 34, 39, 55, 72, 81, 321; 47 (1991-93): 37, 91; 51 (2003): 46, 125; 52 (2009): 136; 53 (2012): 139, 153
- Glanzkrähe:** 44 (1979-82): 213-225; 45 (1983-86): 83-87
- Glareola pratincola:** 44 (1979-82): 95-114
- Glattschnabel-Ani:** 46 (1988-90): 262
- Glaucidium gnoma:** 47 (1991-93): 48
- Glaucidium passerinum:** 41 (1970-72): 178
- Gleitaar:** 14 (1940/41): 59; 47 (1991-93): 73-76; 48 (1994/95): 36
- Gnomenkauz:** 47 (1991-93): 48
- Goldammer:** 08 (1931/32): 11R, 32; 09 (1932/33): 14; 10 (1933/34): 56; 11 (1934/35): 13R; 09 (1935/36): 11R; 13 (1939/40): 9; 14 (1940/41): 43; 28 (1954/55): 6B, 72; 29 (1955/56): 6B, 10; 30 (1956/57): 6B; 31 (1957/58): 96B; 32 (1959): 9B; 33 (1960): 12B, 17, 36; 34 (1960/61): 9B, 12R; 35 (1962): 10B; 36 (1963): 11B, 35; 37 (1964): 12B, 18R; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 194B; 41 (1970-72): 184, 187B; 42 (1973-75): 11, 13, 14, 19, 43B, 110, 206, 250B; 43 (1976-78): 48B, 206-235, 267B; 44 (1979-82): 41-88, 159-186, 261, 269-302, 331B; 45 (1983-86): 91; 46 (1988-90): 321; 51 (2003): 48; 52 (2009): 136, 138; 53 (2012): 80-89, 91, 134-137, 139, 141, 150, 153, 155
- Goldfasan:** 13 (1939/40): 8
- Goldfink:** 47 (1991-93): 18
- Goldhals-Pipra:** 46 (1988-90): 262
- Goldhähnchenlaubsämger:** 47 (1991-93): 321
- Goldkehl-Waldsänger:** 47 (1991-93): 47
- Goldköpfchen:** 46 (1988-90): 274
- Goldregenpfeifer:** 14 (1940/41): 69; 32 (1959): 19; 33 (1960): 38, 42, 43; 35 (1962): 35; 37 (1964): 33, 47, 58; 38 (1965): 38; 39 (1966): 14, 127; 40 (1967-69): 58, 67, 173, 259, 272; 41 (1970-72): 211; 43 (1976-78): 65; 50 (1999): 149, 190

**Goldzeisig:** 47 (1991-93): 126, 133

**Goliathreiher:** 44 (1979-82): 213-225; 46 (1988-90): 76

**Gouldamadine:** 47 (1991-93): 45, 158

**Gracula religiosa:** 45 (1983-86): 194

**Gracupica nigricollis:** 46 (1988-90): 149

**Gran-Canaria-Buntspecht:** 46 (1988-90): 238

**Granatkolibri:** 46 (1988-90): 263

**Grancanaria-Teydefink:** 46 (1988-90): 239

**Grasammer:** 47 (1991-93): 51, 145; 47 (1991-93): 51, 145

**Grasmücke:** 46 (1988-90): 52, 323, 324

**Grauammer:** 14 (1940/41): 43; 21 (1947/48): 6; 25 (1951/52): 19; 28 (1954/55): 7B2; 31 (1957/58): 43; 32 (1959): 9B; 34 (1960/61): 9B; 35 (1962): 10B; 36 (1963): 11B, 35; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 56, 110B, 117R, 119R; 40 (1967-69): 194B, 267; 41 (1970-72): 176, 187B; 42 (1973-75): 43B, 104, 110, 250B; 43 (1976-78): 48B, 53R, 267B; 44 (1979-82): 41-88, 95-114, 133, 213-225, 269-302, 331B; 45 (1983-86): 98, 229; 46 (1988-90): 72-78, 81, 218, 239, 355; 47 (1991-93): 96; 50 (1999): 186, 194; 51 (2003): 111, 122-125; 53 (2012): 90-104, 120, 137, 139

**Grauastrild:** 46 (1988-90): 274; 47 (1991-93): 26, 47

**Graubruststrandläufer:** 36 (1963): 28; 40 (1967-69): 51, 67, 157; 43 (1976-78): 34, 248; 47 (1991-93): 339

**Graubülbül:** 44 (1979-82): 213-225; 45 (1983-86): 83-87

**Graudrosseling:** 44 (1979-82): 213-225; 45 (1983-86): 83-87

**Graufischer:** 44 (1979-82): 213-225

**Graugans:** 14 (1940/41): 63; 29 (1955/56): 21; 33 (1960): 38; 38 (1965): 68; 39 (1966): 10, 126; 40 (1967-69): 113, 121, 186; 41 (1970-72): 211; 42 (1973-75): 243; 43 (1976-78): 31, 64; 45 (1983-86): 242, 354; 47 (1991-93): 45, 96, 97, 128, 152, 234, 348; 48 (1994/95): 101, 118, 119, 131, 132; 50 (1999): 138, 189

**Graunektarvogel:** 47 (1991-93): 50

**Grauortolan:** 44 (1979-82): 213-225; 45 (1983-86): 233; 46 (1988-90): 74, 76, 81

**Graupapagei:** 46 (1988-90): 36

**Graureiher:** 08 (1931/32): 28; 09 (1932/33): 15; 10 (1933/34): 19-51; 12 (1938/39): 39; 14 (1940/41): 37, 60; 22 (1948/49): 30-35; 27 (1953/54): 11R; 28 (1954/55): 8B; 29 (1955/56): 23; 30 (1956/57): 25; 31 (1957/58): 53; 33 (1960): 17R; 34 (1960/61): 19; 35 (1962): 13R, 17; 37 (1964): 20; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 7, 56, 60, 185B, 209, 211; 42 (1973-75): 45R, 133; 43 (1976-78): 63, 134, 242, 258; 44 (1979-82): 27-88, 95-114, 213-225, 269-302, 327B; 45 (1983-86): 83-87; 46 (1988-90): 21, 76, 81, 233, 321, 358 ; 51 (2003): 21; 53 (2012): 120, 136, 139, 161, 162, 164

**Grauschnäpper:** 09 (1932/33): 27; 10 (1933/34): 56; 11 (1934/35): 20; 10 (1936/37): 11R; 14 (1940/41): 47; 28 (1954/55): 7B, 74; 29 (1955/56): 7B, 9R; 30 (1956/57): 6B; 31 (1957/58): 87, 97B; 32 (1959): 9B, 13, 31; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965):

87B; 39 (1966): 110B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 95-114, 213-225, 269-302, 330B; 45 (1983-86): 91; 46 (1988-90): 31, 34, 36; 47 (1991-93): 97; 50 (1999): 174, 188, 193; 51 (2003): 39; 52 (2009): 115, 136; 53 (2012): 137, 139, 155

**Grauspecht:** 11 (1934/35): 20; 09 (1935/36): 14R; 11 (1937/38): 11R; 14 (1940/41): 53; 28 (1954/55): 7B; 31 (1957/58): 52, 97B; 32 (1959): 10B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 141, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 159-186, 265, 269-302; 45 (1983-86): 91; 46 (1988-90): 26, 33, 40, 50, 54, 321-324; 47 (1991-93): 91, 97359; 50 (1999): 158, 191; 51 (2003): 26; 52 (2009): 136; 53 (2012): 161, 162, 164

**Grauwasseramsel:** 47 (1991-93): 46

**Greifvögel:** 46 (1988-90): 259, 300; 47 (1991-93): 148; 48 (1994/95): 43

**Grosser Brachvogel:** 12 (1938/39): 28; 14 (1940/41): 71; 20 (1946/47): 6; 21 (1947/48): 6; 30 (1956/57): 18; 32 (1959): 21; 33 (1960): 14B, 39; 34 (1960/61): 8B, 32; 35 (1962): 8B, 11R, 35; 36 (1963): 9B, 27; 37 (1964): 10B, 15R, 24, 34, 48, 65; 38 (1965): 31, 86B, 90R; 39 (1966): 14, 75, 108B; 40 (1967-69): 97, 189, 192B, 250, 259, 262, 272; 41 (1970-72): 56, 60, 101, 143, 174, 186B, 211, 244; 42 (1973-75): 195, 249B; 43 (1976-78): 46B, 64, 243, 255; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 356; 46 (1988-90): 110; 47 (1991-93): 92, 95, 340; 51 (2003): 168; 53 (2012): 139

**Grosser Schlammläufer:** 47 (1991-93): 339

**Grosstrappe:** 13 (1939/40): 22; 14 (1940/41): 73; 31 (1957/58): 91; 35 (1962): 32; 41 (1970-72): 101; 44 (1979-82): 95-114; 45 (1983-86): 325, 334; 51 (2003): 169

**Gruiformes:** 46 (1988-90): 259, 300; 48 (1994/95): 22

**Grus grus:** 13 (1939/40): 26; 14 (1940/41): 73; 27 (1953/54): 21; 31 (1957/58): 54; 35 (1962): 33, 34; 37 (1964): 23; 38 (1965): 37, 107; 40 (1967-69): 116; 41 (1970-72): 92-93, 172, 211; 42 (1973-75): 81, 136, 147, 244; 43 (1976-78): 38, 65, 254, 260; 44 (1979-82): 341-343; 45 (1983-86): 83-87, 243, 355-356; 46 (1988-90): 36, 86, 110; 47 (1991-93): 91, 99, 236-238, 361, 362; 48 (1994/95): 93-103, 137, 138; 50 (1999): 149, 190; 52 (2009): 119; 53 (2012): 139

**Gryllteist:** 46 (1988-90): 259; 47 (1991-93): 16, 193, 319, 321, 328, 340

**Grünfink:** 07 (1930/31): 22R, 32; 08 (1931/32): 13, 15, 27, 34; 10 (1933/34): 17R, 56; 11 (1934/35): 13R; 09 (1935/36): 12R, 16-17, 20; 10 (1936/37): 12R, 26; 11 (1937/38): 9R; 13 (1939/40): 19, 30; 14 (1940/41): 42; 22 (1948/49): 19R, 25; 24 (1950/51): 9R; 28 (1954/55): 6B, 9R, 71; 29 (1955/56): 6B, 9R, 10, 23; 30 (1956/57): 5B, 22; 31 (1957/58): 41, 96B; 32 (1959): 8B, 34; 33 (1960): 12B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 88B, 99R; 39 (1966): 110B; 40 (1967-69): 194B, 198R; 41 (1970-72): 104R, 187B; 42 (1973-75): 13, 23, 43B, 53R, 110, 206, 250B, 262R; 43 (1976-78): 48B, 53R, 70, 206-235, 267B, 273R; 44 (1979-82): 339R; 46 (1988-90): 321; 51 (2003): 46, 122-125; 52 (2009): 136, 138; 53 (2012): 112, 125, 131, 134, 136, 139, 141, 149-151, 153, 161, 163, 164

**Grünscheitelnektarvogel:** 47 (1991-93): 50

**Grünschenkel:** 12 (1938/39): 28; 14 (1940/41): 70; 16 (1942/43): 17; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 39; 35 (1962): 8B, 36; 36 (1963): 21, 46, 47; 37

- (1964): 25, 35, 37, 49; 39 (1966): 14, 17, 85, 108B, 123; 40 (1967-69): 192B, 259; 41 (1970-72): 102, 174, 186B, 244; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 255, 265B; 44 (1979-82): 95-114, 213-225, 328B; 45 (1983-86): 229; 46 (1988-90): 111; 47 (1991-93): 97, 234, 235; 50 (1999): 152, 190; 53 (2012): 139
- Grünspecht:** 08 (1931/32): 12R; 11 (1934/35): 20; 09 (1935/36): 14R; 14 (1940/41): 53; 28 (1954/55): 7B, 77; 29 (1955/56): 7B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 31, 35; 37 (1964): 10B; 38 (1965): 86B, 91R; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 141, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 95-114, 159-186, 269-302; 45 (1983-86): 91, 220; 46 (1988-90): 26, 33, 37, 321-324; 47 (1991-93): 91, 97, 235; 50 (1999): 158, 191; 51 (2003): 27; 52 (2009): 115, 136; 53 (2012): 139, 141, 153, 161, 163, 164
- Grünwangenamazon:** 47 (1991-93): 44
- Guascharo:** 47 (1991-93): 144
- Gypaetus barbatus:** 44 (1979-82): 95-114; 46 (1988-90): 90, 93, 220-231, 259; 48 (1994/95): 36
- Gyps fulvus:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 75-81; 46 (1988-90): 80, 81, 90-94, 219-228, 352, 354; 48 (1994/95): 36
- Gyps spec.:** 46 (1988-90): 220, 222, 289
- Gänsegeier:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 75-81; 46 (1988-90): 80, 81, 90-94, 219-228, 352, 354; 48 (1994/95): 36
- Gänsesäger:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 67; 30 (1956/57): 24; 31 (1957/58): 50, 51; 35 (1962): 15; 36 (1963): 26; 37 (1964): 22; 38 (1965): 5; 41 (1970-72): 67, 87, 211; 42 (1973-75): 244; 43 (1976-78): 65, 254, 259; 45 (1983-86): 354; 46 (1988-90): 109, 221; 47 (1991-93): 97, 235, 340, 348, 351, 359; 48 (1994/95): 120, 134; 50 (1999): 141, 189
- Habicht:** 09 (1932/33): 13R; 09 (1935/36): 15R, 26; 10 (1936/37): 14R; 11 (1937/38): 12R; 13 (1939/40): 29, 30; 14 (1940/41): 57; 28 (1954/55): 8B, 79; 30 (1956/57): 7B; 31 (1957/58): 48, 53, 75, 97B; 33 (1960): 33; 34 (1960/61): 8B; 36 (1963): 9B, 30; 38 (1965): 86B; 39 (1966): 108B, 111R; 40 (1967-69): 186, 192B; 41 (1970-72): 7, 60, 185B, 211, 264; 42 (1973-75): 41B, 248B; 43 (1976-78): 46B, 63, 187-205, 206-235, 264B, 272R; 44 (1979-82): 41-88, 159-186, 269-302, 327B, 337R; 45 (1983-86): 91; 46 (1988-90): 36, 92, 321; 47 (1991-93): 91, 359, 360; 48 (1994/95): 36; 50 (1999): 144, 186, 189; 51 (2003): 20, 22, 117, 168; 53 (2012): 139
- Habichtsadler:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 90, 94; 48 (1994/95): 37
- Haematopus ostralegus:** 35 (1962): 8B; 37 (1964): 33; 38 (1965): 107; 39 (1966): 127; 40 (1967-69): 67, 122, 180, 195B, 259, 271; 41 (1970-72): 101; 42 (1973-75): 148, 237, 244; 43 (1976-78): 260; 47 (1991-93): 94, 192, 196, 340; 50 (1999): 149, 190
- Hakengimpel:** 53 (2012): 50, 51
- Halcyon smyrnensis:** 44 (1979-82): 213-225; 45 (1983-86): 83-87
- Haliaeetus albicilla:** 14 (1940/41): 59; 34 (1960/61): 20; 40 (1967-69): 58, 186, 271; 41 (1970-72): 100, 211; 42 (1973-75): 147, 236; 43 (1976-78): 64; 44 (1979-82): 213-225, 232; 46 (1988-90): 24, 110; 47 (1991-93): 198; 48 (1994/95): 36, 99

- Haliaeetus leucocephalus:** 47 (1991-93): 19
- Halsbanddohle:** 47 (1991-93): 97, 235
- Halsbandfrankolin:** 45 (1983-86): 83-87; 46 (1988-90): 81
- Halsbandschnäpper:** 11 (1934/35): 20; 13 (1939/40): 12-16; 21 (1947/48): 5, 10; 24 (1950/51): 36; 25 (1951/52): 24; 33 (1960): 13B; 38 (1965): 87B; 40 (1967-69): 194B, 267; 42 (1973-75): 43B, 143, 150, 250B; 43 (1976-78): 47B, 266B; 50 (1999): 174-175, 193
- Halsbandsittich:** 46 (1988-90): 36, 40 ; 53 (2012): 139
- Harrisammer:** 47 (1991-93): 55
- Haselhuhn:** 25 (1951/52): 19; 31 (1957/58): 76; 41 (1970-72): 7, 56, 211; 42 (1973-75): 183; 43 (1976-78): 63, 243; 46 (1988-90): 278, 279
- Haubenlerche:** 07 (1930/31): 32; 11 (1934/35): 20; 14 (1940/41): 44; 25 (1951/52): 26; 28 (1954/55): 7B, 72; 31 (1957/58): 43, 89; 32 (1959): 9B; 34 (1960/61): 8B; 36 (1963): 32; 37 (1964): 11B; 38 (1965): 18, 20, 86B; 40 (1967-69): 193B; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 265B; 44 (1979-82): 95-114, 213-225, 328B; 45 (1983-86): 91, 228; 46 (1988-90): 74, 78, 81; 47 (1991-93): 97, 235; 48 (1994/95): 141; 50 (1999): 160, 186, 188, 191; 53 (2012): 113, 120
- Haubenmaina:** 46 (1988-90): 156; 47 (1991-93): 54
- Haubenmeise:** 11 (1934/35): 20; 09 (1935/36): 10R; 12 (1938/39): 16R; 14 (1940/41): 46; 28 (1954/55): 7B3; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 44, 88, 96B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 9B, 43; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 266B; 44 (1979-82): 95-114, 329B; 45 (1983-86): 91; 46 (1988-90): 321; 47 (1991-93): 91, 360; 50 (1999): 176, 193; 51 (2003): 20, 41; 52 (2009): 136; 53 (2012): 139, 161, 163, 164
- Haubentaucher:** 09 (1932/33): 15, 37; 13 (1939/40): 24; 14 (1940/41): 68; 22 (1948/49): 41; 36 (1963): 26, 30; 39 (1966): 126; 40 (1967-69): 185; 41 (1970-72): 60, 69, 211; 43 (1976-78): 17, 63; 44 (1979-82): 213-225, 269-302; 45 (1983-86): 89-91; 46 (1988-90): 36, 221, 267, 321-325, 357; 47 (1991-93): 91, 97, 98, 348, 360; 48 (1994/95): 118, 119, 130; 50 (1999): 133, 188; 53 (2012): 123
- Hausammer:** 47 (1991-93): 133, 158
- Hausfink:** 46 (1988-90): 274; 47 (1991-93): 133, 158
- Haushuhn:** 13 (1939/40): 7; 46 (1988-90): 274; 47 (1991-93): 48, 138, 151, 158, 270
- Hausrotschwanz:** 07 (1930/31): 20R; 08 (1931/32): 7R, 32; 09 (1932/33): 9R; 10 (1933/34): 12R, 56; 11 (1934/35): 8R, 20; 09 (1935/36): 20, 22-25; 10 (1936/37): 15-19; 11 (1937/38): 10R; 13 (1939/40): 19, 20, 21; 14 (1940/41): 51; 21 (1947/48): 11; 22 (1948/49): 40; 24 (1950/51): 9R, 34; 25 (1951/52): 9R; 28 (1954/55): 7B, 9R, 77; 29 (1955/56): 7B, 10, 21; 30 (1956/57): 6B, 8R; 31 (1957/58): 47, 97B; 32 (1959): 9B, 11R; 33 (1960): 13B, 16; 34 (1960/61): 9B, 11R; 35 (1962): 9B, 11R; 36 (1963): 10B, 15R; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B, 265; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 250B; 43 (1976-78): 1, 39, 47B, 52R, 206-235, 266B, 270R; 44 (1979-82): 41-88, 95-114, 159-186, 329B; 45 (1983-86): 91, 96, 356; 46 (1988-90): 321; 51

(2003): 32; 52 (2009): 137; 53 (2012): 47, 139, 153

**Haussegler:** 44 (1979-82): 213-225

**Haussperling:** 07 (1930/31): 22R; 08 (1931/32): 11R; 10 (1933/34): 56; 09 (1935/36): 21-22, 23; 10 (1936/37): 24; 11 (1937/38): 9R; 13 (1939/40): 30; 14 (1940/41): 43; 21 (1947/48): 16; 22 (1948/49): 25, 37; 25 (1951/52): 19; 28 (1954/55): 7B2; 29 (1955/56): 6B; 30 (1956/57): 6B, 20, 22; 32 (1959): 9B; 36 (1963): 35; 37 (1964): 12B; 39 (1966): 110B; 40 (1967-69): 41, 195B; 41 (1970-72): 76, 188B; 42 (1973-75): 23, 44B; 43 (1976-78): 266B; 44 (1979-82): 14, 41-88, 95-114, 213-225, 261, 264, 269-302, 331B; 45 (1983-86): 91, 228; 46 (1988-90): 33, 34, 39, 50-55, 81, 259-262, 321; 47 (1991-93): 19, 20, 24, 34, 51, 91, 126, 133, 151, 158, 270, 319, 340; 51 (2003): 46, 117, 118; 52 (2009): 138; 53 (2012): 62-69, 72, 74, 83, 88, 139

**Haustaube:** 27 (1953/54): 19; 40 (1967-69): 18; 43 (1976-78): 70, 197-199; 44 (1979-82): 261, 264; 46 (1988-90): 54; 47 (1991-93): 133, 155, 160; 51 (2003): 23

**Haustyrrann:** 47 (1991-93): 53

**Hauszaunkönig:** 47 (1991-93): 26, 54

**Heckenbraunelle:** 07 (1930/31): 21R; 08 (1931/32): 8R; 09 (1932/33): 10R, 26, 33; 10 (1933/34): 13R; 11 (1934/35): 20; 09 (1935/36): 9R, 22; 13 (1939/40): 30; 14 (1940/41): 52; 28 (1954/55): 7B, 9R, 77; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 47, 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B, 11R; 35 (1962): 9B, 44; 36 (1963): 11B, 15R, 34; 37 (1964): 12B; 38 (1965): 87B, 93R; 39 (1966): 110B, 115R, 118R; 40 (1967-69): 19, 193B; 41 (1970-72): 184, 186B, 191R, 239; 42 (1973-75): 13, 42B, 110, 215, 249B, 255R, 261R; 43 (1976-78): 47B, 206-235, 236-240, 252, 266B, 270R; 51 (2003): 31, 121-125; 52 (2009): 137, 138; 53 (2012): 82, 88, 139, 141, 144, 153, 161, 163

**Heckensänger:** 45 (1983-86): 233

**Heidelerche:** 11 (1934/35): 20; 14 (1940/41): 44; 25 (1951/52): 26; 28 (1954/55): 7B2; 31 (1957/58): 41, 43, 54; 33 (1960): 34; 36 (1963): 10B, 32; 39 (1966): 109B; 40 (1967-69): 193B, 264; 43 (1976-78): 64, 265B; 44 (1979-82): 159-186; 47 (1991-93): 235; 48 (1994/95): 141; 50 (1999): 162, 186, 191; 53 (2012): 139

**Heliaeetus leucoryphus:** 48 (1994/95): 36

**Helmlockwaldsänger:** 47 (1991-93): 19

**Heringsmöwe:** 14 (1940/41): 73; 35 (1962): 15; 40 (1967-69): 273; 42 (1973-75): 237; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 243; 46 (1988-90): 78, 81, 233; 47 (1991-93): 340; 52 (2009): 106, 108-109

**Hesperiphona vespertina:** 47 (1991-93): 26, 48, 133

**Heuschreckenammer:** 45 (1983-86): 196; 47 (1991-93): 44

**Hieraaetus fasciatus:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 90, 94; 48 (1994/95): 37

**Hieraaetus pennatus:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 83-87, 344; 46 (1988-90): 223-231, 325; 48 (1994/95): 37

**Hierro-Blaumeise:** 46 (1988-90): 239

**Himantopus himantopus:** 38 (1965): 73; 39 (1966): 11, 128; 40 (1967-69): 193B; 42 (1973-75): 197, 244; 44 (1979-82): 95-114, 213-225; 46 (1988-90): 233,

358; 47 (1991-93): 155

**Hippolais icterina:** 11 (1934/35): 9R, 20; 09 (1935/36): 20, 22; 12 (1938/39): 30; 14 (1940/41): 50; 28 (1954/55): 7B5; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 89; 33 (1960): 13B; 34 (1960/61): 9B; 36 (1963): 11B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 269-302, 330B; 46 (1988-90): 30, 34, 40; 47 (1991-93): 35, 96, 234, 321; 48 (1994/95): 144; 50 (1999): 171, 186, 192; 51 (2003): 122, 124; 52 (2009): 115, 136; 53 (2012): 137, 139, 155

**Hippolais pallida:** 44 (1979-82): 213-225; 46 (1988-90): 243, 244

**Hippolais polyglotta:** 53 (2012): 40

**Hirtenregenpfeifer:** 47 (1991-93): 155

**Hirtenstar:** 45 (1983-86): 194; 46 (1988-90): 145, 149

**Hirundinidae:** 46 (1988-90): 52, 268, 280

**Hirundo daurica:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 229; 46 (1988-90): 218, 355

**Hirundo rupestris:** 44 (1979-82): 95-114; 45 (1983-86): 228-229; 46 (1988-90): 81, 221, 223

**Hirundo rustica:** 07 (1930/31): 19R, 31; 08 (1931/32): 10R; 09 (1932/33): 11R, 15, 23, 32; 10 (1933/34): 16R; 11 (1934/35): 11R, 20; 09 (1935/36): 14R, 20, 22; 10 (1936/37): 13R; 12 (1938/39): 30; 14 (1940/41): 52; 24 (1950/51): 9R, 37; 27 (1953/54): 20; 28 (1954/55): 7B, 77; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 97B, 99R; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B, 13; 36 (1963): 10B, 32; 37 (1964): 11B, 19R; 38 (1965): 87B, 91R, 97R; 39 (1966): 109B; 40 (1967-69): 193B, 197R; 41 (1970-72): 8, 186B; 42 (1973-75): 42B, 48R, 249B, 254R, 261R; 43 (1976-78): 47B, 51R, 206-235, 265B, 269R; 46 (1988-90): 322; 51 (2003): 29, 117, 118, 168; 53 (2012): 122-123, 136, 140, 161, 163

**Hohltaube:** 09 (1935/36): 25; 14 (1940/41): 68; 25 (1951/52): 9R; 28 (1954/55): 8B; 31 (1957/58): 100R; 32 (1959): 10B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 10B; 38 (1965): 86B, 90R; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 249B, 253R; 43 (1976-78): 46B, 50R, 64, 265B, 269R; 44 (1979-82): 41-88, 159-186, 265, 328B, 333-334R; 46 (1988-90): 25, 33, 35, 40, 111; 47 (1991-93): 98, 360; 50 (1999): 153, 186, 191; 51 (2003): 20, 24, 168; 53 (2012): 139, 161, 163

**Hoplopterus albiceps:** 47 (1991-93): 155

**Hoplopterus armatus:** 47 (1991-93): 155

**Hoplopterus malabaricus:** 47 (1991-93): 155

**Hoplopterus spinosus:** 44 (1979-82): 213-225; 45 (1983-86): 83-87; 47 (1991-93): 155

**Humboldtpinguin:** 46 (1988-90): 274; 47 (1991-93): 23, 32, 39, 53, 128

**Hydrobates pelagicus:** 26 (1952/53): 39-40; 33 (1960): 28; 46 (1988-90): 236, 268; 47 (1991-93): 317, 340

**Hydroprogne caspia:** 33 (1960): 45; 36 (1963): 59; 44 (1979-82): 213-225

- Hypochera chalybeata:** 45 (1983-86): 194-196
- Häherkuckuck:** 42 (1973-75): 137; 44 (1979-82): 95-114, 213-225
- Höckerschwan:** 14 (1940/41): 63; 36 (1963): 30; 37 (1964): 66; 38 (1965): 68, 71; 40 (1967-69): 17; 41 (1970-72): 89; 44 (1979-82): 269-302; 46 (1988-90): 23, 33, 74, 81; 47 (1991-93): 126, 320, 348; 48 (1994/95): 118, 119; 50 (1999): 137, 189; 51 (2003): 21
- Hühnervögel:** 46 (1988-90): 259, 291, 300; 47 (1991-93): 153
- Indianerblässhuhn:** 47 (1991-93): 19
- Indigofink:** 45 (1983-86): 210
- Inkataube:** 46 (1988-90): 261, 262, 274; 47 (1991-93): 53, 158
- Isabellsteinschmätzer:** 44 (1979-82): 213-225
- Ixobrychus minutus:** 09 (1932/33): 14; 14 (1940/41): 63; 28 (1954/55): 8B; 29 (1955/56): 8B; 33 (1960): 14B, 37; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 9B, 25, 30; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 12; 40 (1967-69): 96, 192B; 41 (1970-72): 169, 185B, 211; 43 (1976-78): 63; 44 (1979-82): 269-302, 327B; 45 (1983-86): 89-91; 46 (1988-90): 22, 282, 324; 48 (1994/95): 158; 50 (1999): 134, 186, 188; 53 (2012): 120
- Japanwachtel:** 46 (1988-90): 259, 261, 274
- Jerichonektarvogel:** 44 (1979-82): 213-225; 45 (1983-86): 83-87
- Junco hyemalis:** 47 (1991-93): 145
- Junko:** 47 (1991-93): 145
- Jynx torquilla:** 08 (1931/32): 12R; 09 (1932/33): 38; 10 (1933/34): 16R; 11 (1934/35): 15R, 20; 09 (1935/36): 14R; 12 (1938/39): 30; 14 (1940/41): 54; 24 (1950/51): 9R, 37; 28 (1954/55): 7B, 9R, 78; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 48, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B, 27; 35 (1962): 8B; 36 (1963): 10B, 32, 48; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 111, 149, 249B; 43 (1976-78): 46B, 55R, 64, 206-235, 265B; 44 (1979-82): 159-186, 213-225, 328B; 45 (1983-86): 91; 46 (1988-90): 247, 322-324; 47 (1991-93): 91, 105, 243, 321; 48 (1994/95): 159; 51 (2003): 26; 52 (2009): 137; 53 (2012): 137, 140
- Kaiseradler:** 44 (1979-82): 112, 213-225; 45 (1983-86): 83-87; 46 (1988-90): 81, 283; 48 (1994/95): 43
- Kaiserpinguin:** 46 (1988-90): 261, 274, 281, 282; 47 (1991-93): 27, 32, 36, 39
- Kalanderlerche:** 44 (1979-82): 95-114; 46 (1988-90): 81 ; 53 (2012): 51
- Kampfläufer:** 12 (1938/39): 28; 14 (1940/41): 70; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 40; 34 (1960/61): 22; 35 (1962): 36; 36 (1963): 21, 22, 46, 47; 37 (1964): 10B, 26, 37, 49, 59; 38 (1965): 86B; 39 (1966): 17, 108B, 123; 40 (1967-69): 23, 59, 97, 192B, 259, 262; 41 (1970-72): 186B, 211, 245; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 63, 255; 44 (1979-82): 95-114, 213-225, 328B; 45 (1983-86): 229; 46 (1988-90): 78, 81, 358; 47 (1991-93): 192, 235; 48 (1994/95): 139; 50 (1999): 150, 190; 53 (2012): 139
- Kanadagans:** 40 (1967-69): 113, 114, 270; 41 (1970-72): 100; 43 (1976-78): 31; 46 (1988-90): 259; 47 (1991-93): 98, 235, 348; 48 (1994/95): 99, 118, 119, 132

**Kanadakleiber:** 47 (1991-93): 53  
**Kanaren-Amsel:** 46 (1988-90): 238  
**Kanaren-Bachstelze:** 46 (1988-90): 238  
**Kanaren-Buchfink:** 46 (1988-90): 239  
**Kanaren-Buntspecht:** 46 (1988-90): 238  
**Kanaren-Felsentaube:** 46 (1988-90): 237  
**Kanaren-Goldhähnchen:** 46 (1988-90): 238  
**Kanaren-Grünfink:** 46 (1988-90): 239  
**Kanaren-Kolkrabe:** 46 (1988-90): 239  
**Kanaren-Kragentrappe:** 46 (1988-90): 237  
**Kanaren-Mäusebussard:** 46 (1988-90): 237  
**Kanaren-Mönchsgrasmücke:** 46 (1988-90): 238  
**Kanaren-Rennvogel:** 46 (1988-90): 237  
**Kanaren-Rothuhn:** 46 (1988-90): 237  
**Kanaren-Rotkehlchen:** 46 (1988-90): 238  
**Kanaren-Schleiereule:** 46 (1988-90): 238  
**Kanaren-Stummellerche:** 46 (1988-90): 238  
**Kanaren-Triel, Westlicher :** 46 (1988-90): 237  
**Kanaren-Triel, Östlicher:** 46 (1988-90): 237  
**Kanaren-Turmfalke:** 46 (1988-90): 237  
**Kanaren-Turmfalke :** 46 (1988-90): 237  
**Kanaren-Waldohreule:** 46 (1988-90): 238  
**Kanaren-Zilpzalp:** 46 (1988-90): 238  
**Kanaren-Zilpzalp :** 46 (1988-90): 238  
**Kanarenbluthänfling:** 46 (1988-90): 239  
**Kanarenpieper:** 46 (1988-90): 234, 238  
**Kanarenschmätzer:** 46 (1988-90): 238  
**Kanariengirlitz:** 46 (1988-90): 1, 36, 239; 47 (1991-93): 133  
**Kanarienvogel:** 46 (1988-90): 1, 36, 239  
**Kanincheneule:** 47 (1991-93): 158  
**Kappenammer:** 40 (1967-69): 60, 194B  
**Kappensteinschmätzer:** 44 (1979-82): 213-225  
**Kappenwaldsänger:** 47 (1991-93): 145  
**Kapsperling:** 45 (1983-86): 145  
**Kaptaube:** 47 (1991-93): 127  
**Kapuzenwaldsänger:** 47 (1991-93): 55  
**Karmingimpel:** 47 (1991-93): 35, 321; 53 (2012): 50  
**Kasuarvögel:** 46 (1988-90): 259, 300

- Katharinastich:** 47 (1991-93): 45
- Keilschwanzadler:** 46 (1988-90): 285
- Kentuckywaldsänger:** 47 (1991-93): 19
- Kernbeisser:** 09 (1932/33): 13R; 09 (1935/36): 13R; 10 (1936/37): 12R, 24; 11 (1937/38): 8R; 12 (1938/39): 29, 38; 14 (1940/41): 42; 21 (1947/48): 14; 22 (1948/49): 19R; 24 (1950/51): 31; 27 (1953/54): 15; 28 (1954/55): 6B, 8, 71; 29 (1955/56): 6B, 9R, 23; 30 (1956/57): 5B; 31 (1957/58): 41, 88, 96B, 98R; 32 (1959): 8B, 33, 34; 33 (1960): 12B, 15; 34 (1960/61): 9B, 29; 35 (1962): 9B, 11R; 36 (1963): 11B, 15R, 34; 37 (1964): 12B; 38 (1965): 88B, 93R, 99R; 39 (1966): 110B, 118R; 40 (1967-69): 195B, 200R; 41 (1970-72): 188B, 190R, 238; 42 (1973-75): 43B, 50R, 53R, 251B, 259R; 43 (1976-78): 39, 48B, 54R, 206-235, 267B, 270R; 44 (1979-82): 159-186, 262, 265, 331B, 336R; 45 (1983-86): 91; 46 (1988-90): 321; 51 (2003): 48; 52 (2009): 137, 138; 53 (2012): 139, 161, 163, 164
- Kiebitz:** 08 (1931/32): 29; 09 (1932/33): 14; 11 (1934/35): 21; 09 (1935/36): 15R; 14 (1940/41): 69; 24 (1950/51): 27; 25 (1951/52): 29; 28 (1954/55): 8B1; 30 (1956/57): 18, 24; 31 (1957/58): 51, 52, 54, 80; 32 (1959): 19; 33 (1960): 26, 42; 34 (1960/61): 8B, 21; 35 (1962): 8B, 35; 36 (1963): 9B, 26, 31, 46, 47; 37 (1964): 10B, 33, 46, 57, 58, 65; 38 (1965): 38, 86B, 90R; 39 (1966): 75, 85, 108B, 112R, 122; 40 (1967-69): 67, 115, 178, 187, 192B, 250, 253, 259, 260, 272; 41 (1970-72): 173, 178, 186B, 190R, 243, 248; 42 (1973-75): 41B, 46R, 191, 249B, 253R; 43 (1976-78): 46B, 49R, 265B, 269R; 44 (1979-82): 41-88, 90, 95-114, 159-186, 269-302, 327B; 51 (2003): 104, 110-125; 53 (2012): 112, 114, 118, 137, 139, 155
- Kiebitzregenpfeifer:** 14 (1940/41): 69; 33 (1960): 42; 36 (1963): 26, 59; 37 (1964): 33, 47; 39 (1966): 14, 120, 127; 40 (1967-69): 67, 97, 164; 41 (1970-72): 101; 42 (1973-75): 148
- Kiefernkreuzschnabel:** 13 (1939/40): 9; 36 (1963): 74; 37 (1964): 12B; 45 (1983-86): 99
- Kiefernwaldsänger:** 47 (1991-93): 47
- Kiwis:** 46 (1988-90): 259, 300
- Klappergrasmücke:** 10 (1933/34): 16R, 56; 11 (1934/35): 20; 14 (1940/41): 50; 22 (1948/49): 37; 28 (1954/55): 7B, 76; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 187B, 238; 42 (1973-75): 13, 43B, 110, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 41-88, 159-186, 213-225, 330B; 45 (1983-86): 91; 46 (1988-90): 50, 54, 322; 47 (1991-93): 35, 91, 98; 50 (1999): 172, 193; 51 (2003): 35, 122, 124; 52 (2009): 137, 138; 53 (2012): 139, 153, 161
- Klapperralle:** 47 (1991-93): 19
- Kleiber:** 07 (1930/31): 25R; 10 (1933/34): 18R; 11 (1934/35): 15R, 20; 09 (1935/36): 11R; 11 (1937/38): 11R; 14 (1940/41): 45; 21 (1947/48): 6, 14; 28 (1954/55): 7B, 73; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 55, 60, 63, 88, 97B, 99R; 32 (1959): 10B, 13; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 9B, 21; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 95-114, 159-186, 189-200, 228, 262, 264, 269-

302, 329B; 45 (1983-86): 91, 145, 153, 220-223; 46 (1988-90): 28, 34, 39, 47, 54, 278, 280, 322, 361; 50 (1999): 177, 193; 51 (2003): 42; 52 (2009): 137, 138; 53 (2012): 139, 141, 160, 161, 163, 164, 183-185

**Kleiner Sieglitz:** 46 (1988-90): 239

**Kleiner Sturmtaucher:** 46 (1988-90): 236

**Kleines Sumpfhuhn:** 14 (1940/41): 74; 21 (1947/48): 12, 13; 28 (1954/55): 8B2; 39 (1966): 13; 40 (1967-69): 58, 97, 271; 41 (1970-72): 56, 211; 42 (1973-75): 148, 237; 43 (1976-78): 63; 44 (1979-82): 269-302; 48 (1994/95): 158; 50 (1999): 147, 190

**Kleinspecht:** 14 (1940/41): 53; 28 (1954/55): 7B8; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 41, 48; 33 (1960): 13B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 15, 109B; 40 (1967-69): 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 141, 232, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 265, 269-302; 45 (1983-86): 91; 46 (1988-90): 26, 33, 322; 47 (1991-93): 91, 98, 235, 353, 360; 50 (1999): 160, 191; 51 (2003): 28; 52 (2009): 137, 138; 53 (2012): 139, 161

**Kletterwaldsänger:** 47 (1991-93): 50

**Knutt:** 25 (1951/52): 27; 29 (1955/56): 11; 31 (1957/58): 52; 32 (1959): 20; 37 (1964): 25; 38 (1965): 108; 39 (1966): 127; 40 (1967-69): 45, 67, 163, 272; 41 (1970-72): 244; 43 (1976-78): 260; 44 (1979-82): 93; 47 (1991-93): 340

**Knäkente:** 12 (1938/39): 27; 14 (1940/41): 64; 28 (1954/55): 8B; 30 (1956/57): 24; 31 (1957/58): 51; 36 (1963): 25; 37 (1964): 20; 38 (1965): 100; 41 (1970-72): 56, 69, 185B, 211; 42 (1973-75): 45R; 43 (1976-78): 63, 132, 264B; 44 (1979-82): 213-225, 269-302, 327B; 45 (1983-86): 91; 46 (1988-90): 22, 81; 47 (1991-93): 98, 236; 48 (1994/95): 133; 50 (1999): 139, 189

**Kohlmeise:** 07 (1930/31): 22-24R; 09 (1932/33): 25, 32; 11 (1934/35): 15R, 20; 09 (1935/36): 10R, 20, 22; 10 (1936/37): 11R, 24; 11 (1937/38): 10R; 12 (1938/39): 10-15R; 14 (1940/41): 46; 28 (1954/55): 7B, 73; 29 (1955/56): 6B, 10, 22; 30 (1956/57): 6B, 14; 31 (1957/58): 55, 61, 65, 66, 96B, 99R; 32 (1959): 9B, 13; 33 (1960): 13B, 29, 50; 34 (1960/61): 8B, 31; 35 (1962): 8B, 21, 24, 39; 36 (1963): 10B, 19R, 32, 41; 37 (1964): 11B, 66; 38 (1965): 87B, 97R; 39 (1966): 109B, 118R; 40 (1967-69): 40, 194B, 197R; 41 (1970-72): 23, 104R, 187B, 192R, 238; 42 (1973-75): 15, 17, 39, 43B, 48R, 111, 207, 250B, 262R; 44 (1979-82): 338R; 46 (1988-90): 322; 51 (2003): 42, 122-125; 52 (2009): 137, 138; 53 (2012): 71, 88, 89, 135, 137, 139, 141, 148-150, 153-155, 160, 162, 173-174, 183-185

**Kolbenente:** 38 (1965): 101, 107; 39 (1966): 13; 40 (1967-69): 17, 57, 270; 41 (1970-72): 211; 42 (1973-75): 236, 244; 43 (1976-78): 30, 65, 253, 259; 44 (1979-82): 95-114; 48 (1994/95): 132; 50 (1999): 140, 189

**Kolibris:** 46 (1988-90): 260-299; 47 (1991-93): 15, 20, 54, 121, 127, 144; 48 (1994/95): 17

**Kolkkrabbe:** 08 (1931/32): 23; 31 (1957/58): 75, 76; 41 (1970-72): 56; 42 (1973-75): 150; 43 (1976-78): 63; 44 (1979-82): 95-114; 45 (1983-86): 77, 347; 46 (1988-90): 36, 223, 231, 234, 239, 257, 355; 47 (1991-93): 32, 322, 335, 340; 48 (1994/95): 37, 44, 45; 53 (2012): 120, 161, 163, 164

**Korallenmöwe:** 44 (1979-82): 95-114

- Kormoran:** 12 (1938/39): 28; 14 (1940/41): 37, 68; 33 (1960): 37; 34 (1960/61): 18; 36 (1963): 51; 38 (1965): 28; 39 (1966): 12, 126; 40 (1967-69): 96, 185, 256, 270; 41 (1970-72): 56, 87, 88, 177, 211; 42 (1973-75): 145, 236; 43 (1976-78): 63; 44 (1979-82): 213-225; 45 (1983-86): 230, 241; 46 (1988-90): 108, 291-293; 47 (1991-93): 91, 98, 153, 236, 340, 348, 351, 352, 355, 360, 361; 48 (1994/95): 99, 117-127, 130; 50 (1999): 133, 188; 53 (2012): 139
- Kornweihe:** 08 (1931/32): 27; 14 (1940/41): 56; 28 (1954/55): 7B9; 31 (1957/58): 53; 33 (1960): 38, 42; 35 (1962): 32; 36 (1963): 24, 55; 37 (1964): 23; 39 (1966): 121; 40 (1967-69): 58, 186, 192B; 41 (1970-72): 56, 100, 171, 211; 43 (1976-78): 31, 63, 254, 259; 44 (1979-82): 41-88, 95-114, 154, 213-225, 327B; 45 (1983-86): 232, 242, 355; 46 (1988-90): 81, 110; 47 (1991-93): 92, 98, 236, 361; 48 (1994/95): 36, 135, 136; 50 (1999): 143, 189; 53 (2012): 139
- Krabbentaucher:** 43 (1976-78): 129
- Kragentrappe:** 46 (1988-90): 237
- Kragenwaldhuhn:** 46 (1988-90): 153
- Kranich:** 13 (1939/40): 26; 14 (1940/41): 73; 27 (1953/54): 21; 31 (1957/58): 54; 35 (1962): 33, 34; 37 (1964): 23; 38 (1965): 37, 107; 40 (1967-69): 116; 41 (1970-72): 92-93, 172, 211; 42 (1973-75): 81, 136, 147, 244; 43 (1976-78): 38, 65, 254, 260; 44 (1979-82): 341-343; 45 (1983-86): 83-87, 243, 355-356; 46 (1988-90): 36, 86, 110; 47 (1991-93): 91, 99, 236-238, 361, 362; 48 (1994/95): 93-103, 137, 138; 50 (1999): 149, 190; 52 (2009): 119; 53 (2012): 139
- Kranichvögel:** 46 (1988-90): 259, 300; 48 (1994/95): 22
- Kreischeule:** 47 (1991-93): 19
- Krickente:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 64; 22 (1948/49): 43; 28 (1954/55): 8B; 30 (1956/57): 24, 25; 31 (1957/58): 89; 36 (1963): 25; 37 (1964): 20; 39 (1966): 117R; 40 (1967-69): 192B; 41 (1970-72): 56, 67, 91, 170, 177, 211; 42 (1973-75): 248B; 43 (1976-78): 63, 131, 264B; 44 (1979-82): 213-225, 327B; 45 (1983-86): 89-91; 46 (1988-90): 22, 322; 47 (1991-93): 19, 91, 99, 192, 238, 362; 48 (1994/95): 132, 133; 50 (1999): 138, 189
- Kronwalsänger:** 47 (1991-93): 46, 145
- Krähe:** 41 (1970-72): 12
- Krähenscharbe:** 46 (1988-90): 259; 47 (1991-93): 317, 328, 340
- Kubafink:** 45 (1983-86): 195, 196
- Kuckuck:** 11 (1934/35): 20; 13 (1939/40): 27; 14 (1940/41): 54; 23 (1949/50): 27; 28 (1954/55): 7B, 79; 29 (1955/56): 7B; 30 (1956/57): 7B, 22; 31 (1957/58): 56, 97B; 33 (1960): 14B; 34 (1960/61): 8B, 11R; 35 (1962): 8B; 36 (1963): 10B, 12R, 31, 48, 62, 63; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 19, 192B; 41 (1970-72): 186B, 238; 42 (1973-75): 43B, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 95-114, 265, 269-302, 328B; 45 (1983-86): 90, 91, 230; 46 (1988-90): 26, 218, 265, 322; 47 (1991-93): 91, 99; 48 (1994/95): 158; 50 (1999): 155, 191; 51 (2003): 24, 122-125; 53 (2012): 139, 153, 161, 163
- Kuckucksvögel:** 46 (1988-90): 259, 301; 47 (1991-93): 15
- Kuhreiher:** 44 (1979-82): 213-225
- Kupfernektarvogel:** 47 (1991-93): 50

**Kurzfangsperber:** 45 (1983-86): 83-87, 343-344; 48 (1994/95): 36

**Kurzschnabelgans:** 37 (1964): 56; 38 (1965): 107; 41 (1970-72): 185; 42 (1973-75): 146; 43 (1976-78): 129; 44 (1979-82): 41-88

**Kurzzehenlerche:** 44 (1979-82): 95-114, 213-225; 47 (1991-93): 321; 53 (2012): 51

**Königspinguin:** 47 (1991-93): 32

**Königstyrann:** 47 (1991-93): 54

**Königswitwe:** 45 (1983-86): 194-196

**Küstenseeschwalbe:** 41 (1970-72): 95; 45 (1983-86): 95; 47 (1991-93): 192, 195, 196, 198, 200, 231, 337, 338, 340

**La-Palma-Buchfink:** 46 (1988-90): 239

**Lachmöwe:** 12 (1938/39): 36; 13 (1939/40): 22; 14 (1940/41): 73; 20 (1946/47): 5; 28 (1954/55): 10R; 30 (1956/57): 9R, 16, 24, 26; 31 (1957/58): 53, 89; 33 (1960): 17R, 45; 34 (1960/61): 8B; 35 (1962): 15; 36 (1963): 48; 37 (1964): 19, 26; 38 (1965): 86B, 97R; 39 (1966): 117R; 40 (1967-69): 192B, 263; 41 (1970-72): 60, 104R; 42 (1973-75): 53R, 260R; 43 (1976-78): 46B, 70, 272R; 44 (1979-82): 22, 95-114, 213-225; 46 (1988-90): 25, 74, 81, 233, 241, 321; 47 (1991-93): 91, 92, 340, 362; 48 (1994/95): 120; 50 (1999): 152, 191; 52 (2009): 86, 87-97; 53 (2012): 123, 139

**Lachseeschwalbe:** 33 (1960): 45; 44 (1979-82): 95-114

**Lachtaube:** 27 (1953/54): 19

**Lagopus:** 46 (1988-90): 278, 281, 293-295

**Lagopus lagopus:** 46 (1988-90): 278, 281, 293-295; 47 (1991-93): 20, 22, 38, 122-138, 149, 340

**Lagopus mutus:** 38 (1965): 29; 47 (1991-93): 48, 127, 128

**Lampornis clemenciae:** 46 (1988-90): 274; 47 (1991-93): 48

**Langschnabelpieper:** 44 (1979-82): 213-225

**Langschopfmaina:** 46 (1988-90): 149

**Langspornkiebitz:** 46 (1988-90): 284

**Lanius collurio:** 07 (1930/31): 19R; 08 (1931/32): 10R, 21-22, 32; 09 (1932/33): 10R, 14, 20, 30, 38; 10 (1933/34): 15R, 55, 56; 11 (1934/35): 14R, 20; 09 (1935/36): 14R; 10 (1936/37): 13R; 11 (1937/38): 8R; 12 (1938/39): 30; 13 (1939/40): 21, 27; 14 (1940/41): 47; 20 (1946/47): 6; 21 (1947/48): 11; 23 (1949/50): 28, 36; 25 (1951/52): 19, 20; 28 (1954/55): 7B, 73; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 45, 97B; 32 (1959): 9B; 33 (1960): 13B, 35; 34 (1960/61): 9B, 11R; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 193B, 266; 41 (1970-72): 175, 186B, 211; 42 (1973-75): 13, 42B, 101, 110, 111, 206, 249B; 46 (1988-90): 322; 51 (2003): 20, 44, 117, 118; 52 (2009): 5, 10-46, 137; 53 (2012): 114, 137, 139, 155, 162

**Lanius excubitor:** 07 (1930/31): 20R; 08 (1931/32): 21-22; 09 (1932/33): 14, 20; 10 (1933/34): 56, 57; 11 (1934/35): 21; 14 (1940/41): 47; 20 (1946/47): 7; 28 (1954/55): 7B, 73; 29 (1955/56): 7B; 30 (1956/57): 6B, 21; 31 (1957/58): 45, 88, 97B, 99R; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B,

34; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 193B; 41 (1970-72): 211; 42 (1973-75): 42B, 101, 249B; 43 (1976-78): 47B, 64, 256, 261, 266B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225; 46 (1988-90): 234, 238; 47 (1991-93): 101, 363; 48 (1994/95): 144, 159; 50 (1999): 178, 186, 188, 193; 52 (2009): 30; 53 (2012): 34

**Lanius ludovicianus:** 47 (1991-93): 19

**Lanius minor:** 08 (1931/32): 21, 24; 12 (1938/39): 30; 14 (1940/41): 47; 21 (1947/48): 12; 23 (1949/50): 37; 28 (1954/55): 7B; 29 (1955/56): 7B; 30 (1956/57): 6B, 8R; 31 (1957/58): 45; 32 (1959): 9B; 33 (1960): 13B, 35, 36; 34 (1960/61): 24; 36 (1963): 68; 38 (1965): 35, 88B, 108; 39 (1966): 110B; 41 (1970-72): 211; 42 (1973-75): 249B; 43 (1976-78): 64; 44 (1979-82): 213-225; 45 (1983-86): 232; 50 (1999): 177, 193; 53 (2012): 33

**Lanius nubicus:** 40 (1967-69): 195B; 44 (1979-82): 213-225

**Lanius senator:** 07 (1930/31): 20R; 08 (1931/32): 21-22, 30; 09 (1932/33): 20, 30; 11 (1934/35): 33; 12 (1938/39): 30; 14 (1940/41): 47; 25 (1951/52): 26; 28 (1954/55): 7B, 73; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 41, 52, 97B; 33 (1960): 13B, 34, 35; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 99, 193B; 41 (1970-72): 102, 175, 211; 42 (1973-75): 101, 245, 249B; 43 (1976-78): 35, 64; 44 (1979-82): 95-114, 159-186, 213-225; 45 (1983-86): 232; 46 (1988-90): 74, 81, 218, 324; 47 (1991-93): 325, 340;

**Lannerfalke:** 44 (1979-82): 213-225; 46 (1988-90): 81, 77; 48 (1994/95): 37

**Lapalma-Blaumeise:** 46 (1988-90): 239

**Lappenstar:** 45 (1983-86): 181-200; 46 (1988-90): 125-163

**Lappentaucher:** 46 (1988-90): 259, 301

**Lapplandmeise:** 46 (1988-90): 262

**Lariiformes:** 46 (1988-90): 259

**Larus argentatus:** 14 (1940/41): 73; 24 (1950/51): 39; 25 (1951/52): 27; 31 (1957/58): 52; 32 (1959): 10B; 33 (1960): 40; 35 (1962): 8B, 15; 36 (1963): 28; 39 (1966): 128; 40 (1967-69): 195B; 41 (1970-72): 88, 186B; 42 (1973-75): 149, 237; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 147, 229, 237; 46 (1988-90): 70-81, 111, 233, 237, 266, 274; 47 (1991-93): 19, 48, 103, 123, 128, 196, 197, 241, 340, 365; 48 (1994/95): 120, 140; 50 (1999): 153, 191; 52 (2009): 86, 107, 110; 53 (2012): 123

**Larus audouinii:** 44 (1979-82): 95-114

**Larus cachinnans:** 52 (2009): 109-110

**Larus canus:** 14 (1940/41): 73; 24 (1950/51): 39; 30 (1956/57): 16; 31 (1957/58): 52; 33 (1960): 40; 35 (1962): 15; 36 (1963): 28; 37 (1964): 26; 39 (1966): 15; 40 (1967-69): 98; 41 (1970-72): 88; 45 (1983-86): 243; 46 (1988-90): 36, 111, 219; 47 (1991-93): 48, 104, 192, 196, 198, 200, 242, 340, 365, 366; 48 (1994/95): 120, 140; 50 (1999): 153, 191; 52 (2009): 86, 100-101

**Larus fuscus:** 14 (1940/41): 73; 35 (1962): 15; 40 (1967-69): 273; 42 (1973-75): 237; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 243; 46 (1988-90): 78, 81, 233; 47 (1991-93): 340; 52 (2009): 106, 108-109

- Larus genei:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 74, 81
- Larus glaucescens:** 47 (1991-93): 49
- Larus hyperboreus:** 47 (1991-93): 121, 325, 340
- Larus ichthyaetus:** 46 (1988-90): 86
- Larus marinus:** 14 (1940/41): 73; 31 (1957/58): 52; 35 (1962): 15; 39 (1966): 128; 47 (1991-93): 197, 340; 52 (2009): 110
- Larus melanocephalus:** 35 (1962): 15; 52 (2009): 86, 98-99
- Larus michahellis:** 52 (2009): 101-106
- Larus minutus:** 22 (1948/49): 39; 37 (1964): 26; 38 (1965): 29; 39 (1966): 128; 40 (1967-69): 98, 273; 42 (1973-75): 237; 43 (1976-78): 38, 261; 44 (1979-82): 213-225; 47 (1991-93): 106; 50 (1999): 152, 191; 52 (2009): 86, 99
- Larus occidentalis:** 47 (1991-93): 49
- Larus ridibundus:** 12 (1938/39): 36; 13 (1939/40): 22; 14 (1940/41): 73; 20 (1946/47): 5; 28 (1954/55): 10R; 30 (1956/57): 9R, 16, 24, 26; 31 (1957/58): 53, 89; 33 (1960): 17R, 45; 34 (1960/61): 8B; 35 (1962): 15; 36 (1963): 48; 37 (1964): 19, 26; 38 (1965): 86B, 97R; 39 (1966): 117R; 40 (1967-69): 192B, 263; 41 (1970-72): 60, 104R; 42 (1973-75): 53R, 260R; 43 (1976-78): 46B, 70, 272R; 44 (1979-82): 22, 95-114, 213-225; 46 (1988-90): 25, 74, 81, 233, 241, 321; 47 (1991-93): 91, 92, 340, 362; 48 (1994/95): 120; 50 (1999): 152, 191; 52 (2009): 86, 87-97; 53 (2012): 123, 139
- Larus spec.:** 46 (1988-90): 259, 299, 358
- Laubsänger:** 46 (1988-90): 35, 54, 323
- Laufvögel:** 46 (1988-90): 300
- Leiothrix lutea:** 45 (1983-86): 196; 46 (1988-90): 322
- Lichenostomus virescens:** 46 (1988-90): 262
- Lichmera indistincta:** 46 (1988-90): 262
- Limicola falcinellus:** 37 (1964): 26, 30; 40 (1967-69): 46, 67, 177; 41 (1970-72): 102, 245
- Limnodromus scolopaceus:** 47 (1991-93): 339
- Limosa lapponica:** 32 (1959): 21; 39 (1966): 14, 127; 40 (1967-69): 45, 272; 41 (1970-72): 101; 43 (1976-78): 255, 260; 44 (1979-82): 95-114; 47 (1991-93): 193, 340
- Limosa limosa:** 14 (1940/41): 71; 32 (1959): 21; 33 (1960): 39; 35 (1962): 36; 36 (1963): 27, 51; 37 (1964): 10B, 24, 34, 48; 38 (1965): 31, 86B; 39 (1966): 14, 75, 108B; 40 (1967-69): 189, 250, 259, 262; 41 (1970-72): 56, 211, 244; 42 (1973-75): 197; 43 (1976-78): 47B, 64; 44 (1979-82): 95-114, 213-225; 46 (1988-90): 358; 47 (1991-93): 340; 48 (1994/95): 139; 50 (1999): 151, 190; 53 (2012): 112
- Locustella fluviatilis:** 42 (1973-75): 143, 235; 43 (1976-78): 31; 44 (1979-82): 93, 269-302; 45 (1983-86): 90; 51 (2003): 169; 53 (2012): 37
- Locustella lanceolata:** 47 (1991-93): 339
- Locustella luscinoides:** 33 (1960): 34; 36 (1963): 10B; 38 (1965): 87B; 39 (1966): 129; 40 (1967-69): 122, 193B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 250B; 43 (1976-78): 64, 266B; 50 (1999): 170, 192; 51 (2003): 167; 53

(2012): 38

**Locustella naevia:** 07 (1930/31): 33; 09 (1932/33): 15; 12 (1938/39): 30; 14 (1940/41): 48; 28 (1954/55): 7B4; 29 (1955/56): 18; 30 (1956/57): 6B; 32 (1959): 9B, 32; 33 (1960): 13B, 35; 35 (1962): 9B; 36 (1963): 10B, 24; 37 (1964): 11B; 38 (1965): 22, 87B; 39 (1966): 109B; 40 (1967-69): 191, 193B; 41 (1970-72): 95, 176, 186B, 238; 42 (1973-75): 42B, 250B; 43 (1976-78): 47B, 266B; 44 (1979-82): 159-186, 213-225, 269-302, 330B; 45 (1983-86): 89-91; 46 (1988-90): 30, 34, 321, 324; 47 (1991-93): 91; 48 (1994/95): 144; 50 (1999): 170, 192; 51 (2003): 35, 103, 121-125; 52 (2009): 136, 138; 53 (2012): 139, 153

**Lonchura fuscans:** 46 (1988-90): 259, 274

**Lophophaps ferruginea:** 47 (1991-93): 49

**Lophortyx californicus:** 47 (1991-93): 49

**Lorbeertaube:** 46 (1988-90): 237

**Louisiana-Würger:** 47 (1991-93): 19

**Loxia curvirostra:** 09 (1932/33): 39; 09 (1935/36): 23-24; 13 (1939/40): 9; 14 (1940/41): 43; 20 (1946/47): 7; 30 (1956/57): 6B; 31 (1957/58): 40, 42, 96B; 33 (1960): 12B; 35 (1962): 10B; 36 (1963): 11B; 37 (1964): 12B, 18R, 29, 64; 38 (1965): 88B; 39 (1966): 110B, 117R; 40 (1967-69): 195B; 41 (1970-72): 187B, 239; 42 (1973-75): 43B, 251B; 43 (1976-78): 48B, 267B, 270R, 273R; 44 (1979-82): 95-114, 265, 331B; 45 (1983-86): 83-87, 99; 46 (1988-90): 262; 47 (1991-93): 35, 49, 91, 122, 126, 131, 133, 234, 359; 48 (1994/95): 145, 146, 159; 50 (1999): 184, 194; 51 (2003): 48; 53 (2012): 139, 161

**Loxia leucoptera:** 39 (1966): 130; 45 (1983-86): 99; 47 (1991-93): 49; 53 (2012): 51

**Loxia pytyopsittacus:** 13 (1939/40): 9; 36 (1963): 74; 37 (1964): 12B; 45 (1983-86): 99

**Lullula arborea:** 11 (1934/35): 20; 14 (1940/41): 44; 25 (1951/52): 26; 28 (1954/55): 7B2; 31 (1957/58): 41, 43, 54; 33 (1960): 34; 36 (1963): 10B, 32; 39 (1966): 109B; 40 (1967-69): 193B, 264; 43 (1976-78): 64, 265B; 44 (1979-82): 159-186; 47 (1991-93): 235; 48 (1994/95): 141; 50 (1999): 162, 186, 191; 53 (2012): 139

**Luscinia luscinia:** 41 (1970-72): 97; 46 (1988-90): 16, 74, 81; 50 (1999): 165, 192; 53 (2012): 46

**Luscinia megarhynchos:** 07 (1930/31): 20R; 08 (1931/32): 7R; 09 (1932/33): 9R; 11 (1934/35): 20; 14 (1940/41): 51; 24 (1950/51): 9R; 28 (1954/55): 7B, 77; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 47, 69, 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 10B, 73; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 191, 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B, 262R; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 95-114, 213-225, 269-302, 329B; 45 (1983-86): 90, 91, 231; 46 (1988-90): 29, 34, 40, 50, 54, 74, 81, 215, 219, 233, 322-325; 47 (1991-93): 91; 50 (1999): 165, 186, 192; 51 (2003): 32, 121-125; 52 (2009): 137, 138; 53 (2012): 45-46, 139, 155

**Luscinia svecica:** 41 (1970-72): 56, 176, 187B, 211; 42 (1973-75): 150, 250B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 213-225; 50 (1999): 166, 192; 51 (2003): 167, 172-173

- Luscinia svecica cyanecula:** 07 (1930/31): 32; 08 (1931/32): 7R; 09 (1932/33): 15; 11 (1934/35): 20; 09 (1935/36): 22; 14 (1940/41): 52; 21 (1947/48): 6; 24 (1950/51): 35; 28 (1954/55): 7B, 77; 29 (1955/56): 7B; 30 (1956/57): 6B, 23; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B, 40; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 10B, 24, 33, 48; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B, 113R, 118R; 40 (1967-69): 194B; 42 (1973-75): 43B; 44 (1979-82): 269-302, 329B; 45 (1983-86): 253-278, 323-336; 46 (1988-90): 36, 303-318, 324; 47 (1991-93): 91, 95; 48 (1994/95): 143; 50 (1999): 166, 192; 53 (2012): 46-47, 139
- Luscinia svecica svecica:** 28 (1954/55): 7B7; 37 (1964): 28; 38 (1965): 87B; 39 (1966): 109B, 129; 40 (1967-69): 99, 194B; 42 (1973-75): 43B; 44 (1979-82): 329B; 46 (1988-90): 307; 47 (1991-93): 354; 50 (1999): 166, 192; 53 (2012): 47
- Lymnocryptes minimus:** 14 (1940/41): 72; 33 (1960): 42; 37 (1964): 24, 34, 48; 38 (1965): 86B; 39 (1966): 108B, 113R; 40 (1967-69): 3, 58, 192B, 261; 41 (1970-72): 94, 101, 129, 186B, 244, 249; 42 (1973-75): 26, 42B, 244, 249B; 43 (1976-78): 31, 46B, 65, 265B; 44 (1979-82): 328B; 47 (1991-93): 106; 50 (1999): 150, 190; 53 (2012): 135, 140
- Lyrurus tetrix:** 31 (1957/58): 76; 33 (1960): 41; 41 (1970-72): 7, 56, 211; 43 (1976-78): 63, 243; 46 (1988-90): 274, 278-280; 47 (1991-93): 49, 126, 133
- Löffelente:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 65; 28 (1954/55): 8B; 30 (1956/57): 24, 25; 31 (1957/58): 51; 32 (1959): 29; 35 (1962): 29; 36 (1963): 25, 52; 37 (1964): 21; 38 (1965): 100; 41 (1970-72): 211; 43 (1976-78): 30, 64, 132; 44 (1979-82): 213-225; 45 (1983-86): 354; 46 (1988-90): 22, 322; 47 (1991-93): 91, 92, 99, 100, 238, 239, 340, 362; 48 (1994/95): 133; 50 (1999): 139, 189
- Löffler:** 14 (1940/41): 60; 22 (1948/49): 38; 24 (1950/51): 38; 42 (1973-75): 145; 43 (1976-78): 30; 44 (1979-82): 112, 213-225; 45 (1983-86): 83-87, 323; 46 (1988-90): 358; 48 (1994/95): 131
- Macronectes giganteus:** 47 (1991-93): 28
- Madeira-Steinsperling:** 46 (1988-90): 239
- Magellan-Pinguin:** 46 (1988-90): 278; 47 (1991-93): 32
- Manacus manacus:** 46 (1988-90): 262
- Manacus vittelinus:** 47 (1991-93): 49
- Mandarinente:** 45 (1983-86): 89-91; 46 (1988-90): 22, 33, 36, 109; 47 (1991-93): 100, 239, 348, 351, 362, 363; 48 (1994/95): 118, 119, 120, 132; 50 (1999): 138, 189; 52 (2009): 120-121; 53 (2012): 161, 163, 181
- Mangrovenreiher:** 44 (1979-82): 213-225
- Mantelmöwe:** 14 (1940/41): 73; 31 (1957/58): 52; 35 (1962): 15; 39 (1966): 128; 47 (1991-93): 197, 340; 52 (2009): 110
- Manyar-Weber:** 46 (1988-90): 126
- Mariskensänger:** 42 (1973-75): 42B; 51 (2003): 167
- Marmaronetta angustirostris:** 44 (1979-82): 112, 213-225
- Marmelente:** 44 (1979-82): 112, 213-225
- Maskengrasmücke:** 44 (1979-82): 213-225; 46 (1988-90): 72, 81

- Maskenstelze:** 44 (1979-82): 213-225; 45 (1983-86): 231; 46 (1988-90): 74, 76, 81
- Maskentöpel:** 46 (1988-90): 259
- Maskenwürger:** 40 (1967-69): 195B; 44 (1979-82): 213-225
- Mauerläufer:** 10 (1936/37): 23; 32 (1959): 32; 37 (1964): 61; 42 (1973-75): 150; 53 (2012): 41-42, 51
- Mauersegler:** 09 (1932/33): 11R, 15; 11 (1934/35): 20; 09 (1935/36): 20, 22; 11 (1937/38): 12R; 13 (1939/40): 18; 14 (1940/41): 52; 21 (1947/48): 12; 28 (1954/55): 7B, 78; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 41, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B, 113R; 40 (1967-69): 20, 193B, 273; 41 (1970-72): 186B; 42 (1973-75): 42B, 249B; 43 (1976-78): 1, 46B, 197, 198, 206-235, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 328B; 46 (1988-90): 322; 51 (2003): 25, 55-85, 117; 53 (2012): 136, 139
- Mausvögel:** 46 (1988-90): 259-300; 47 (1991-93): 17, 127, 152, 153; 48 (1994/95): 15-31
- Meerstrandläufer:** 47 (1991-93): 193
- Megascops asio:** 47 (1991-93): 19
- Mehlschwalbe:** 07 (1930/31): 31; 09 (1932/33): 15, 24; 11 (1934/35): 20; 11 (1937/38): 11R; 12 (1938/39): 30; 14 (1940/41): 52; 27 (1953/54): 15; 28 (1954/55): 7B7; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B, 27; 35 (1962): 8B, 42; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B, 91R; 40 (1967-69): 122, 193B; 41 (1970-72): 8, 175, 186B; 42 (1973-75): 42B, 249B, 255R, 261R; 43 (1976-78): 47B, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 329B; 45 (1983-86): 91, 145, 153, 229; 46 (1988-90): 27, 54, 81, 234, 259-280, 322; 51 (2003): 29, 117, 118, 131-132; 53 (2012): 139, 161, 163
- Meise:** 46 (1988-90): 47, 52, 278, 281, 361
- Meisengimpel:** 48 (1994/95): 146
- Meisenhäher:** 47 (1991-93): 52, 121
- Meisenwaldsänger:** 47 (1991-93): 51
- Melanerpes formicivorus:** 45 (1983-86): 221-222
- Melanitta fusca:** 14 (1940/41): 67; 29 (1955/56): 20; 30 (1956/57): 25; 31 (1957/58): 89, 90; 33 (1960): 37; 35 (1962): 30; 37 (1964): 22; 38 (1965): 28, 36, 37, 107; 39 (1966): 120, 126; 40 (1967-69): 186, 256; 41 (1970-72): 87, 89, 170; 43 (1976-78): 259; 47 (1991-93): 102, 240, 348, 351; 48 (1994/95): 134; 50 (1999): 141, 189
- Melanitta nigra:** 14 (1940/41): 67; 29 (1955/56): 20; 31 (1957/58): 51, 90; 33 (1960): 38; 37 (1964): 22, 50; 38 (1965): 28, 36, 37, 107; 39 (1966): 13, 126; 40 (1967-69): 96, 186, 271; 41 (1970-72): 89; 43 (1976-78): 38, 254; 47 (1991-93): 104, 340; 50 (1999): 141, 189
- Melanocorypha bimaculata:** 44 (1979-82): 213-225
- Melanocorypha calandra:** 44 (1979-82): 95-114; 46 (1988-90): 81 ; 53 (2012): 51

**Melopsittacus undulatus:** 46 (1988-90): 36; 47 (1991-93): 49, 160

**Melospiza georgiana:** 47 (1991-93): 49

**Melospiza melodia:** 47 (1991-93): 49

**Menura novaehollandiae:** 46 (1988-90): 16

**Mergus albellus:** 12 (1938/39): 28; 13 (1939/40): 24; 14 (1940/41): 68; 30 (1956/57): 24, 26; 31 (1957/58): 51; 36 (1963): 26; 37 (1964): 22, 55; 38 (1965): 7; 39 (1966): 13; 40 (1967-69): 96, 271; 41 (1970-72): 70, 87; 43 (1976-78): 65; 45 (1983-86): 242, 354; 46 (1988-90): 109; 47 (1991-93): 106, 243; 48 (1994/95): 119; 50 (1999): 141, 189

**Mergus merganser:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 67; 30 (1956/57): 24; 31 (1957/58): 50, 51; 35 (1962): 15; 36 (1963): 26; 37 (1964): 22; 38 (1965): 5; 41 (1970-72): 67, 87, 211; 42 (1973-75): 244; 43 (1976-78): 65, 254, 259; 45 (1983-86): 354; 46 (1988-90): 109, 221; 47 (1991-93): 97, 235, 340, 348, 351, 359; 48 (1994/95): 120, 134; 50 (1999): 141, 189

**Mergus serrator:** 14 (1940/41): 67; 23 (1949/50): 38; 29 (1955/56): 16; 30 (1956/57): 26; 33 (1960): 38; 38 (1965): 9, 28; 39 (1966): 120, 127; 40 (1967-69): 256, 271; 41 (1970-72): 87, 178, 211; 42 (1973-75): 147, 244; 43 (1976-78): 65; 46 (1988-90): 109; 47 (1991-93): 100; 48 (1994/95): 99, 134; 50 (1999): 141, 189

**Merlin:** 13 (1939/40): 24; 14 (1940/41): 56; 31 (1957/58): 53; 35 (1962): 32; 36 (1963): 9B; 37 (1964): 23; 40 (1967-69): 97, 187; 43 (1976-78): 31; 45 (1983-86): 355; 47 (1991-93): 340; 48 (1994/95): 37, 158; 50 (1999): 146, 190; 53 (2012): 139

**Merops apiaster:** 41 (1970-72): 153; 42 (1973-75): 149; 44 (1979-82): 95-114, 213-225; 46 (1988-90): 217-231, 234, 285, 355; 47 (1991-93): 90; 48 (1994/95): 29, 158

**Merops orientalis:** 44 (1979-82): 213-225

**Merops superciliosus:** 45 (1983-86): 83-87

**Micrathene whitneyi:** 47 (1991-93): 49

**Micropalama himantopus:** 46 (1988-90): 106-107

**Mikadofasan:** 46 (1988-90): 153

**Milan:** 45 (1983-86): 77, 91, 242, 337-346

**Milvus migrans:** 08 (1931/32): 27; 09 (1932/33): 15; 11 (1934/35): 31; 14 (1940/41): 37, 58, 81; 22 (1948/49): 42; 25 (1951/52): 9R; 27 (1953/54): 20; 28 (1954/55): 7B9; 29 (1955/56): 23; 31 (1957/58): 49, 53; 33 (1960): 14B, 53; 34 (1960/61): 8B, 10R; 35 (1962): 8B; 36 (1963): 9B, 12R, 30, 54; 37 (1964): 10B, 15R; 38 (1965): 13, 86B; 39 (1966): 13, 108B, 112R; 40 (1967-69): 192B; 41 (1970-72): 100, 171, 185B, 190R, 211, 265; 42 (1973-75): 41B, 45R, 147, 248B, 252R; 43 (1976-78): 46B, 63, 187-205, 206-235, 264B, 271R; 46 (1988-90): 322; 51 (2003): 22, 117, 168; 52 (2009): 86; 53 (2012): 140

**Milvus milvus:** 08 (1931/32): 27; 09 (1932/33): 15, 18; 11 (1934/35): 31; 11 (1937/38): 12R; 14 (1940/41): 58, 81; 28 (1954/55): 7B9; 29 (1955/56): 8B, 23; 31 (1957/58): 48, 53; 32 (1959): 30; 33 (1960): 14B, 17R; 34 (1960/61): 8B, 10R; 35 (1962): 8B, 31; 36 (1963): 9B, 30, 54, 55; 37 (1964): 10B, 15R, 66; 38 (1965): 37, 86B, 89R; 39 (1966): 108B; 40 (1967-69): 57, 121, 186, 192B; 41 (1970-72): 100, 171, 185B, 211, 265; 42 (1973-75): 41B, 45R, 236, 248B, 252R; 43 (1976-78): 46B, 49R, 187-205, 206-235, 259, 264B, 268R, 273R; 44 (1979-82):

- 17-26, 41-88, 95-114, 159-186, 213-225, 269-302, 327B, 337R; 45 (1983-86): 77, 91, 242; 46 (1988-90): 23, 110, 322; 51 (2003): 20, 22, 117, 168; 53 (2012): 120, 140
- Milvus spec.:** 45 (1983-86): 77, 91, 242, 337-346
- Mimus polyglottus:** 45 (1983-86): 194
- Misteldrossel:** 11 (1934/35): 20; 14 (1940/41): 50; 24 (1950/51): 27; 28 (1954/55): 7B6; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 46, 54, 97B; 32 (1959): 9B; 33 (1960): 13B, 34; 34 (1960/61): 8B; 35 (1962): 9B; 36 (1963): 10B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 103; 43 (1976-78): 47B, 206-235; 44 (1979-82): 95-114, 159-186, 265, 330B; 46 (1988-90): 28, 81, 74, 224; 47 (1991-93): 363; 48 (1994/95): 47; 50 (1999): 170, 186, 188, 192; 51 (2003): 34; 53 (2012): 161, 163
- Mittelmeermöwe:** 52 (2009): 101-106
- Mittelmeersteinschmätzer:** 42 (1973-75): 239; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 229, 233; 46 (1988-90): 72, 73, 81 ; 53 (2012): 48-49
- Mittelspecht:** 14 (1940/41): 53; 28 (1954/55): 7B8; 31 (1957/58): 48, 89, 97B; 32 (1959): 10B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 178, 186B; 42 (1973-75): 42B, 141, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 269-302, 328B; 45 (1983-86): 91; 46 (1988-90): 322; 47 (1991-93): 91, 100; 48 (1994/95): 141; 50 (1999): 160, 191; 51 (2003): 20, 28; 52 (2009): 137; 53 (2012): 139, 161
- Mittelsäger:** 14 (1940/41): 67; 23 (1949/50): 38; 29 (1955/56): 16; 30 (1956/57): 26; 33 (1960): 38; 38 (1965): 9, 28; 39 (1966): 120, 127; 40 (1967-69): 256, 271; 41 (1970-72): 87, 178, 211; 42 (1973-75): 147, 244; 43 (1976-78): 65; 46 (1988-90): 109; 47 (1991-93): 100; 48 (1994/95): 99, 134; 50 (1999): 141, 189
- Mniotilla varia:** 47 (1991-93): 50
- Moabsperling:** 44 (1979-82): 213-225
- Mohrenkopfpapagei:** 46 (1988-90): 36, 40
- Molothrus ater:** 46 (1988-90): 274; 47 (1991-93): 18, 19
- Monticola saxatilis:** 08 (1931/32): 25; 41 (1970-72): 56; 46 (1988-90): 72, 81, 218, 227; 48 (1994/95): 159; 53 (2012): 43
- Monticola solitarius:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 229-232; 46 (1988-90): 81, 221, 227 ; 53 (2012): 43-44
- Moorente:** 14 (1940/41): 66; 34 (1960/61): 19; 36 (1963): 25; 37 (1964): 54; 38 (1965): 37; 39 (1966): 13, 126; 41 (1970-72): 87, 211; 42 (1973-75): 146; 43 (1976-78): 30, 65; 45 (1983-86): 354; 50 (1999): 140, 189
- Moorschneehuhn:** 46 (1988-90): 278, 281, 293-295; 47 (1991-93): 20, 22, 38, 122-138, 149, 340
- Mornellregenpfeifer:** 40 (1967-69): 67, 180, 260; 46 (1988-90): 104, 110
- Motacilla alba:** 07 (1930/31): 21R; 09 (1932/33): 14, 26, 33; 10 (1933/34): 56; 11 (1934/35): 20; 09 (1935/36): 23; 14 (1940/41): 45; 20 (1946/47): 8; 24 (1950/51): 27; 27 (1953/54): 21; 28 (1954/55): 6B, 73; 29 (1955/56): 6B, 9R, 10, 21; 30 (1956/57): 6B, 8R, 22; 31 (1957/58): 96B; 32 (1959): 9B, 32; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34, 67; 37 (1964): 12B,

17R; 38 (1965): 88B; 39 (1966): 110B, 115R; 40 (1967-69): 193B, 273; 41 (1970-72): 186B, 238; 42 (1973-75): 42B, 50R, 249B; 43 (1976-78): 47B, 51R, 206-235, 266B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 264, 269-302, 330B; 46 (1988-90): 321; 51 (2003): 30, 117; 53 (2012): 139, 153, 161, 162

**Motacilla cinerea:** 09 (1932/33): 14; 11 (1934/35): 20; 14 (1940/41): 45; 28 (1954/55): 7B3; 30 (1956/57): 6B; 31 (1957/58): 44; 32 (1959): 9B, 32; 33 (1960): 13B, 35; 34 (1960/61): 9B; 35 (1962): 9B, 45; 36 (1963): 11B, 34, 68; 37 (1964): 12B, 62; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 191, 193B; 41 (1970-72): 186B, 191R, 239; 42 (1973-75): 42B, 50R, 249B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 159-186, 331B; 45 (1983-86): 244; 46 (1988-90): 31, 112, 238; 47 (1991-93): 96, 234, 359; 48 (1994/95): 143, 159; 50 (1999): 164, 192; 51 (2003): 30; 53 (2012): 137, 139, 161, 162

**Motacilla cinerea canariensis:** 46 (1988-90): 238

**Motacilla flava:** 09 (1932/33): 14, 26; 11 (1934/35): 20; 14 (1940/41): 44; 24 (1950/51): 32; 28 (1954/55): 6B, 73; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 96B; 32 (1959): 9B; 33 (1960): 13B, 40; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 15, 34; 37 (1964): 12B; 38 (1965): 88B, 93R, 98R; 39 (1966): 15, 110B, 115R, 120; 40 (1967-69): 98, 193B, 197R; 41 (1970-72): 186B, 191R, 211; 42 (1973-75): 42B, 50R, 53R, 99, 249B, 255R, 261R; 43 (1976-78): 47B, 51R, 55R, 64, 266B, 270R; 44 (1979-82): 41-88, 95-114, 213-225, 331B; 45 (1983-86): 231; 46 (1988-90): 36, 74-81, 101, 234; 47 (1991-93): 91, 240, 353, 364; 51 (2003): 122-125, 168; 53 (2012): 140

**Motacilla flava feldegg:** 44 (1979-82): 213-225; 45 (1983-86): 231; 46 (1988-90): 74, 76, 81

**Motacilla flava feldegg:** 44 (1979-82): 213-225; 45 (1983-86): 231; 46 (1988-90): 74, 76, 81; 46 (1988-90): 74, 76, 81

**Motacilla flava thunbergi:** 53 (2012): 49, 51

**Muscicapa striata:** 09 (1932/33): 27; 10 (1933/34): 56; 11 (1934/35): 20; 10 (1936/37): 11R; 14 (1940/41): 47; 28 (1954/55): 7B, 74; 29 (1955/56): 7B, 9R; 30 (1956/57): 6B; 31 (1957/58): 87, 97B; 32 (1959): 9B, 13, 31; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 87B; 39 (1966): 110B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 95-114, 213-225, 269-302, 330B; 45 (1983-86): 91; 46 (1988-90): 31, 34, 36; 47 (1991-93): 97; 50 (1999): 174, 188, 193; 51 (2003): 39; 52 (2009): 115, 136; 53 (2012): 137, 139, 155

**Mycteria americana:** 46 (1988-90): 289; 47 (1991-93): 153

**Myiarchus crinitus:** 47 (1991-93): 50

**Mäusebussard:** 07 (1930/31): 26R, 32; 09 (1932/33): 19, 29, 39; 10 (1933/34): 18R; 11 (1934/35): 15R, 31; 09 (1935/36): 15R; 13 (1939/40): 29; 14 (1940/41): 56; 22 (1948/49): 44; 28 (1954/55): 7B, 79; 29 (1955/56): 8B; 30 (1956/57): 7B; 31 (1957/58): 53, 75, 100; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 9B, 30; 37 (1964): 10B, 15R; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 7, 60, 104R, 185B, 189R, 239, 261; 42 (1973-75): 41B, 45R, 248B; 43 (1976-78): 46B, 187-205, 206-235, 265B, 268R, 272R; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 269-302, 327B; 45 (1983-86): 91; 46 (1988-90): 322; 51 (2003): 22, 117-123; 53 (2012): 139, 141, 153, 161, 163, 164

**Mönchsgeier:** 44 (1979-82): 95-114; 48 (1994/95): 36

**Mönchsgrasmöcke:** 07 (1930/31): 21R; 08 (1931/32): 8R, 32; 09 (1932/33): 9R; 10 (1933/34): 13R, 55; 11 (1934/35): 20; 09 (1935/36): 9R; 10 (1936/37): 11R; 11 (1937/38): 10R, 19-20; 14 (1940/41): 50; 27 (1953/54): 18; 28 (1954/55): 7B, 75; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B, 11R; 33 (1960): 13B; 34 (1960/61): 9B, 11R; 35 (1962): 9B; 36 (1963): 11B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 23, 187B, 191R, 238; 42 (1973-75): 43B, 49R, 250B, 255R; 43 (1976-78): 47B, 52R, 56R, 206-235, 266B; 44 (1979-82): 95-114, 159-186, 213-225, 265, 269-302, 330B, 335R; 46 (1988-90): 322; 51 (2003): 36, 121-125; 52 (2009): 137, 138; 53 (2012): 139, 142, 155, 160, 161-163, 172-173, 183-185

**Möwen:** 46 (1988-90): 259, 299, 358

**Nachtigall:** 07 (1930/31): 20R; 08 (1931/32): 7R; 09 (1932/33): 9R; 11 (1934/35): 20; 14 (1940/41): 51; 24 (1950/51): 9R; 28 (1954/55): 7B, 77; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 47, 69, 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 10B, 73; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 191, 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B, 262R; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 95-114, 213-225, 269-302, 329B; 45 (1983-86): 90, 91, 231; 46 (1988-90): 29, 34, 40, 50, 54, 74, 81, 215, 219, 233, 322-325; 47 (1991-93): 91; 50 (1999): 165, 186, 192; 51 (2003): 32, 121-125; 52 (2009): 137, 138; 53 (2012): 45-46, 139, 155

**Nachtreiher:** 37 (1964): 20; 38 (1965): 29; 39 (1966): 120, 126; 40 (1967-69): 215; 41 (1970-72): 56, 99, 211; 42 (1973-75): 145, 230, 243; 43 (1976-78): 64; 44 (1979-82): 213-225; 45 (1983-86): 233; 46 (1988-90): 78, 81; 50 (1999): 134, 188

**Nachtschwalbe:** 10 (1933/34): 18R; 11 (1934/35): 20; 09 (1935/36): 20; 14 (1940/41): 53; 35 (1962): 8B, 37; 36 (1963): 31; 37 (1964): 10B; 40 (1967-69): 193B; 41 (1970-72): 211; 43 (1976-78): 64; 44 (1979-82): 95-114, 328B; 46 (1988-90): 267; 47 (1991-93): 243; 48 (1994/95): 141, 154

**Nachtschwalben:** 46 (1988-90): 260, 267, 287, 291, 299; 47 (1991-93): 153; 48 (1994/95): 17

**Nebelkrähe:** 11 (1934/35): 30; 14 (1940/41): 40; 21 (1947/48): 14, 16; 34 (1960/61): 22, 23; 37 (1964): 27; 38 (1965): 33, 38; 40 (1967-69): 274; 42 (1973-75): 23, 150, 251B; 43 (1976-78): 257; 44 (1979-82): 213-225; 45 (1983-86): 229, 347; 46 (1988-90): 70, 81; 47 (1991-93): 100, 340; 48 (1994/95): 42, 45, 46

**Nectarinia adalberti:** 47 (1991-93): 50

**Nectarinia amethystina:** 47 (1991-93): 50

**Nectarinia bifasciata:** 47 (1991-93): 50

**Nectarinia cuprea:** 47 (1991-93): 50

**Nectarinia kilimensis:** 47 (1991-93): 50

**Nectarinia osea:** 44 (1979-82): 213-225; 45 (1983-86): 83-87

**Nectarinia senegalensis:** 47 (1991-93): 50

**Nectarinia takazze:** 47 (1991-93): 50

**Nectarinia venusta:** 47 (1991-93): 50

**Nectariniidae:** 46 (1988-90): 260-275; 47 (1991-93): 50, 127, 144

- Nektarinia verroxii:** 47 (1991-93): 50
- Nektarvögel:** 46 (1988-90): 260-275; 47 (1991-93): 50, 127, 144
- Neophron percnopterus:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 75-87, 343; 46 (1988-90): 90, 91, 223, 229, 237, 354; 48 (1994/95): 36
- Netta peposaca:** 46 (1988-90): 36; 48 (1994/95): 132
- Netta rufina:** 38 (1965): 101, 107; 39 (1966): 13; 40 (1967-69): 17, 57, 270; 41 (1970-72): 211; 42 (1973-75): 236, 244; 43 (1976-78): 30, 65, 253, 259; 44 (1979-82): 95-114; 48 (1994/95): 132; 50 (1999): 140, 189
- Neuntöter:** 07 (1930/31): 19R; 08 (1931/32): 10R, 21-22, 32; 09 (1932/33): 10R, 14, 20, 30, 38; 10 (1933/34): 15R, 55, 56; 11 (1934/35): 14R, 20; 09 (1935/36): 14R; 10 (1936/37): 13R; 11 (1937/38): 8R; 12 (1938/39): 30; 13 (1939/40): 21, 27; 14 (1940/41): 47; 20 (1946/47): 6; 21 (1947/48): 11; 23 (1949/50): 28, 36; 25 (1951/52): 19, 20; 28 (1954/55): 7B, 73; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 45, 97B; 32 (1959): 9B; 33 (1960): 13B, 35; 34 (1960/61): 9B, 11R; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 193B, 266; 41 (1970-72): 175, 186B, 211; 42 (1973-75): 13, 42B, 101, 110, 111, 206, 249B; 46 (1988-90): 322; 51 (2003): 20, 44, 117, 118; 52 (2009): 5, 10-46, 137; 53 (2012): 114, 137, 139, 155, 162
- Nicht-Sperlingsvögel:** 47 (1991-93): 27
- Nilgans:** 45 (1983-86): 89; 47 (1991-93): 348; 48 (1994/95): 118, 119; 53 (2012): 140, 161, 163
- Non-Passeriformes:** 47 (1991-93): 27
- Nonnengans:** 40 (1967-69): 113; 42 (1973-75): 243; 43 (1976-78): 38, 259; 47 (1991-93): 243; 48 (1994/95): 101, 119, 132; 50 (1999): 138, 189
- Nonnensteinschmätzer:** 44 (1979-82): 213-225; 45 (1983-86): 231; 46 (1988-90): 72, 81
- Nucifraga caryocatactes:** 25 (1951/52): 26; 28 (1954/55): 6B, 70; 29 (1955/56): 13, 18; 31 (1957/58): 46; 32 (1959): 25; 35 (1962): 38; 37 (1964): 27, 60; 40 (1967-69): 123, 189, 195B; 41 (1970-72): 16, 165, 177, 239; 42 (1973-75): 251B; 44 (1979-82): 329B; 47 (1991-93): 148; 50 (1999): 179-180, 193
- Nucifraga macrorhynchos:** 41 (1970-72): 16
- Numenius arquata:** 12 (1938/39): 28; 14 (1940/41): 71; 20 (1946/47): 6; 21 (1947/48): 6; 30 (1956/57): 18; 32 (1959): 21; 33 (1960): 14B, 39; 34 (1960/61): 8B, 32; 35 (1962): 8B, 11R, 35; 36 (1963): 9B, 27; 37 (1964): 10B, 15R, 24, 34, 48, 65; 38 (1965): 31, 86B, 90R; 39 (1966): 14, 75, 108B; 40 (1967-69): 97, 189, 192B, 250, 259, 262, 272; 41 (1970-72): 56, 60, 101, 143, 174, 186B, 211, 244; 42 (1973-75): 195, 249B; 43 (1976-78): 46B, 64, 243, 255; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 356; 46 (1988-90): 110; 47 (1991-93): 92, 95, 340; 51 (2003): 168; 53 (2012): 139
- Numenius phaeopus:** 32 (1959): 21; 35 (1962): 36; 37 (1964): 34; 39 (1966): 14, 128; 40 (1967-69): 58, 97, 272; 41 (1970-72): 101, 178; 42 (1973-75): 148, 237; 43 (1976-78): 31, 38; 47 (1991-93): 340
- Nyctea scandiaca:** 46 (1988-90): 262; 47 (1991-93): 16, 134, 332

**Nycticorax nycticorax:** 37 (1964): 20; 38 (1965): 29; 39 (1966): 120, 126; 40 (1967-69): 215; 41 (1970-72): 56, 99, 211; 42 (1973-75): 145, 230, 243; 43 (1976-78): 64; 44 (1979-82): 213-225; 45 (1983-86): 233; 46 (1988-90): 78, 81; 50 (1999): 134, 188

**Nyctidromus albicollis:** 47 (1991-93): 51

**Nymphensittich:** 46 (1988-90): 36; 47 (1991-93): 51

**Nymphicus hollandicus:** 46 (1988-90): 36; 47 (1991-93): 51

**Oceanodroma leucorhoa:** 40 (1967-69): 256

**Odinshühnchen:** 11 (1937/38): 22; 32 (1959): 30; 34 (1960/61): 22; 36 (1963): 27; 37 (1964): 37; 42 (1973-75): 138; 43 (1976-78): 261; 44 (1979-82): 213-225; 46 (1988-90): 231; 47 (1991-93): 192, 332

**Oena capensis:** 47 (1991-93): 127

**Oenanthe finschii:** 44 (1979-82): 213-225

**Oenanthe hispanica:** 42 (1973-75): 239; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 229, 233; 46 (1988-90): 72, 73, 81 ; 53 (2012): 48-49

**Oenanthe isabellina:** 44 (1979-82): 213-225

**Oenanthe leucopyga:** 44 (1979-82): 213-225

**Oenanthe leucura:** 44 (1979-82): 95-114

**Oenanthe lugens:** 44 (1979-82): 213-225

**Oenanthe moesta:** 44 (1979-82): 213-225; 46 (1988-90): 277

**Oenanthe monacha:** 44 (1979-82): 213-225

**Oenanthe oenanthe:** 08 (1931/32): 8R; 10 (1933/34): 16R; 11 (1934/35): 20; 28 (1954/55): 7B, 76; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 47, 97B, 99R; 32 (1959): 9B; 33 (1960): 13B, 34; 34 (1960/61): 9B, 29; 35 (1962): 9B; 36 (1963): 10B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 102, 250B; 43 (1976-78): 47B, 266B; 44 (1979-82): 41-88, 95-114, 213-225, 329B; 45 (1983-86): 83-87, 230; 46 (1988-90): 72, 78, 81, 218; 47 (1991-93): 103, 193, 195, 196, 242, 322, 327, 340, 365; 48 (1994/95): 144; 53 (2012): 48, 51, 140

**Oenanthe pleschanka:** 44 (1979-82): 213-225; 45 (1983-86): 231; 46 (1988-90): 72, 81

**Oenanthe xanthoprymna:** 44 (1979-82): 213-225

**Ohrengeier:** 44 (1979-82): 213-225; 46 (1988-90): 89-94

**Ohrenlerche:** 40 (1967-69): 54, 98, 118, 119, 193B, 273; 41 (1970-72): 102; 46 (1988-90): 111; 47 (1991-93): 192

**Ohrenscharbe:** 47 (1991-93): 52

**Ohrentaucher:** 31 (1957/58): 90; 36 (1963): 26; 38 (1965): 28, 36, 59; 39 (1966): 12, 125; 40 (1967-69): 96, 185; 41 (1970-72): 88; 43 (1976-78): 30, 37, 258; 47 (1991-93): 100, 363

**Olivgrüner Zebrafink:** 44 (1979-82): 201-212; 45 (1983-86): 196; 47 (1991-93): 18, 54, 158, 159, 160

- Onychognathus tristramii:** 44 (1979-82): 213-225; 45 (1983-86): 83-87; 47 (1991-93): 51
- Orangebäckchen:** 47 (1991-93): 47
- Orangenfleck-Waldsänger:** 47 (1991-93): 54
- Oreotrochilus estrella:** 47 (1991-93): 51
- Oriolus oriolus:** 11 (1934/35): 20; 14 (1940/41): 42; 28 (1954/55): 7B, 71; 29 (1955/56): 7B; 31 (1957/58): 41, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 195B; 41 (1970-72): 188B; 42 (1973-75): 44B, 251B; 43 (1976-78): 48B, 206-235; 44 (1979-82): 265, 269-302, 329B; 45 (1983-86): 91; 46 (1988-90): 27, 33, 218, 274, 322; 47 (1991-93): 91, 363; 48 (1994/95): 159; 50 (1999): 177, 193; 51 (2003): 43; 52 (2009): 112-118, 138; 53 (2012): 140
- Orpheusgrasmücke:** 41 (1970-72): 187B; 44 (1979-82): 213-225; 45 (1983-86): 233
- Orpheuspötter:** 53 (2012): 40
- Ortolan:** 14 (1940/41): 44; 28 (1954/55): 7B2; 33 (1960): 36; 36 (1963): 35, 71; 38 (1965): 88B; 39 (1966): 130; 41 (1970-72): 103, 187B; 42 (1973-75): 43B, 150, 250B; 43 (1976-78): 64, 261, 267B; 44 (1979-82): 95-114, 213-225; 46 (1988-90): 76, 81, 274; 47 (1991-93): 26, 47, 270; 50 (1999): 185, 186, 194; 53 (2012): 140
- Otis tarda:** 13 (1939/40): 22; 14 (1940/41): 73; 31 (1957/58): 91; 35 (1962): 32; 41 (1970-72): 101; 44 (1979-82): 95-114; 45 (1983-86): 325, 334; 51 (2003): 169
- Otus scops:** 40 (1967-69): 19, 20, 116, 117; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 230; 46 (1988-90): 217
- Otus trichopsis:** 47 (1991-93): 51
- Oxyra leucocephala:** 46 (1988-90): 355, 356
- Padda oryzivora:** 47 (1991-93): 51
- Pagodenstar:** 45 (1983-86): 181-200
- Palmtaube:** 44 (1979-82): 213-225; 45 (1983-86): 83-87; 47 (1991-93): 19
- Pandion haliaetus:** 08 (1931/32): 28; 13 (1939/40): 17, 24; 14 (1940/41): 59; 27 (1953/54): 20; 31 (1957/58): 53; 33 (1960): 38; 36 (1963): 24, 74; 37 (1964): 23, 57; 39 (1966): 13; 40 (1967-69): 187; 41 (1970-72): 115, 172, 211; 43 (1976-78): 64, 254, 259; 44 (1979-82): 213-225; 45 (1983-86): 242, 344; 46 (1988-90): 24, 91, 236; 47 (1991-93): 96, 234, 359; 48 (1994/95): 33, 37, 41, 48, 54, 136; 50 (1999): 144, 190
- Panterpe insignis:** 47 (1991-93): 51
- Panurus biarmicus:** 40 (1967-69): 21, 60, 194B; 42 (1973-75): 237, 245, 250B; 43 (1976-78): 47B, 65; 44 (1979-82): 329B; 48 (1994/95): 99, 159; 53 (2012): 36
- Papagei:** 46 (1988-90): 301
- Papageitaucher:** 47 (1991-93): 16, 316, 317, 322, 328, 329, 336, 337, 338, 340
- Paradieswitwe:** 47 (1991-93): 55, 121
- Parula americana:** 47 (1991-93): 51

- Parus ater:** 11 (1934/35): 20; 09 (1935/36): 10R; 12 (1938/39): 16R; 14 (1940/41): 46; 21 (1947/48): 6; 28 (1954/55): 7B, 73; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 44, 61, 64, 65, 66, 87, 96B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 9B; 36 (1963): 10B, 32, 37; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B, 239; 42 (1973-75): 43B, 48R, 250B; 43 (1976-78): 1, 47B, 56R, 266B; 44 (1979-82): 89, 95-114, 189-200, 262, 264, 329B; 45 (1983-86): 23-61, 91, 153; 46 (1988-90): 79, 81, 280, 322; 47 (1991-93): 91; 50 (1999): 176, 193; 51 (2003): 41; 53 (2012): 140, 161, 163, 164
- Parus atricapillus:** 10 (1936/37): 23; 14 (1940/41): 46, 76; 45 (1983-86): 148; 46 (1988-90): 262
- Parus caeruleus:** 07 (1930/31): 24R; 08 (1931/32): 31; 09 (1932/33): 25, 32; 11 (1934/35): 20; 09 (1935/36): 11R, 20, 22; 10 (1936/37): 24; 12 (1938/39): 16R; 14 (1940/41): 46; 21 (1947/48): 8; 22 (1948/49): 37; 28 (1954/55): 7B, 73; 29 (1955/56): 6B, 10, 22, 23; 30 (1956/57): 6B, 14; 31 (1957/58): 61, 64, 65, 66, 96B; 32 (1959): 9B, 13, 32; 33 (1960): 13B, 47; 34 (1960/61): 8B; 35 (1962): 8B, 21; 36 (1963): 10B, 14R, 32; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 40, 194B; 41 (1970-72): 23, 104, 187B, 192R; 42 (1973-75): 15, 43B, 111, 207, 250B, 257R; 43 (1976-78): 47B, 56R, 206-235, 266B, 272R; 44 (1979-82): 41-88, 95-114, 159-186, 189-200, 228, 262-265, 269-302, 329B, 335R; 46 (1988-90): 321; 51 (2003): 41, 117, 118; 52 (2009): 115, 136, 138; 53 (2012): 137, 139, 141, 148, 150, 153-155, 160, 161, 162, 164 179-180, 183-185
- Parus caeruleus degener:** 46 (1988-90): 238
- Parus caeruleus ombriosus:** 46 (1988-90): 239
- Parus caeruleus palmensis:** 46 (1988-90): 239
- Parus caeruleus teneriffae:** 46 (1988-90): 238
- Parus carolinensis:** 46 (1988-90): 262
- Parus cincta:** 46 (1988-90): 262
- Parus cristatus:** 11 (1934/35): 20; 09 (1935/36): 10R; 12 (1938/39): 16R; 14 (1940/41): 46; 28 (1954/55): 7B3; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 44, 88, 96B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 9B, 43; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 266B; 44 (1979-82): 95-114, 329B; 45 (1983-86): 91; 46 (1988-90): 321; 47 (1991-93): 91, 360; 50 (1999): 176, 193; 51 (2003): 20, 41; 52 (2009): 136; 53 (2012): 139, 161, 163, 164
- Parus major:** 07 (1930/31): 22-24R; 09 (1932/33): 25, 32; 11 (1934/35): 15R, 20; 09 (1935/36): 10R, 20, 22; 10 (1936/37): 11R, 24; 11 (1937/38): 10R; 12 (1938/39): 10-15R; 14 (1940/41): 46; 28 (1954/55): 7B, 73; 29 (1955/56): 6B, 10, 22; 30 (1956/57): 6B, 14; 31 (1957/58): 55, 61, 65, 66, 96B, 99R; 32 (1959): 9B, 13; 33 (1960): 13B, 29, 50; 34 (1960/61): 8B, 31; 35 (1962): 8B, 21, 24, 39; 36 (1963): 10B, 19R, 32, 41; 37 (1964): 11B, 66; 38 (1965): 87B, 97R; 39 (1966): 109B, 118R; 40 (1967-69): 40, 194B, 197R; 41 (1970-72): 23, 104R, 187B, 192R, 238; 42 (1973-75): 15, 17, 39, 43B, 48R, 111, 207, 250B, 262R; 44 (1979-82): 338R; 46 (1988-90): 322; 51 (2003): 42, 122-125; 52 (2009): 137, 138; 53 (2012): 71, 88, 89, 135, 137, 139, 141, 148-150, 153-155, 160, 162, 173-174, 183-185
- Parus montanus:** 11 (1934/35): 20; 10 (1936/37): 23; 14 (1940/41): 46, 76-79;

31 (1957/58): 45, 52; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 9B, 39; 36 (1963): 10B; 37 (1964): 11B, 27; 38 (1965): 87B; 39 (1966): 16, 109B; 40 (1967-69): 194B; 41 (1970-72): 98, 178, 187B, 238; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 159-186, 265, 269-302, 329B; 45 (1983-86): 90, 91, 221; 46 (1988-90): 36, 55, 257, 262, 322; 47 (1991-93): 91, 105, 144, 173; 50 (1999): 176, 186, 193; 51 (2003): 40, 173; 52 (2009): 137; 53 (2012): 35-36, 140, 141, 161, 182

**Parus monticolus:** 47 (1991-93): 51

**Parus palustris:** 07 (1930/31): 25R; 09 (1932/33): 25, 33; 11 (1934/35): 20; 09 (1935/36): 10R, 20; 10 (1936/37): 24; 11 (1937/38): 10R; 12 (1938/39): 16R; 14 (1940/41): 46; 28 (1954/55): 7B, 73; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 65, 96B; 32 (1959): 9B, 13; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 9B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 111, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 159-186, 189-200, 265, 329B; 45 (1983-86): 153; 46 (1988-90): 28, 34, 38, 55, 281; 47 (1991-93): 91, 173; 50 (1999): 175, 193; 51 (2003): 40; 52 (2009): 137, 139; 53 (2012): 140, 141, 153, 161, 163, 164, 182

**Parus spec.:** 46 (1988-90): 47, 52, 278, 281, 361

**Passer domesticus:** 07 (1930/31): 22R; 08 (1931/32): 11R; 10 (1933/34): 56; 09 (1935/36): 21-22, 23; 10 (1936/37): 24; 11 (1937/38): 9R; 13 (1939/40): 30; 14 (1940/41): 43; 21 (1947/48): 16; 22 (1948/49): 25, 37; 25 (1951/52): 19; 28 (1954/55): 7B2; 29 (1955/56): 6B; 30 (1956/57): 6B, 20, 22; 32 (1959): 9B; 36 (1963): 35; 37 (1964): 12B; 39 (1966): 110B; 40 (1967-69): 41, 195B; 41 (1970-72): 76, 188B; 42 (1973-75): 23, 44B; 43 (1976-78): 266B; 44 (1979-82): 14, 41-88, 95-114, 213-225, 261, 264, 269-302, 331B; 45 (1983-86): 91, 228; 46 (1988-90): 33, 34, 39, 50-55, 81, 259-262, 321; 47 (1991-93): 19, 20, 24, 34, 51, 91, 126, 133, 151, 158, 270, 319, 340; 51 (2003): 46, 117, 118; 52 (2009): 138; 53 (2012): 62-69, 72, 74, 83, 88, 139

**Passer hispaniolensis:** 40 (1967-69): 195B; 44 (1979-82): 213-225; 45 (1983-86): 230; 46 (1988-90): 73, 81, 234, 239

**Passer melanurus:** 45 (1983-86): 145

**Passer moabiticus:** 44 (1979-82): 213-225

**Passer montanus:** 07 (1930/31): 22R; 08 (1931/32): 11R, 32; 09 (1932/33): 12R, 15; 10 (1933/34): 17R, 56; 11 (1934/35): 14R; 09 (1935/36): 11R; 10 (1936/37): 12R; 11 (1937/38): 20-22; 13 (1939/40): 30; 14 (1940/41): 8, 43; 22 (1948/49): 40; 28 (1954/55): 6B, 72; 29 (1955/56): 6B, 10; 30 (1956/57): 6B, 14; 31 (1957/58): 43, 96B; 32 (1959): 9B, 13; 33 (1960): 12B; 34 (1960/61): 9B; 35 (1962): 10B, 13R, 21; 36 (1963): 11B, 35; 37 (1964): 12B; 38 (1965): 99R; 40 (1967-69): 39, 40, 195B; 41 (1970-72): 76, 105R, 188B; 42 (1973-75): 15, 17, 18, 23, 44B, 111, 207, 251B; 43 (1976-78): 48B, 198, 206-235, 266B; 51 (2003): 117, 118, 125; 52 (2009): 136, 138; 53 (2012): 70-79, 85, 91, 112, 117, 125, 131, 134, 136, 139, 141, 150, 152-155

**Passerculus sandwichensis:** 47 (1991-93): 51, 145; 47 (1991-93): 51, 145

**Passerella iliaca:** 47 (1991-93): 52

**Passeriformes:** 46 (1988-90): 52, 219, 260, 278, 299; 47 (1991-93): 15, 27

**Passerina cyanea:** 45 (1983-86): 210

**Patagona gigas:** 47 (1991-93): 52

**Pauraque:** 47 (1991-93): 51

**Pelecanidae:** 46 (1988-90): 291, 300; 47 (1991-93): 153

**Pelecaniformes:** 46 (1988-90): 259, 291, 300

**Pelecanus onocrotalus:** 44 (1979-82): 213-225; 45 (1983-86): 83-87, 349-350, 353; 47 (1991-93): 23

**Pelikan:** 46 (1988-90): 291, 300; 47 (1991-93): 153

**Peposakaente:** 46 (1988-90): 36; 48 (1994/95): 132

**Perdix perdix:** 11 (1934/35): 21; 14 (1940/41): 74; 25 (1951/52): 19; 28 (1954/55): 8B, 82; 29 (1955/56): 8B; 31 (1957/58): 76; 34 (1960/61): 8B; 36 (1963): 9B, 30; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 192B; 42 (1973-75): 41B, 249B; 43 (1976-78): 1, 72, 77, 198, 206-235, 245; 44 (1979-82): 41-88, 159-186, 265, 269-302; 46 (1988-90): 54, 101; 47 (1991-93): 91, 126, 133, 363, 369; 48 (1994/95): 99, 136, 137; 50 (1999): 146, 190; 51 (2003): 104, 109, 121-125; 53 (2012): 140, 141

**Perisoreus canadensis:** 47 (1991-93): 52, 121

**Pernis apivorus:** 11 (1934/35): 31, 33; 13 (1939/40): 27; 14 (1940/41): 59; 27 (1953/54): 22; 28 (1954/55): 8B; 31 (1957/58): 74; 33 (1960): 38; 36 (1963): 30, 74; 37 (1964): 10B; 38 (1965): 86B; 41 (1970-72): 100, 185B, 211, 266; 42 (1973-75): 41B, 249B; 43 (1976-78): 46B, 49R, 63, 187-205, 206-235, 259, 264B; 44 (1979-82): 269-302, 327B; 45 (1983-86): 341-344, 355; 46 (1988-90): 36; 47 (1991-93): 91, 105; 48 (1994/95): 36, 134, 135; 50 (1999): 143, 186, 189; 51 (2003): 21, 168

**Petronia petronia:** 08 (1931/32): 24; 44 (1979-82): 95-114; 46 (1988-90): 219, 239

**Petronia petronia madeirensis:** 46 (1988-90): 239

**Pfeif-Honigfresser:** 46 (1988-90): 262

**Pfeifente:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 65; 25 (1951/52): 9R; 30 (1956/57): 24; 31 (1957/58): 89; 36 (1963): 25; 37 (1964): 21; 40 (1967-69): 16; 41 (1970-72): 70; 43 (1976-78): 30, 259; 44 (1979-82): 213-225; 46 (1988-90): 22, 322; 47 (1991-93): 91, 100, 101, 363; 48 (1994/95): 132; 50 (1999): 138, 189

**Pfuhlschnepfe:** 32 (1959): 21; 39 (1966): 14, 127; 40 (1967-69): 45, 272; 41 (1970-72): 101; 43 (1976-78): 255, 260; 44 (1979-82): 95-114; 47 (1991-93): 193, 340

**Phalacrocorax aristoteles:** 46 (1988-90): 259; 47 (1991-93): 317, 328, 340

**Phalacrocorax auritus:** 47 (1991-93): 52

**Phalacrocorax carbo:** 12 (1938/39): 28; 14 (1940/41): 37, 68; 33 (1960): 37; 34 (1960/61): 18; 36 (1963): 51; 38 (1965): 28; 39 (1966): 12, 126; 40 (1967-69): 96, 185, 256, 270; 41 (1970-72): 56, 87, 88, 177, 211; 42 (1973-75): 145, 236; 43 (1976-78): 63; 44 (1979-82): 213-225; 45 (1983-86): 230, 241; 46 (1988-90): 108, 291-293; 47 (1991-93): 91, 98, 153, 236, 340, 348, 351, 352, 355, 360, 361; 48

- (1994/95): 99, 117-127, 130; 50 (1999): 133, 188; 53 (2012): 139
- Phalacrocorax pygmeus:** 40 (1967-69): 112
- Phalaenoptilus nuttallii:** 46 (1988-90): 267, 274; 47 (1991-93): 52, 158, 160
- Phalaropus fulicarius:** 42 (1973-75): 139; 44 (1979-82): 227
- Phalaropus lobatus:** 11 (1937/38): 22; 32 (1959): 30; 34 (1960/61): 22; 36 (1963): 27; 37 (1964): 37; 42 (1973-75): 138; 43 (1976-78): 261; 44 (1979-82): 213-225; 46 (1988-90): 231; 47 (1991-93): 192, 332
- Phasianus colchicus:** 09 (1932/33): 15; 13 (1939/40): 8; 14 (1940/41): 74, 79; 25 (1951/52): 19; 28 (1954/55): 8B2; 29 (1955/56): 8B, 10; 30 (1956/57): 7B; 31 (1957/58): 75, 98B; 34 (1960/61): 8B, 30; 36 (1963): 9B, 30; 37 (1964): 10B; 40 (1967-69): 192B; 41 (1970-72): 60; 42 (1973-75): 23; 43 (1976-78): 72, 198, 206-235, 265B; 44 (1979-82): 41-88, 159-186, 269-302; 45 (1983-86): 91; 46 (1988-90): 24, 33, 40, 54, 153, 321; 47 (1991-93): 25, 91, 122, 126, 133, 176; 50 (1999): 146, 190; 51 (2003): 121-125; 53 (2012): 140
- Philomachus pugnax:** 12 (1938/39): 28; 14 (1940/41): 70; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 40; 34 (1960/61): 22; 35 (1962): 36; 36 (1963): 21, 22, 46, 47; 37 (1964): 10B, 26, 37, 49, 59; 38 (1965): 86B; 39 (1966): 17, 108B, 123; 40 (1967-69): 23, 59, 97, 192B, 259, 262; 41 (1970-72): 186B, 211, 245; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 63, 255; 44 (1979-82): 95-114, 213-225, 328B; 45 (1983-86): 229; 46 (1988-90): 78, 81, 358; 47 (1991-93): 192, 235; 48 (1994/95): 139; 50 (1999): 150, 190; 53 (2012): 139
- Phoenicopterus chilensis:** 44 (1979-82): 90
- Phoenicopterus ruber:** 36 (1963): 25; 38 (1965): 99; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 83-87, 242; 46 (1988-90): 70, 74, 78, 81, 355
- Phoeniculus purpureus:** 47 (1991-93): 90
- Phoenicurus ochruros:** 07 (1930/31): 20R; 08 (1931/32): 7R, 32; 09 (1932/33): 9R; 10 (1933/34): 12R, 56; 11 (1934/35): 8R, 20; 09 (1935/36): 20, 22-25; 10 (1936/37): 15-19; 11 (1937/38): 10R; 13 (1939/40): 19, 20, 21; 14 (1940/41): 51; 21 (1947/48): 11; 22 (1948/49): 40; 24 (1950/51): 9R, 34; 25 (1951/52): 9R; 28 (1954/55): 7B, 9R, 77; 29 (1955/56): 7B, 10, 21; 30 (1956/57): 6B, 8R; 31 (1957/58): 47, 97B; 32 (1959): 9B, 11R; 33 (1960): 13B, 16; 34 (1960/61): 9B, 11R; 35 (1962): 9B, 11R; 36 (1963): 10B, 15R; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B, 265; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 250B; 43 (1976-78): 1, 39, 47B, 52R, 206-235, 266B, 270R; 44 (1979-82): 41-88, 95-114, 159-186, 329B; 45 (1983-86): 91, 96, 356; 46 (1988-90): 321; 51 (2003): 32; 52 (2009): 137; 53 (2012): 47, 139, 153
- Phoenicurus phoenicurus:** 07 (1930/31): 20R; 08 (1931/32): 7R; 09 (1932/33): 9R; 10 (1933/34): 13R, 56; 11 (1934/35): 9R, 20; 09 (1935/36): 8R, 20, 21, 27; 10 (1936/37): 10R; 11 (1937/38): 10R; 12 (1938/39): 37; 14 (1940/41): 51; 21 (1947/48): 9; 24 (1950/51): 33; 26 (1952/53): 7R; 27 (1953/54): 22; 28 (1954/55): 7B, 9R, 76; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 60, 65-67, 97B; 32 (1959): 9B, 13; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B, 21; 36 (1963): 10B, 33; 37 (1964): 11B, 16R; 38 (1965): 87B, 92R; 39 (1966): 65, 109B; 40 (1967-69): 194B; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 41-88, 95-114, 159-186, 189-200, 213-225, 265, 269-302, 329B; 46 (1988-90): 321; 51 (2003): 33; 52 (2009): 136,

138; 53 (2012): 47-48, 138, 139

**Phyllastrephus leucolepis:** 46 (1988-90): 154

**Phylloscopus:** 46 (1988-90): 35, 54, 323

**Phylloscopus bonelli:** 40 (1967-69): 264; 41 (1970-72): 96, 187B; 53 (2012): 36-37

**Phylloscopus borealis:** 47 (1991-93): 334; 53 (2012): 37, 51

**Phylloscopus collybita:** 07 (1930/31): 22R; 08 (1931/32): 8R; 09 (1932/33): 15; 10 (1933/34): 56; 11 (1934/35): 10R, 20; 11 (1937/38): 11R; 12 (1938/39): 29, 30; 14 (1940/41): 48; 16 (1942/43): 14-16R; 22 (1948/49): 25; 24 (1950/51): 9R; 25 (1951/52): 9R; 28 (1954/55): 7B, 74; 29 (1955/56): 7B, 9R; 30 (1956/57): 6B; 31 (1957/58): 45, 97B, 99R; 32 (1959): 9B; 33 (1960): 13B, 16; 34 (1960/61): 9B; 35 (1962): 9B, 11R; 36 (1963): 11B, 33, 67; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B, 129; 40 (1967-69): 193B, 265; 41 (1970-72): 23, 187B, 239; 42 (1973-75): 13, 43B, 97, 110, 206, 250B, 256R; 43 (1976-78): 47B, 52R, 206-235, 266B; 44 (1979-82): 95-114, 159-186, 213-225, 264, 269-302, 330B; 46 (1988-90): 322; 51 (2003): 37, 121-125; 52 (2009): 137, 139; 53 (2012): 82, 88, 89, 135, 140, 153, 155, 160, 161, 163, 183-185

**Phylloscopus collybita canariensis:** 46 (1988-90): 238

**Phylloscopus collybita exsul:** 46 (1988-90): 238

**Phylloscopus fuscatus:** 47 (1991-93): 339

**Phylloscopus inornatus:** 47 (1991-93): 321

**Phylloscopus proregulus:** 47 (1991-93): 321

**Phylloscopus schwarzi:** 47 (1991-93): 339

**Phylloscopus sibilatrix:** 10 (1933/34): 56; 11 (1934/35): 20; 14 (1940/41): 48; 21 (1947/48): 4R, 6; 24 (1950/51): 9R; 25 (1951/52): 9R; 28 (1954/55): 7B, 74; 29 (1955/56): 7B, 9R; 30 (1956/57): 6B, 8R; 31 (1957/58): 46, 97B, 99R; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B, 14; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 87B; 39 (1966): 110B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 265, 330B; 45 (1983-86): 91; 46 (1988-90): 31, 54, 322; 47 (1991-93): 91, 104; 50 (1999): 172, 186, 193; 51 (2003): 37; 52 (2009): 139; 53 (2012): 118, 161, 163

**Phylloscopus trochilus:** 08 (1931/32): 8R; 09 (1932/33): 15; 10 (1933/34): 56, 57; 11 (1934/35): 20; 14 (1940/41): 48; 16 (1942/43): 14-16R; 21 (1947/48): 6; 28 (1954/55): 7B, 74; 29 (1955/56): 7B, 10; 30 (1956/57): 6B, 8R; 31 (1957/58): 45, 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B; 37 (1964): 11B; 38 (1965): 87B, 98R; 39 (1966): 110B; 40 (1967-69): 193B; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 97, 250B, 256R; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 159-186, 213-225, 264, 269-302, 330B; 45 (1983-86): 91; 46 (1988-90): 31, 34, 38, 54, 321, 325; 47 (1991-93): 91; 50 (1999): 174, 193; 51 (2003): 38, 121-123; 52 (2009): 136, 138; 53 (2012): 89, 139, 142, 153, 155, 161, 162

**Pica pica:** 07 (1930/31): 26R, 34; 14 (1940/41): 41; 21 (1947/48): 14; 24 (1950/51): 30; 25 (1951/52): 19, 28; 28 (1954/55): 7B; 29 (1955/56): 6B; 31 (1957/58): 41, 75, 88; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 32; 37 (1964):

11B; 38 (1965): 87B, 92R; 39 (1966): 109B; 40 (1967-69): 195B; 41 (1970-72): 188B; 42 (1973-75): 44B, 251B; 43 (1976-78): 48B, 99, 198, 206-235, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 265, 269-302, 329B; 45 (1983-86): 90-91; 46 (1988-90): 28, 34, 40, 55, 81, 259, 321; 47 (1991-93): 52, 91, 92; 48 (1994/95): 37, 38, 46, 47; 50 (1999): 179, 193; 51 (2003): 44, 117, 118, 122, 124; 52 (2009): 33; 53 (2012): 34, 139, 141, 153, 161, 162, 164

**Piciformes:** 46 (1988-90): 47, 299, 346; 47 (1991-93): 15

**Picus canus:** 11 (1934/35): 20; 09 (1935/36): 14R; 11 (1937/38): 11R; 14 (1940/41): 53; 28 (1954/55): 7B8; 31 (1957/58): 52, 97B; 32 (1959): 10B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 141, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 159-186, 265, 269-302; 45 (1983-86): 91; 46 (1988-90): 26, 33, 40, 50, 54, 321-324; 47 (1991-93): 91, 97359; 50 (1999): 158, 191; 51 (2003): 26; 52 (2009): 136; 53 (2012): 161, 162, 164

**Picus viridis:** 08 (1931/32): 12R; 11 (1934/35): 20; 09 (1935/36): 14R; 14 (1940/41): 53; 28 (1954/55): 7B, 77; 29 (1955/56): 7B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 31, 35; 37 (1964): 10B; 38 (1965): 86B, 91R; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 141, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 95-114, 159-186, 269-302; 45 (1983-86): 91, 220; 46 (1988-90): 26, 33, 37, 321-324; 47 (1991-93): 91, 97, 235; 50 (1999): 158, 191; 51 (2003): 27; 52 (2009): 115, 136; 53 (2012): 139, 141, 153, 161, 163, 164

**Pieperwaldsänger:** 47 (1991-93): 53

**Pinguine:** 46 (1988-90): 258-300; 47 (1991-93): 18, 22, 30, 35, 38, 39, 127, 148; 48 (1994/95): 22

**Pinguinus impennis:** 47 (1991-93): 38

**Pinicola enucleator:** 53 (2012): 50, 51

**Pipilo alberti:** 46 (1988-90): 275; 47 (1991-93): 52

**Pipilo fuscus:** 47 (1991-93): 52

**Pipra mentalis:** 46 (1988-90): 262; 47 (1991-93): 52, 121

**Pirol:** 11 (1934/35): 20; 14 (1940/41): 42; 28 (1954/55): 7B, 71; 29 (1955/56): 7B; 31 (1957/58): 41, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 195B; 41 (1970-72): 188B; 42 (1973-75): 44B, 251B; 43 (1976-78): 48B, 206-235; 44 (1979-82): 265, 269-302, 329B; 45 (1983-86): 91; 46 (1988-90): 27, 33, 218, 274, 322; 47 (1991-93): 91, 363; 48 (1994/95): 159; 50 (1999): 177, 193; 51 (2003): 43; 52 (2009): 112-118, 138; 53 (2012): 140

**Platalea leucorodia:** 14 (1940/41): 60; 22 (1948/49): 38; 24 (1950/51): 38; 42 (1973-75): 145; 43 (1976-78): 30; 44 (1979-82): 112, 213-225; 45 (1983-86): 83-87, 323; 46 (1988-90): 358; 48 (1994/95): 131

**Plectrophenax nivalis:** 36 (1963): 23; 37 (1964): 65; 39 (1966): 121; 40 (1967-69): 60, 99, 123, 274; 41 (1970-72): 103; 42 (1973-75): 237; 43 (1976-78): 39, 257; 47 (1991-93): 52, 121, 192, 193, 195, 196, 199, 200, 241

**Plegadis falcinellus:** 44 (1979-82): 213-225; 45 (1983-86): 83-87, 229

**Ploceidae:** 48 (1994/95): 24

**Ploceus cucullatus:** 47 (1991-93): 160

**Ploceus manyar:** 46 (1988-90): 126

**Ploceus xanthops:** 46 (1988-90): 126

**Pluvialis apricaria:** 14 (1940/41): 69; 32 (1959): 19; 33 (1960): 38, 42, 43; 35 (1962): 35; 37 (1964): 33, 47, 58; 38 (1965): 38; 39 (1966): 14, 127; 40 (1967-69): 58, 67, 173, 259, 272; 41 (1970-72): 211; 43 (1976-78): 65; 50 (1999): 149, 190

**Pluvialis dominica:** 47 (1991-93): 146, 339

**Pluvialis squatarola:** 14 (1940/41): 69; 33 (1960): 42; 36 (1963): 26, 59; 37 (1964): 33, 47; 39 (1966): 14, 120, 127; 40 (1967-69): 67, 97, 164; 41 (1970-72): 101; 42 (1973-75): 148

**Podiceps auritus:** 31 (1957/58): 90; 36 (1963): 26; 38 (1965): 28, 36, 59; 39 (1966): 12, 125; 40 (1967-69): 96, 185; 41 (1970-72): 88; 43 (1976-78): 30, 37, 258; 47 (1991-93): 100, 363

**Podiceps cristatus:** 09 (1932/33): 15, 37; 13 (1939/40): 24; 14 (1940/41): 68; 22 (1948/49): 41; 36 (1963): 26, 30; 39 (1966): 126; 40 (1967-69): 185; 41 (1970-72): 60, 69, 211; 43 (1976-78): 17, 63; 44 (1979-82): 213-225, 269-302; 45 (1983-86): 89-91; 46 (1988-90): 36, 221, 267, 321-325, 357; 47 (1991-93): 91, 97, 98, 348, 360; 48 (1994/95): 118, 119, 130; 50 (1999): 133, 188; 53 (2012): 123

**Podiceps grisegena:** 12 (1938/39): 40; 14 (1940/41): 68; 24 (1950/51): 39; 29 (1955/56): 19; 31 (1957/58): 90; 33 (1960): 37; 35 (1962): 8B, 27; 37 (1964): 20; 38 (1965): 28, 36; 39 (1966): 12, 125; 40 (1967-69): 95, 185, 256, 270; 41 (1970-72): 169, 177, 211; 42 (1973-75): 243; 43 (1976-78): 64, 253, 258; 45 (1983-86): 354; 46 (1988-90): 36; 47 (1991-93): 101; 48 (1994/95): 120, 130; 50 (1999): 133, 188

**Podiceps nigricollis:** 21 (1947/48): 13; 31 (1957/58): 90; 33 (1960): 37; 36 (1963): 26; 37 (1964): 20; 38 (1965): 59; 39 (1966): 12, 125; 40 (1967-69): 120, 185; 41 (1970-72): 56, 211; 43 (1976-78): 63, 253, 258; 44 (1979-82): 213-225; 46 (1988-90): 21; 47 (1991-93): 241, 365

**Podicipediformes:** 46 (1988-90): 259, 301

**Podilymbus podiceps:** 47 (1991-93): 19

**Poicephalus senegalus:** 46 (1988-90): 36, 40

**Polysticta stelleri:** 47 (1991-93): 193

**Pooecetes gramineus:** 47 (1991-93): 52

**Porphyrio porphyrio:** 44 (1979-82): 112; 46 (1988-90): 357

**Porzana parva:** 14 (1940/41): 74; 21 (1947/48): 12, 13; 28 (1954/55): 8B2; 39 (1966): 13; 40 (1967-69): 58, 97, 271; 41 (1970-72): 56, 211; 42 (1973-75): 148, 237; 43 (1976-78): 63; 44 (1979-82): 269-302; 48 (1994/95): 158; 50 (1999): 147, 190

**Porzana porzana:** 09 (1932/33): 14; 14 (1940/41): 74; 28 (1954/55): 8B1; 31 (1957/58): 52; 36 (1963): 9B, 58; 37 (1964): 10B, 24, 34, 57; 38 (1965): 30, 86B; 39 (1966): 13, 108B; 40 (1967-69): 114, 192B, 271; 41 (1970-72): 56, 186B, 211; 42 (1973-75): 41B, 249B; 43 (1976-78): 64, 260, 265B, 43 (1976-78): 64, 260,

265B; 44 (1979-82): 93, 327B; 45 (1983-86): 89-91; 48 (1994/95): 158; 50 (1999): 147, 190; 51 (2003): 122, 124, 168

**Porzana pusilla:** 14 (1940/41): 74; 28 (1954/55): 8B2; 41 (1970-72): 56; 43 (1976-78): 63

**Prachteiderente:** 47 (1991-93): 193, 322, 340

**Prachtfinken:** 47 (1991-93): 44

**Prachtfregattvogel:** 47 (1991-93): 48

**Prachtleierschwanz:** 46 (1988-90): 16

**Prachtaucher:** 14 (1940/41): 68; 33 (1960): 37; 36 (1963): 26; 38 (1965): 28, 36, 59; 39 (1966): 11, 125; 40 (1967-69): 256, 270; 41 (1970-72): 87; 42 (1973-75): 145, 236; 43 (1976-78): 37, 257; 44 (1979-82): 232; 45 (1983-86): 241; 46 (1988-90): 108; 47 (1991-93): 101, 193, 340; 50 (1999): 133, 188

**Prinia gracilis:** 44 (1979-82): 213-225; 45 (1983-86): 83-87

**Procellariformes:** 46 (1988-90): 258-265, 300

**Protonotaria citrea:** 47 (1991-93): 53

**Provencegrasmücke:** 44 (1979-82): 95-114

**Prunella collaris:** 44 (1979-82): 112

**Prunella modularis:** 07 (1930/31): 21R; 08 (1931/32): 8R; 09 (1932/33): 10R, 26, 33; 10 (1933/34): 13R; 11 (1934/35): 20; 09 (1935/36): 9R, 22; 13 (1939/40): 30; 14 (1940/41): 52; 28 (1954/55): 7B, 9R, 77; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 47, 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B, 11R; 35 (1962): 9B, 44; 36 (1963): 11B, 15R, 34; 37 (1964): 12B; 38 (1965): 87B, 93R; 39 (1966): 110B, 115R, 118R; 40 (1967-69): 19, 193B; 41 (1970-72): 184, 186B, 191R, 239; 42 (1973-75): 13, 42B, 110, 215, 249B, 255R, 261R; 43 (1976-78): 47B, 206-235, 236-240, 252, 266B, 270R; 51 (2003): 31, 121-125; 52 (2009): 137, 138; 53 (2012): 82, 88, 139, 141, 144, 153, 161, 163

**Psittaciformes:** 46 (1988-90): 301

**Psittacula eupatria:** 46 (1988-90): 36, 40

**Psittacula krameri:** 46 (1988-90): 36, 40 ; 53 (2012): 139

**Psittacus erithacus:** 46 (1988-90): 36

**Pterocles orientalis aragonica:** 46 (1988-90): 237

**Pteroclidae:** 47 (1991-93): 155

**Pteroclidae:** 46 (1988-90): 284

**Ptyonoprogne obsoleta:** 44 (1979-82): 213-225

**Puffinus assimilis baroli:** 46 (1988-90): 236

**Puffinus puffinus:** 11 (1934/35): 35

**Purpurgrackel:** 47 (1991-93): 19

**Purpurhuhn:** 44 (1979-82): 112; 46 (1988-90): 357

**Purpureiher:** 14 (1940/41): 29, 62; 32 (1959): 29; 39 (1966): 12; 40 (1967-69): 57, 96, 120, 261, 270; 41 (1970-72): 99, 211; 42 (1973-75): 243; 43 (1976-78): 63, 258; 44 (1979-82): 92, 95-114, 213-225; 46 (1988-90): 21, 81, 233; 50 (1999): 137,

- Pycnonotus barbatus:** 44 (1979-82): 213-225; 45 (1983-86): 83-87
- Pygoscelis adeliae:** 46 (1988-90): 281; 47 (1991-93): 38
- Pygoscelis papua:** 47 (1991-93): 36, 38
- Pyrrhocorax graculus:** 44 (1979-82): 95-114; 46 (1988-90): 223, 226; 48 (1994/95): 47, 144, 159
- Pyrrhocorax pyrrhocorax:** 44 (1979-82): 95-114; 46 (1988-90): 223, 239, 352, 353; 53 (2012): 34
- Pyrrhocorax pyrrhocorax barbarus:** 46 (1988-90): 239
- Pyrrhula pyrrhula:** 08 (1931/32): 32; 12 (1938/39): 31-33; 13 (1939/40): 8; 14 (1940/41): 43; 27 (1953/54): 15; 28 (1954/55): 6B, 71; 29 (1955/56): 6B, 10, 23; 30 (1956/57): 5B; 31 (1957/58): 96B; 32 (1959): 9B, 34; 33 (1960): 12B, 15, 53; 34 (1960/61): 9B, 12R, 30, 31; 35 (1962): 9B, 46; 36 (1963): 11B, 17R, 19R, 34, 71; 37 (1964): 12B, 17R, 64; 38 (1965): 88B, 95R; 39 (1966): 110B, 118R; 40 (1967-69): 195B, 200R; 41 (1970-72): 105R, 166, 188B, 190R, 238; 42 (1973-75): 23, 43B, 54R, 111, 251B, 259R, 263R; 43 (1976-78): 48B, 54R, 70, 206-235, 267B, 270R; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 262, 331B, 337R; 45 (1983-86): 91; 46 (1988-90): 321; 51 (2003): 48; 52 (2009): 136, 138; 53 (2012): 139, 161, 162, 164
- Quelea quelea:** 13 (1939/40): 8; 46 (1988-90): 126
- Quiscalus quisculas:** 47 (1991-93): 19
- Rabengeier:** 47 (1991-93): 46, 153
- Rabenkrähe:** 07 (1930/31): 26R; 09 (1932/33): 15, 27; 10 (1933/34): 55; 11 (1934/35): 30; 14 (1940/41): 40; 22 (1948/49): 40; 24 (1950/51): 27; 25 (1951/52): 28; 28 (1954/55): 6B, 70; 29 (1955/56): 6B, 10; 30 (1956/57): 5B, 17, 18, 20; 31 (1957/58): 88, 96B; 32 (1959): 8B; 35 (1962): 8B; 36 (1963): 10B, 32, 48; 37 (1964): 11B; 38 (1965): 87B; 40 (1967-69): 195B; 41 (1970-72): 188B, 239; 42 (1973-75): 23, 44B, 251B; 43 (1976-78): 48B, 77, 198, 206-235, 265B; 44 (1979-82): 22, 30, 41-88, 95-114, 159-186, 264; 45 (1983-86): 91, 99, 347-348; 46 (1988-90): 27, 33, 39, 55, 259, 291-293, 322; 51 (2003): 45, 111, 112, 117-124; 52 (2009): 33, 117; 53 (2012): 125, 134, 135, 140, 141, 161, 163, 164
- Rabenvögel:** 48 (1994/95): 43
- Rackenvögel:** 46 (1988-90): 301; 47 (1991-93): 15
- Rallenreiher:** 14 (1940/41): 63; 37 (1964): 53; 42 (1973-75): 229; 43 (1976-78): 30; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 229
- Rallus aquaticus:** 09 (1932/33): 14; 14 (1940/41): 73; 28 (1954/55): 8B, 81; 31 (1957/58): 52, 97B; 32 (1959): 10B; 36 (1963): 28; 37 (1964): 10B, 15R, 23, 34; 39 (1966): 108B; 40 (1967-69): 192B, 271; 41 (1970-72): 185B, 211; 42 (1973-75): 41B, 244, 249B; 43 (1976-78): 46B, 64, 265B; 44 (1979-82): 269-302, 327B; 45 (1983-86): 89-91; 46 (1988-90): 322-325; 47 (1991-93): 91, 105; 48 (1994/95): 138, 158; 50 (1999): 147, 188, 190; 51 (2003): 121, 123; 53 (2012): 140
- Rallus longirostris:** 47 (1991-93): 19
- Ratidae:** 47 (1991-93): 15

**Raubseeschwalbe:** 33 (1960): 45; 36 (1963): 59; 44 (1979-82): 213-225

**Raubwürger:** 07 (1930/31): 20R; 08 (1931/32): 21-22; 09 (1932/33): 14, 20; 10 (1933/34): 56, 57; 11 (1934/35): 21; 14 (1940/41): 47; 20 (1946/47): 7; 28 (1954/55): 7B, 73; 29 (1955/56): 7B; 30 (1956/57): 6B, 21; 31 (1957/58): 45, 88, 97B, 99R; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 193B; 41 (1970-72): 211; 42 (1973-75): 42B, 101, 249B; 43 (1976-78): 47B, 64, 256, 261, 266B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225; 46 (1988-90): 234, 238; 47 (1991-93): 101, 363; 48 (1994/95): 144, 159; 50 (1999): 178, 186, 188, 193; 52 (2009): 30; 53 (2012): 34

**Rauchschwalbe:** 07 (1930/31): 19R, 31; 08 (1931/32): 10R; 09 (1932/33): 11R, 15, 23, 32; 10 (1933/34): 16R; 11 (1934/35): 11R, 20; 09 (1935/36): 14R, 20, 22; 10 (1936/37): 13R; 12 (1938/39): 30; 14 (1940/41): 52; 24 (1950/51): 9R, 37; 27 (1953/54): 20; 28 (1954/55): 7B, 77; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 97B, 99R; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B, 13; 36 (1963): 10B, 32; 37 (1964): 11B, 19R; 38 (1965): 87B, 91R, 97R; 39 (1966): 109B; 40 (1967-69): 193B, 197R; 41 (1970-72): 8, 186B; 42 (1973-75): 42B, 48R, 249B, 254R, 261R; 43 (1976-78): 47B, 51R, 206-235, 265B, 269R; 46 (1988-90): 322; 51 (2003): 29, 117, 118, 168; 53 (2012): 122-123, 136, 140, 161, 163

**Rauhfussbussard:** 11 (1934/35): 31; 33 (1960): 38; 36 (1963): 53; 37 (1964): 23; 40 (1967-69): 96; 41 (1970-72): 7, 60, 170, 185B; 42 (1973-75): 236; 43 (1976-78): 187-205; 44 (1979-82): 41-88, 327B; 45 (1983-86): 242; 46 (1988-90): 36, 105, 109; 47 (1991-93): 101; 48 (1994/95): 36; 50 (1999): 144, 189

**Rauhfusshuhn:** 41 (1970-72): 7, 57

**Rauhfusskauz:** 25 (1951/52): 25; 38 (1965): 32; 40 (1967-69): 19, 117, 118; 41 (1970-72): 8, 102, 178, 181, 211; 42 (1973-75): 249B; 43 (1976-78): 46B, 64, 265B; 44 (1979-82): 319-324; 45 (1983-86): 243; 51 (2003): 25

**Rebhuhn:** 11 (1934/35): 21; 14 (1940/41): 74; 25 (1951/52): 19; 28 (1954/55): 8B, 82; 29 (1955/56): 8B; 31 (1957/58): 76; 34 (1960/61): 8B; 36 (1963): 9B, 30; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 192B; 42 (1973-75): 41B, 249B; 43 (1976-78): 1, 72, 77, 198, 206-235, 245; 44 (1979-82): 41-88, 159-186, 265, 269-302; 46 (1988-90): 54, 101; 47 (1991-93): 91, 126, 133, 363, 369; 48 (1994/95): 99, 136, 137; 50 (1999): 146, 190; 51 (2003): 104, 109, 121-125; 53 (2012): 140, 141

**Recurvirostra avosetta:** 37 (1964): 37; 39 (1966): 15, 110B; 40 (1967-69): 46, 59, 98, 122, 259, 262; 42 (1973-75): 148; 43 (1976-78): 38, 261; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 323; 46 (1988-90): 70; 47 (1991-93): 155; 50 (1999): 149, 190

**Regenbrachvogel:** 32 (1959): 21; 35 (1962): 36; 37 (1964): 34; 39 (1966): 14, 128; 40 (1967-69): 58, 97, 272; 41 (1970-72): 101, 178; 42 (1973-75): 148, 237; 43 (1976-78): 31, 38; 47 (1991-93): 340

**Regenpfeifer:** 46 (1988-90): 259, 299, 358; 47 (1991-93): 155

**Regulus ignicapillus:** 14 (1940/41): 47; 26 (1952/53): 41; 27 (1953/54): 12; 29 (1955/56): 7B; 31 (1957/58): 45, 97B; 32 (1959): 9B, 32, 33; 33 (1960): 13B, 47; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 87B; 39 (1966): 110B, 129; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 39, 47B, 206-235, 266B; 44 (1979-82): 330B; 45 (1983-

86): 181, 196, 244, 356; 46 (1988-90): 31, 112, 126; 47 (1991-93): 13, 91, 103; 48 (1994/95): 159; 50 (1999): 174, 193; 51 (2003): 39; 52 (2009): 137; 53 (2012): 140

**Regulus regulus:** 09 (1932/33): 11R; 11 (1934/35): 20; 13 (1939/40): 30; 14 (1940/41): 46; 26 (1952/53): 41; 27 (1953/54): 12; 28 (1954/55): 7B; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 45, 96B; 32 (1959): 9B, 33; 33 (1960): 13B, 48; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34, 37, 74; 37 (1964): 12B; 38 (1965): 87B; 39 (1966): 110B; 40 (1967-69): 194B; 41 (1970-72): 187B, 239; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 41-88, 95-114, 159-186, 264, 330B; 45 (1983-86): 91; 46 (1988-90): 31, 126, 238, 278, 322; 47 (1991-93): 13, 14, 91; 48 (1994/95): 29; 50 (1999): 174, 193; 51 (2003): 38; 52 (2009): 137, 139; 53 (2012): 140, 161, 163, 164

**Regulus regulus teneriffae:** 46 (1988-90): 238

**Regulus satrapa:** 47 (1991-93): 19

**Reiherente:** 12 (1938/39): 28; 13 (1939/40): 24; 14 (1940/41): 66; 22 (1948/49): 44; 30 (1956/57): 24, 25; 31 (1957/58): 89; 32 (1959): 29; 33 (1960): 41; 36 (1963): 25; 37 (1964): 21; 40 (1967-69): 256; 41 (1970-72): 68, 87, 100, 211; 42 (1973-75): 140, 146; 43 (1976-78): 64, 133; 44 (1979-82): 213-225; 45 (1983-86): 89-91; 46 (1988-90): 23; 47 (1991-93): 91, 101, 340, 348, 349, 351, 363, 364; 48 (1994/95): 118, 119, 133, 134; 50 (1999): 140, 189

**Reihervögel:** 47 (1991-93): 15; 48 (1994/95): 22, 43, 48

**Reisfink:** 47 (1991-93): 51

**Remiz pendulinus:** 24 (1950/51): 32; 35 (1962): 41; 36 (1963): 24, 64; 40 (1967-69): 123, 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 150, 228, 237, 245, 250B; 43 (1976-78): 47B, 64, 261, 266B; 44 (1979-82): 133, 329B; 45 (1983-86): 83-87, 90; 46 (1988-90): 112, 247, 323, 325; 47 (1991-93): 2, 12, 91, 229; 48 (1994/95): 144; 50 (1999): 175, 193; 51 (2003): 07, 117, 167; 53 (2012): 35, 137, 139

**Rennkuckuck:** 46 (1988-90): 285, 286; 47 (1991-93): 24

**Rennvogel:** 44 (1979-82): 213-225; 46 (1988-90): 237

**Rhea:** 47 (1991-93): 160

**Rhea americana:** 47 (1991-93): 160

**Rhodospiza obsoleta:** 44 (1979-82): 213-225

**Richmondena cardinalis:** 47 (1991-93): 26, 53

**Riesenalk:** 47 (1991-93): 38

**Riesenkolibri:** 47 (1991-93): 52

**Riesensturmvogel:** 47 (1991-93): 28

**Ringdrossel:** 14 (1940/41): 51; 28 (1954/55): 7B6; 29 (1955/56): 18; 31 (1957/58): 41, 47; 33 (1960): 40; 35 (1962): 44; 36 (1963): 10B; 37 (1964): 11B, 27, 66; 39 (1966): 129; 40 (1967-69): 59, 123, 190, 274; 41 (1970-72): 103; 43 (1976-78): 39, 261; 46 (1988-90): 112; 50 (1999): 168, 192; 53 (2012): 42-43, 118, 140

**Ringelgans:** 14 (1940/41): 64; 45 (1983-86): 354; 47 (1991-93): 26, 45

**Ringeltaube:** 14 (1940/41): 69; 20 (1946/47): 8; 25 (1951/52): 29; 28 (1954/55): 8B1; 29 (1955/56): 8B; 31 (1957/58): 49; 35 (1962): 8B; 36 (1963): 10B, 19R, 31; 37 (1964): 10B; 38 (1965): 86B, 90R; 39 (1966): 108B; 40 (1967-69): 192B;

41 (1970-72): 148, 186B, 239; 42 (1973-75): 23, 42B, 47R, 249B, 260R; 43 (1976-78): 46B, 50R, 206-235, 265B; 44 (1979-82): 41-88, 95-114, 159-186, 264, 269-302, 328B; 45 (1983-86): 91, 231; 46 (1988-90): 25, 33, 37, 54, 322; 47 (1991-93): 25, 91, 340; 51 (2003): 24, 117-123; 52 (2009): 115; 53 (2012): 125, 131, 136, 140, 141, 142-143, 161, 163, 182-183

**Riparia riparia:** 08 (1931/32): 12R, 25; 09 (1932/33): 15; 11 (1934/35): 20; 12 (1938/39): 30; 14 (1940/41): 52; 28 (1954/55): 7B, 77; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 19R, 24, 32; 37 (1964): 11B; 38 (1965): 87B, 97R; 39 (1966): 109B; 40 (1967-69): 56, 193B, 197R; 41 (1970-72): 178, 186B, 211; 42 (1973-75): 42B, 48R, 53R, 249B, 254R; 43 (1976-78): 47B, 51R, 64, 265B, 269R; 44 (1979-82): 95-114, 213-225, 329B; 45 (1983-86): 1-22; 46 (1988-90): 27, 268; 47 (1991-93): 104, 242, 366; 48 (1994/95): 141, 158; 50 (1999): 162, 186, 191; 53 (2012): 140

**Rissa tridactyla:** 30 (1956/57): 16; 31 (1957/58): 49; 37 (1964): 26; 40 (1967-69): 122; 43 (1976-78): 38; 45 (1983-86): 237; 47 (1991-93): 53, 192, 197, 198, 337, 338, 340; 50 (1999): 153, 191

**Rohrammer:** 09 (1932/33): 14; 10 (1933/34): 16R; 11 (1934/35): 13R; 14 (1940/41): 44; 21 (1947/48): 6; 28 (1954/55): 6B, 72; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 96B; 32 (1959): 9B; 33 (1960): 12B; 34 (1960/61): 9B; 35 (1962): 10B, 12R, 13; 36 (1963): 11B, 18R, 23, 35; 37 (1964): 12B; 38 (1965): 88B, 96R, 99R; 39 (1966): 110B; 40 (1967-69): 194B, 198R; 41 (1970-72): 104R, 187B, 192R; 42 (1973-75): 43B, 51R, 54R, 250B, 257R, 262R; 43 (1976-78): 48B, 53R, 56R, 206-235, 267B, 271R, 272R; 44 (1979-82): 41-88, 159-186, 269-302, 331B; 45 (1983-86): 90, 91; 46 (1988-90): 33, 322; 47 (1991-93): 91, 101, 323, 340; 51 (2003): 121-125, 168, 169; 52 (2009): 137; 53 (2012): 140

**Rohrdommel:** 08 (1931/32): 29; 14 (1940/41): 63; 28 (1954/55): 10R; 35 (1962): 27; 37 (1964): 20; 39 (1966): 120; 40 (1967-69): 270; 41 (1970-72): 56, 170, 211; 42 (1973-75): 145, 227, 243; 43 (1976-78): 63, 258, 264B; 44 (1979-82): 327B; 47 (1991-93): 364; 48 (1994/95): 131; 50 (1999): 134, 188; 51 (2003): 168, 169

**Rohrschwirl:** 33 (1960): 34; 36 (1963): 10B; 38 (1965): 87B; 39 (1966): 129; 40 (1967-69): 122, 193B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 250B; 43 (1976-78): 64, 266B; 50 (1999): 170, 192; 51 (2003): 167; 53 (2012): 38

**Rohrweihe:** 08 (1931/32): 27; 14 (1940/41): 56; 28 (1954/55): 7B; 30 (1956/57): 11; 31 (1957/58): 53, 74, 75; 32 (1959): 11; 33 (1960): 38; 36 (1963): 24; 37 (1964): 23; 38 (1965): 86B; 40 (1967-69): 50, 121, 192B, 271; 41 (1970-72): 56, 171, 185B, 211; 42 (1973-75): 249B, 260R; 43 (1976-78): 63, 187-205, 254, 265B, 271R; 44 (1979-82): 41-88, 95-114, 213-225, 327B; 45 (1983-86): 231; 46 (1988-90): 355; 47 (1991-93): 101, 364; 48 (1994/95): 36, 135; 50 (1999): 143, 189; 51 (2003): 111, 117-123, 168, 169; 53 (2012): 140

**Rosapelikan:** 44 (1979-82): 213-225; 45 (1983-86): 83-87, 349-350, 353; 47 (1991-93): 23

**Rosenköpfchen:** 47 (1991-93): 44

**Rosenstar:** 46 (1988-90): 125

**Rostbürtzelsteinschmätzer:** 44 (1979-82): 213-225

**Rostgans:** 40 (1967-69): 121, 186, 262; 41 (1970-72): 89; 44 (1979-82): 93, 232;

47 (1991-93): 101; 48 (1994/95): 119

**Rotaugenvireo:** 47 (1991-93): 145

**Rotband-Regenpfeifer:** 47 (1991-93): 155

**Rotbrustglanzköpfchen:** 47 (1991-93): 50

**Rotdrossel:** 07 (1930/31): 18R; 14 (1940/41): 51; 28 (1954/55): 7B6; 31 (1957/58): 47; 32 (1959): 33; 33 (1960): 13B; 35 (1962): 9B; 36 (1963): 10B; 37 (1964): 11B, 27; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 49R, 136, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 41-88, 213-225, 265, 330B; 46 (1988-90): 29; 47 (1991-93): 91, 101, 364; 50 (1999): 170, 192; 52 (2009): 137; 53 (2012): 43, 130, 140

**Rotfussfalke:** 32 (1959): 30; 40 (1967-69): 257, 258; 42 (1973-75): 147; 45 (1983-86): 83-87, 344; 48 (1994/95): 37; 53 (2012): 138, 140, 152

**Rotfusstölpel:** 46 (1988-90): 259

**Rothalsgans:** 38 (1965): 71; 40 (1967-69): 113

**Rothalstaucher:** 12 (1938/39): 40; 14 (1940/41): 68; 24 (1950/51): 39; 29 (1955/56): 19; 31 (1957/58): 90; 33 (1960): 37; 35 (1962): 8B, 27; 37 (1964): 20; 38 (1965): 28, 36; 39 (1966): 12, 125; 40 (1967-69): 95, 185, 256, 270; 41 (1970-72): 169, 177, 211; 42 (1973-75): 243; 43 (1976-78): 64, 253, 258; 45 (1983-86): 354; 46 (1988-90): 36; 47 (1991-93): 101; 48 (1994/95): 120, 130; 50 (1999): 133, 188

**Rothalsziegenmelker:** 44 (1979-82): 112

**Rothuhn:** 16 (1942/43): 18-20; 44 (1979-82): 95-114; 46 (1988-90): 237

**Rotkardinal:** 47 (1991-93): 26, 53

**Rotkehlchen:** 07 (1930/31): 20R; 08 (1931/32): 7R, 32; 09 (1932/33): 9R, 15, 26, 33; 10 (1933/34): 56; 11 (1934/35): 9R, 20; 09 (1935/36): 7R, 20; 10 (1936/37): 10R; 11 (1937/38): 10R; 12 (1938/39): 29; 13 (1939/40): 28, 30; 14 (1940/41): 52; 23 (1949/50): 20R; 24 (1950/51): 34; 25 (1951/52): 27; 26 (1952/53): 7R; 27 (1953/54): 10R, 20; 28 (1954/55): 7B, 9R, 77; 29 (1955/56): 7B, 8, 10; 30 (1956/57): 6B, 8R; 31 (1957/58): 47, 97B; 32 (1959): 9B, 11R; 33 (1960): 13B, 16; 34 (1960/61): 9B, 11R, 12; 35 (1962): 9B; 36 (1963): 10B; 37 (1964): 11B, 16R; 38 (1965): 87B, 98R; 39 (1966): 109B, 113R; 40 (1967-69): 19, 194B; 41 (1970-72): 23, 187B, 238; 42 (1973-75): 43B, 49R, 250B, 256R, 262R; 46 (1988-90): 322; 51 (2003): 31; 52 (2009): 137, 138; 53 (2012): 112, 140, 141, 142, 147, 160, 161, 163, 164-168, 183-185

**Rotkehlpieper:** 37 (1964): 28, 31; 38 (1965): 34, 104; 39 (1966): 11; 40 (1967-69): 191; 42 (1973-75): 237; 44 (1979-82): 213-225; 47 (1991-93): 192, 196, 199; 53 (2012): 49, 140

**Rotkopfwürger:** 07 (1930/31): 20R; 08 (1931/32): 21-22, 30; 09 (1932/33): 20, 30; 11 (1934/35): 33; 12 (1938/39): 30; 14 (1940/41): 47; 25 (1951/52): 26; 28 (1954/55): 7B, 73; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 41, 52, 97B; 33 (1960): 13B, 34, 35; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 99, 193B; 41 (1970-72): 102, 175, 211; 42 (1973-75): 101, 245, 249B; 43 (1976-78): 35, 64; 44 (1979-82): 95-114, 159-186, 213-225; 45 (1983-86): 232; 46 (1988-90): 74, 81, 218, 324; 47 (1991-93): 325, 340;

- Rotmilan:** 08 (1931/32): 27; 09 (1932/33): 15, 18; 11 (1934/35): 31; 11 (1937/38): 12R; 14 (1940/41): 58, 81; 28 (1954/55): 7B9; 29 (1955/56): 8B, 23; 31 (1957/58): 48, 53; 32 (1959): 30; 33 (1960): 14B, 17R; 34 (1960/61): 8B, 10R; 35 (1962): 8B, 31; 36 (1963): 9B, 30, 54, 55; 37 (1964): 10B, 15R, 66; 38 (1965): 37, 86B, 89R; 39 (1966): 108B; 40 (1967-69): 57, 121, 186, 192B; 41 (1970-72): 100, 171, 185B, 211, 265; 42 (1973-75): 41B, 45R, 236, 248B, 252R; 43 (1976-78): 46B, 49R, 187-205, 206-235, 259, 264B, 268R, 273R; 44 (1979-82): 17-26, 41-88, 95-114, 159-186, 213-225, 269-302, 327B, 337R; 45 (1983-86): 77, 91, 242; 46 (1988-90): 23, 110, 322; 51 (2003): 20, 22, 117, 168; 53 (2012): 120, 140
- Rotrücken-Zaunkönig:** 47 (1991-93): 26
- Rotrückennausvogel:** 47 (1991-93): 46, 134; 48 (1994/95): 22
- Rotschenkel:** 14 (1940/41): 70; 16 (1942/43): 16-18; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 39; 35 (1962): 8B, 36; 36 (1963): 27, 46, 47; 37 (1964): 25, 35, 48; 39 (1966): 17, 85, 108B; 40 (1967-69): 23, 192B, 259; 41 (1970-72): 101, 174, 211, 244, 249; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 65; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 323; 46 (1988-90): 111, 233; 47 (1991-93): 192, 195, 196, 200, 320, 340; 48 (1994/95): 139; 50 (1999): 152, 190; 53 (2012): 140
- Rotschulterente:** 46 (1988-90): 36
- Rotschulterstărling:** 46 (1988-90): 1, 126, 153, 154
- Rubinkehkolibri:** 47 (1991-93): 19, 145, 147
- Ruderfüsser:** 46 (1988-90): 259, 291, 300
- Rynchopidae:** 46 (1988-90): 278
- Rynchops flavirostris:** 47 (1991-93): 155
- Rynchops niger:** 46 (1988-90): 278
- Röhrennasen:** 46 (1988-90): 258-265, 300
- Rötelfalke:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 229; 48 (1994/95): 37
- Rötelschwalbe:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 229; 46 (1988-90): 218, 355
- Saatgans:** 12 (1938/39): 27; 14 (1940/41): 64; 31 (1957/58): 53; 33 (1960): 38; 35 (1962): 31; 37 (1964): 55; 38 (1965): 28, 37, 68, 71, 101; 40 (1967-69): 186; 41 (1970-72): 100, 211; 42 (1973-75): 41B, 146, 236; 43 (1976-78): 31, 37, 65, 253; 44 (1979-82): 41-88; 46 (1988-90): 109; 47 (1991-93): 364; 48 (1994/95): 101; 53 (2012): 140
- Saatkrähe:** 08 (1931/32): 12R, 23; 09 (1932/33): 37; 10 (1933/34): 36; 11 (1934/35): 30; 14 (1940/41): 40; 21 (1947/48): 6; 24 (1950/51): 29; 27 (1953/54): 11R; 28 (1954/55): 7B; 29 (1955/56): 10R, 20, 21; 30 (1956/57): 19; 33 (1960): 17R; 36 (1963): 10B; 37 (1964): 27; 38 (1965): 87B, 97R; 41 (1970-72): 7, 56, 177, 211; 42 (1973-75): 23, 44B, 251R; 43 (1976-78): 48B, 57R, 64, 206-235, 265B, 272R; 44 (1979-82): 41-88, 159-186, 329B; 46 (1988-90): 27, 35; 47 (1991-93): 91, 92; 48 (1994/95): 35, 37, 42, 45, 145; 50 (1999): 181, 193; 53 (2012): 85, 140
- Safranweber:** 46 (1988-90): 126
- Saharasteinschmätzer:** 44 (1979-82): 213-225
- Samtente:** 14 (1940/41): 67; 29 (1955/56): 20; 30 (1956/57): 25; 31 (1957/58): 89, 90; 33 (1960): 37; 35 (1962): 30; 37 (1964): 22; 38 (1965): 28, 36, 37, 107; 39

(1966): 120, 126; 40 (1967-69): 186, 256; 41 (1970-72): 87, 89, 170; 43 (1976-78): 259; 47 (1991-93): 102, 240, 348, 351; 48 (1994/95): 134; 50 (1999): 141, 189

**Samtkopfgrasmücke:** 40 (1967-69): 195B; 44 (1979-82): 95-114; 45 (1983-86): 228; 46 (1988-90): 72, 81, 219, 238

**Sanderling:** 14 (1940/41): 70; 37 (1964): 26, 36; 39 (1966): 127; 40 (1967-69): 46, 67, 161; 41 (1970-72): 102, 178; 42 (1973-75): 249B; 43 (1976-78): 261; 44 (1979-82): 95-114; 46 (1988-90): 234; 47 (1991-93): 335, 340

**Sandflughuhn:** 46 (1988-90): 237

**Sandregenpfeifer:** 14 (1940/41): 69; 31 (1957/58): 52; 32 (1959): 19; 33 (1960): 38, 43; 36 (1963): 26, 45, 47; 37 (1964): 24, 33, 47; 39 (1966): 123; 40 (1967-69): 67, 171, 188, 192B, 195R; 41 (1970-72): 186B, 243; 42 (1973-75): 42B; 43 (1976-78): 254, 260; 44 (1979-82): 95-114, 213-225, 328B; 46 (1988-90): 81; 47 (1991-93): 192, 196, 200, 320, 335, 340; 50 (1999): 149, 190

**Saxicola dacotiae:** 46 (1988-90): 238

**Saxicola rubetra:** 09 (1932/33): 15; 10 (1933/34): 56; 11 (1934/35): 10R, 20; 14 (1940/41): 51; 21 (1947/48): 6; 28 (1954/55): 7B, 76; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B, 23; 35 (1962): 9B; 36 (1963): 10B, 33; 37 (1964): 11B, 16R; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 190, 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 49R, 101, 250B; 43 (1976-78): 39, 47B, 64, 266B; 44 (1979-82): 41-88, 95-114, 213-225, 329B; 45 (1983-86): 233; 46 (1988-90): 50, 54, 81, 321; 47 (1991-93): 91, 95, 233, 358; 48 (1994/95): 143, 159; 50 (1999): 167, 188, 192; 51 (2003): 34, 111, 117, 122, 124, 167, 170; 52 (2009): 136; 53 (2012): 114

**Saxicola torquata:** 11 (1934/35): 20; 14 (1940/41): 51; 25 (1951/52): 26; 34 (1960/61): 9B; 35 (1962): 9B, 42; 36 (1963): 10B, 24, 67, 73; 37 (1964): 11B, 27; 38 (1965): 87B; 39 (1966): 11, 109B; 40 (1967-69): 99, 190, 194B; 41 (1970-72): 96, 187B, 211; 42 (1973-75): 43B, 150, 245, 250B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 159-186, 213-225, 329B; 45 (1983-86): 83-87, 229; 46 (1988-90): 72, 81, 112, 218, 353; 47 (1991-93): 365; 48 (1994/95): 143, 144; 50 (1999): 167, 188, 192; 51 (2003): 167; 53 (2012): 44, 140

**Sayornis phoebe:** 47 (1991-93): 53

**Scardafella inca:** 46 (1988-90): 261, 262, 274; 47 (1991-93): 53, 158

**Schafstelze:** 09 (1932/33): 14, 26; 11 (1934/35): 20; 14 (1940/41): 44; 24 (1950/51): 32; 28 (1954/55): 6B, 73; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 96B; 32 (1959): 9B; 33 (1960): 13B, 40; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 15, 34; 37 (1964): 12B; 38 (1965): 88B, 93R, 98R; 39 (1966): 15, 110B, 115R, 120; 40 (1967-69): 98, 193B, 197R; 41 (1970-72): 186B, 191R, 211; 42 (1973-75): 42B, 50R, 53R, 99, 249B, 255R, 261R; 43 (1976-78): 47B, 51R, 55R, 64, 266B, 270R; 44 (1979-82): 41-88, 95-114, 213-225, 331B; 45 (1983-86): 231; 46 (1988-90): 36, 74-81, 101, 234; 47 (1991-93): 91, 240, 353, 364; 51 (2003): 122-125, 168; 53 (2012): 140

**Scharlachnektarvogel:** 47 (1991-93): 44, 128

**Scheckente:** 47 (1991-93): 193

**Schelladler:** 45 (1983-86): 83-87; 48 (1994/95): 36

**Schellente:** 12 (1938/39): 28; 13 (1939/40): 24; 14 (1940/41): 67; 28 (1954/55): 8B1; 29 (1955/56): 17; 30 (1956/57): 24, 25; 36 (1963): 26; 37 (1964): 21, 54; 41 (1970-72): 69, 211; 43 (1976-78): 65, 253; 45 (1983-86): 354; 46 (1988-90): 109; 47 (1991-93): 102, 240, 364; 48 (1994/95): 119, 134; 50 (1999): 141, 189

**Scherenschnäbel:** 46 (1988-90): 278

**Schilfrohrsänger:** 08 (1931/32): 25; 09 (1932/33): 36; 12 (1938/39): 30; 14 (1940/41): 49; 28 (1954/55): 7B4; 32 (1959): 9B; 35 (1962): 9B, 44; 36 (1963): 11B, 24; 37 (1964): 11B, 28, 61; 38 (1965): 87B; 39 (1966): 15, 109B; 40 (1967-69): 191, 193B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 250B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 213-225, 269-302, 305-316, 330B; 45 (1983-86): 195; 47 (1991-93): 35; 50 (1999): 171, 188, 192

**Schlagschwirl:** 42 (1973-75): 143, 235; 43 (1976-78): 31; 44 (1979-82): 93, 269-302; 45 (1983-86): 90; 51 (2003): 169; 53 (2012): 37

**Schlängenadler:** 08 (1931/32): 27; 31 (1957/58): 53; 40 (1967-69): 58, 271; 41 (1970-72): 56, 100; 43 (1976-78): 63; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 83-87, 341-344; 48 (1994/95): 36

**Schlängenhalsvögel:** 46 (1988-90): 285

**Schleiereule:** 09 (1932/33): 18, 28; 11 (1934/35): 16R, 31; 09 (1935/36): 15R; 13 (1939/40): 29; 14 (1940/41): 55; 22 (1948/49): 44; 23 (1949/50): 20R; 28 (1954/55): 7B8; 29 (1955/56): 7B; 32 (1959): 10B, 11R; 33 (1960): 14B, 17R; 34 (1960/61): 8B; 35 (1962): 8B, 11R, 37; 36 (1963): 10B, 13R, 31; 38 (1965): 86B, 91R; 39 (1966): 108B; 40 (1967-69): 189, 192B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 47R, 54R, 249B, 253R, 260R; 43 (1976-78): 46B, 50R, 55R, 64, 265B, 269R; 44 (1979-82): 5-16, 95-114, 258, 328B, 335R, 338-339R; 45 (1983-86): 93-94; 51 (2003): 117

**Schmarotzerraubmöwe:** 33 (1960): 45; 40 (1967-69): 18; 42 (1973-75): 149; 43 (1976-78): 31, 256; 47 (1991-93): 192, 198, 317, 322, 328, 335, 337, 340

**Schmutzgeier:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 75-87, 343; 46 (1988-90): 90, 91, 223, 229, 237, 354; 48 (1994/95): 36

**Schnatterente:** 14 (1940/41): 65; 30 (1956/57): 24, 25; 31 (1957/58): 89; 33 (1960): 37; 36 (1963): 25; 37 (1964): 21; 41 (1970-72): 87, 211; 43 (1976-78): 30, 64, 131; 46 (1988-90): 22, 322; 47 (1991-93): 91, 102, 240, 364; 48 (1994/95): 132

**Schneeammer:** 36 (1963): 23; 37 (1964): 65; 39 (1966): 121; 40 (1967-69): 60, 99, 123, 274; 41 (1970-72): 103; 42 (1973-75): 237; 43 (1976-78): 39, 257; 47 (1991-93): 52, 121, 192, 193, 195, 196, 199, 200, 241

**Schneeeule:** 46 (1988-90): 262; 47 (1991-93): 16, 134, 332

**Schneehuhn:** 46 (1988-90): 278, 281, 293-295

**Schnepfenvögel:** 46 (1988-90): 259

**Schnäppertyrann:** 47 (1991-93): 50

**Schnäpperwaldsänger:** 47 (1991-93): 145

**Schopfwachtel:** 47 (1991-93): 49

**Schreiadler:** 22 (1948/49): 43; 40 (1967-69): 121, 257; 42 (1973-75): 236; 45 (1983-86): 83-87, 145, 341-344; 48 (1994/95): 36

**Schwalben:** 46 (1988-90): 52, 268, 280  
**Schwalbennektarvogel:** 47 (1991-93): 45  
**Schwalbenweihe:** 48 (1994/95): 36  
**Schwanzmeise:** 08 (1931/32): 31; 09 (1932/33): 36; 11 (1934/35): 20; 11 (1937/38): 10R; 12 (1938/39): 16R, 30, 39; 14 (1940/41): 46; 21 (1947/48): 9; 28 (1954/55): 7B, 73; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 45, 86, 96B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B, 27; 35 (1962): 9B, 41; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 75, 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 95-114, 159-186, 265, 269-302; 45 (1983-86): 90, 91; 46 (1988-90): 28, 34, 40, 54, 278, 280, 322; 47 (1991-93): 12, 91, 102, 365; 51 (2003): 40; 52 (2009): 137, 138; 53 (2012): 140, 161, 163, 164  
**Schwarzer Scherenschnabel:** 46 (1988-90): 278  
**Schwarzhalstaucher:** 46 (1988-90): 149  
**Schwarzhalstaucher:** 21 (1947/48): 13; 31 (1957/58): 90; 33 (1960): 37; 36 (1963): 26; 37 (1964): 20; 38 (1965): 59; 39 (1966): 12, 125; 40 (1967-69): 120, 185; 41 (1970-72): 56, 211; 43 (1976-78): 63, 253, 258; 44 (1979-82): 213-225; 46 (1988-90): 21; 47 (1991-93): 241, 365  
**Schwarzkehlchen:** 11 (1934/35): 20; 14 (1940/41): 51; 25 (1951/52): 26; 34 (1960/61): 9B; 35 (1962): 9B, 42; 36 (1963): 10B, 24, 67, 73; 37 (1964): 11B, 27; 38 (1965): 87B; 39 (1966): 11, 109B; 40 (1967-69): 99, 190, 194B; 41 (1970-72): 96, 187B, 211; 42 (1973-75): 43B, 150, 245, 250B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 159-186, 213-225, 329B; 45 (1983-86): 83-87, 229; 46 (1988-90): 72, 81, 112, 218, 353; 47 (1991-93): 365; 48 (1994/95): 143, 144; 50 (1999): 167, 188, 192; 51 (2003): 167; 53 (2012): 44, 140  
**Schwarzkehldrossel:** 47 (1991-93): 229, 365  
**Schwarzkehltrogan:** 47 (1991-93): 54  
**Schwarzkinn-Grundammer:** 46 (1988-90): 275; 47 (1991-93): 52  
**Schwarzkinnkolibri:** 47 (1991-93): 26, 45, 128  
**Schwarzkopfmeise:** 10 (1936/37): 23; 14 (1940/41): 46, 76; 45 (1983-86): 148; 46 (1988-90): 262  
**Schwarzkopfmöwe:** 35 (1962): 15; 52 (2009): 86, 98-99  
**Schwarzmilan:** 08 (1931/32): 27; 09 (1932/33): 15; 11 (1934/35): 31; 14 (1940/41): 37, 58, 81; 22 (1948/49): 42; 25 (1951/52): 9R; 27 (1953/54): 20; 28 (1954/55): 7B9; 29 (1955/56): 23; 31 (1957/58): 49, 53; 33 (1960): 14B, 53; 34 (1960/61): 8B, 10R; 35 (1962): 8B; 36 (1963): 9B, 12R, 30, 54; 37 (1964): 10B, 15R; 38 (1965): 13, 86B; 39 (1966): 13, 108B, 112R; 40 (1967-69): 192B; 41 (1970-72): 100, 171, 185B, 190R, 211, 265; 42 (1973-75): 41B, 45R, 147, 248B, 252R; 43 (1976-78): 46B, 63, 187-205, 206-235, 264B, 271R; 46 (1988-90): 322; 51 (2003): 22, 117, 168; 52 (2009): 86; 53 (2012): 140  
**Schwarzrückensteinsteinschmätzer:** 44 (1979-82): 213-225  
**Schwarzscheitelpalmist:** 47 (1991-93): 47  
**Schwarzschnabel-Sturmtaucher:** 11 (1934/35): 35

- Schwarzschwanz:** 44 (1979-82): 213-225
- Schwarzspecht:** 11 (1934/35): 20; 09 (1935/36): 25; 14 (1940/41): 54; 24 (1950/51): 37; 28 (1954/55): 7B8; 31 (1957/58): 89; 35 (1962): 8B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 109B; 40 (1967-69): 52, 193B; 41 (1970-72): 186B; 42 (1973-75): 42B, 141, 249B; 43 (1976-78): 1, 46B, 265B; 44 (1979-82): 269-302, 328B; 46 (1988-90): 26; 47 (1991-93): 91, 102, 241, 365; 48 (1994/95): 141; 50 (1999): 158, 191; 51 (2003): 27, 168, 169; 53 (2012): 161, 163, 164
- Schwarzstirnwürger:** 08 (1931/32): 21, 24; 12 (1938/39): 30; 14 (1940/41): 47; 21 (1947/48): 12; 23 (1949/50): 37; 28 (1954/55): 7B3; 29 (1955/56): 7B; 30 (1956/57): 6B, 8R; 31 (1957/58): 45; 32 (1959): 9B; 33 (1960): 13B, 35, 36; 34 (1960/61): 24; 36 (1963): 68; 38 (1965): 35, 88B, 108; 39 (1966): 110B; 41 (1970-72): 211; 42 (1973-75): 249B; 43 (1976-78): 64; 44 (1979-82): 213-225; 45 (1983-86): 232; 50 (1999): 177, 193; 53 (2012): 33
- Schwarzstorch:** 08 (1931/32): 23, 28; 14 (1940/41): 60; 25 (1951/52): 27; 29 (1955/56): 19; 30 (1956/57): 23; 35 (1962): 28, 29; 37 (1964): 20; 39 (1966): 12, 121, 126; 40 (1967-69): 16, 96; 41 (1970-72): 56, 99, 211; 42 (1973-75): 145, 243; 43 (1976-78): 30, 32, 37, 63, 258; 44 (1979-82): 213-225; 45 (1983-86): 83-87, 242; 47 (1991-93): 102, 241; 48 (1994/95): 131, 158
- Schwirrammer:** 47 (1991-93): 53
- Scolopax rusticola:** 14 (1940/41): 72; 33 (1960): 14B; 34 (1960/61): 10; 36 (1963): 9B, 31; 41 (1970-72): 189R, 211, 238, 302; 42 (1973-75): 148, 195; 43 (1976-78): 64, 265B; 44 (1979-82): 264; 46 (1988-90): 25, 237; 47 (1991-93): 105; 48 (1994/95): 139, 158; 50 (1999): 151, 190; 51 (2003): 23; 53 (2012): 140
- Scotocerca inquieta:** 44 (1979-82): 213-225
- Seeadler:** 14 (1940/41): 59; 34 (1960/61): 20; 40 (1967-69): 58, 186, 271; 41 (1970-72): 100, 211; 42 (1973-75): 147, 236; 43 (1976-78): 64; 44 (1979-82): 213-225, 232; 46 (1988-90): 24, 110; 47 (1991-93): 198; 48 (1994/95): 36, 99
- Seeregenpfeifer:** 40 (1967-69): 45, 67, 180, 195B, 259, 272; 41 (1970-72): 101; 44 (1979-82): 95-114, 213-225; 46 (1988-90): 233, 237; 50 (1999): 149, 190
- Seeschwalben:** 46 (1988-90): 81, 358
- Seetaucher:** 46 (1988-90): 301
- Seggenrohrsänger:** 12 (1938/39): 30; 34 (1960/61): 23; 37 (1964): 11B, 28; 38 (1965): 87B; 39 (1966): 129; 40 (1967-69): 193B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 150, 250B; 43 (1976-78): 47B, 65, 266B; 44 (1979-82): 330B; 50 (1999): 170, 192; 51 (2003): 167; 53 (2012): 38
- Segler:** 46 (1988-90): 263, 267, 301; 48 (1994/95): 17
- Seidenreiher:** 39 (1966): 119; 40 (1967-69): 57, 121, 262; 43 (1976-78): 258; 44 (1979-82): 92, 95-114, 213-225; 45 (1983-86): 83-87, 242; 46 (1988-90): 21, 78, 81, 233, 354, 358
- Seidenschwanz:** 08 (1931/32): 32; 09 (1932/33): 39; 21 (1947/48): 15; 24 (1950/51): 32; 30 (1956/57): 22; 31 (1957/58): 54, 80; 32 (1959): 25, 33; 33 (1960): 48; 37 (1964): 28, 38, 66; 38 (1965): 35; 39 (1966): 11, 90, 110B; 40 (1967-69): 59, 99, 193B; 41 (1970-72): 102, 175; 42 (1973-75): 150; 46 (1988-90): 31; 50 (1999): 170, 192

**Seidensänger:** 44 (1979-82): 213-225; 46 (1988-90): 72, 81

**Seiurus aurocapillus:** 47 (1991-93): 53

**Seiurus motacilla:** 47 (1991-93): 19

**Seiurus noveboracensis:** 47 (1991-93): 53, 145

**Sekretärtäube:** 47 (1991-93): 49

**Selasphorus rufus:** 47 (1991-93): 26, 53

**Selasphorus sasin:** 47 (1991-93): 26, 53

**Sericornis frontalis:** 47 (1991-93): 133

**Serinus canaria domestica:** 46 (1988-90): 1, 36, 239

**Serinus canarius:** 46 (1988-90): 1, 36, 239; 47 (1991-93): 133

**Serinus serinus:** 09 (1932/33): 26, 33, 36; 10 (1933/34): 56; 09 (1935/36): 12R, 19-21; 10 (1936/37): 12R; 11 (1937/38): 9R; 14 (1940/41): 43; 22 (1948/49): 19R, 35-38; 26 (1952/53): 7R; 27 (1953/54): 10R; 28 (1954/55): 6B, 71; 29 (1955/56): 6B; 30 (1956/57): 5B, 7R; 31 (1957/58): 42, 96B; 32 (1959): 9B; 33 (1960): 12B; 34 (1960/61): 9B, 12R; 35 (1962): 9B, 45; 36 (1963): 11B, 17R, 34; 37 (1964): 12B; 38 (1965): 88B; 39 (1966): 110B; 40 (1967-69): 194B, 198R; 41 (1970-72): 187B; 42 (1973-75): 43B, 51R, 250B; 43 (1976-78): 48B, 206-235, 267B; 44 (1979-82): 95-114, 159-186, 213-225, 269-302, 331B; 45 (1983-86): 91, 244; 46 (1988-90): 32, 34, 39, 55, 72, 81, 321; 47 (1991-93): 37, 91; 51 (2003): 46, 125; 52 (2009): 136; 53 (2012): 139, 153

**Setophaga ruticilla:** 47 (1991-93): 145

**Sibirische Drossel:** 40 (1967-69): 122

**Sibirischer Tannenhäher:** 41 (1970-72): 16

**Sichelstrandläufer:** 10 (1936/37): 20-22; 14 (1940/41): 69; 32 (1959): 19; 36 (1963): 26; 37 (1964): 26, 36, 49; 38 (1965): 108; 39 (1966): 123; 40 (1967-69): 67, 158, 192B, 259, 273; 41 (1970-72): 186B, 245; 42 (1973-75): 42B; 43 (1976-78): 256, 261; 44 (1979-82): 95-114, 328B; 46 (1988-90): 358; 47 (1991-93): 193, 324, 340; 50 (1999): 150, 190

**Sichler:** 44 (1979-82): 213-225; 45 (1983-86): 83-87, 229

**Silberhalstaube:** 46 (1988-90): 237

**Silbermöwe:** 14 (1940/41): 73; 24 (1950/51): 39; 25 (1951/52): 27; 31 (1957/58): 52; 32 (1959): 10B; 33 (1960): 40; 35 (1962): 8B, 15; 36 (1963): 28; 39 (1966): 128; 40 (1967-69): 195B; 41 (1970-72): 88, 186B; 42 (1973-75): 149, 237; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 147, 229, 237; 46 (1988-90): 70-81, 111, 233, 237, 266, 274; 47 (1991-93): 19, 48, 103, 123, 128, 196, 197, 241, 340, 365; 48 (1994/95): 120, 140; 50 (1999): 153, 191; 52 (2009): 86, 107, 110; 53 (2012): 123

**Silberreiher:** 14 (1940/41): 63; 37 (1964): 53; 38 (1965): 29; 43 (1976-78): 248; 44 (1979-82): 213-225; 45 (1983-86): 231, 323

**Singammer:** 47 (1991-93): 49

**Singdrossel:** 07 (1930/31): 18R; 08 (1931/32): 8R; 09 (1932/33): 10R, 23, 36; 10 (1933/34): 13R; 11 (1934/35): 10R, 20, 35; 09 (1935/36): 9R; 10 (1936/37): 11R; 14 (1940/41): 50; 21 (1947/48): 5; 23 (1949/50): 20R; 25 (1951/52): 19; 26 (1952/53): 7R; 27 (1953/54): 11R; 28 (1954/55): 7B, 76; 29 (1955/56): 7B,

9R, 10; 30 (1956/57): 6B, 8R; 31 (1957/58): 46, 97B, 99R; 32 (1959): 9B, 11R; 33 (1960): 13B, 16; 34 (1960/61): 9B; 35 (1962): 9B, 11R; 36 (1963): 10B, 33; 37 (1964): 11B, 66; 38 (1965): 87B; 39 (1966): 65, 109B; 40 (1967-69): 194B; 41 (1970-72): 23, 187B, 192R, 238; 42 (1973-75): 43B, 49R, 103, 110, 250B, 256R, 262R; 46 (1988-90): 322; 51 (2003): 34, 121-123; 52 (2009): 137, 139; 53 (2012): 118, 140, 161, 163

**Singschwan:** 13 (1939/40): 24; 14 (1940/41): 63; 16 (1942/43): 20; 20 (1946/47): 7; 29 (1955/56): 20; 33 (1960): 38; 36 (1963): 25, 53; 37 (1964): 23, 65, 66; 38 (1965): 68, 71; 39 (1966): 126; 40 (1967-69): 96, 121, 270; 41 (1970-72): 88, 99, 177, 211; 42 (1973-75): 145; 43 (1976-78): 30, 65, 258; 44 (1979-82): 92; 46 (1988-90): 108; 47 (1991-93): 103, 241, 323, 340; 50 (1999): 138, 189

**Sitta canadensis:** 47 (1991-93): 53

**Sitta europaea:** 07 (1930/31): 25R; 10 (1933/34): 18R; 11 (1934/35): 15R, 20; 09 (1935/36): 11R; 11 (1937/38): 11R; 14 (1940/41): 45; 21 (1947/48): 6, 14; 28 (1954/55): 7B, 73; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 55, 60, 63, 88, 97B, 99R; 32 (1959): 10B, 13; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 9B, 21; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 95-114, 159-186, 189-200, 228, 262, 264, 269-302, 329B; 45 (1983-86): 91, 145, 153, 220-223; 46 (1988-90): 28, 34, 39, 47, 54, 278, 280, 322, 361; 50 (1999): 177, 193; 51 (2003): 42; 52 (2009): 137, 138; 53 (2012): 139, 141, 160, 161, 163, 164, 183-185

**Skua:** 42 (1973-75): 149; 44 (1979-82): 339R; 47 (1991-93): 317, 322, 327, 328, 335, 336, 337, 340

**Smaragdspint:** 44 (1979-82): 213-225

**Soldatenkiebitz:** 47 (1991-93): 23

**Somateria mollissima:** 13 (1939/40): 21; 14 (1940/41): 67; 29 (1955/56): 15; 30 (1956/57): 25; 33 (1960): 41; 34 (1960/61): 8B, 13, 20; 35 (1962): 31; 37 (1964): 22; 39 (1966): 120; 40 (1967-69): 96, 186, 271; 41 (1970-72): 178, 211; 42 (1973-75): 146, 236; 43 (1976-78): 65; 45 (1983-86): 354; 46 (1988-90): 109; 47 (1991-93): 16, 95, 192, 196, 233, 322, 325, 331, 340, 348, 351, 358

**Somateria spectabilis:** 47 (1991-93): 193, 322, 340

**Sommergoldhähnchen:** 14 (1940/41): 47; 26 (1952/53): 41; 27 (1953/54): 12; 29 (1955/56): 7B; 31 (1957/58): 45, 97B; 32 (1959): 9B, 32, 33; 33 (1960): 13B, 47; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 87B; 39 (1966): 110B, 129; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 39, 47B, 206-235, 266B; 44 (1979-82): 330B; 45 (1983-86): 181, 196, 244, 356; 46 (1988-90): 31, 112, 126; 47 (1991-93): 13, 91, 103; 48 (1994/95): 159; 50 (1999): 174, 193; 51 (2003): 39; 52 (2009): 137; 53 (2012): 140

**Sotrapgoldhähnchen:** 47 (1991-93): 19

**Spatelente:** 37 (1964): 22, 29

**Spatelraubmöwe:** 43 (1976-78): 256; 48 (1994/95): 158

**Specht:** 46 (1988-90): 47, 299, 346; 47 (1991-93): 15

- Speotyto cunicularia:** 47 (1991-93): 158
- Sperber:** 07 (1930/31): 25R; 09 (1932/33): 15, 19, 29; 09 (1935/36): 15R; 10 (1936/37): 14R; 12 (1938/39): 38; 13 (1939/40): 30; 14 (1940/41): 57, 81; 21 (1947/48): 6; 27 (1953/54): 11R; 28 (1954/55): 8B, 79; 30 (1956/57): 7B; 31 (1957/58): 75; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 14; 36 (1963): 9B, 19R, 30; 37 (1964): 10B, 18R; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 7, 60, 185B, 211, 239, 264; 42 (1973-75): 41B, 248B; 43 (1976-78): 46B, 63, 187-205, 206-235, 264B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 327B, 338R; 45 (1983-86): 91; 46 (1988-90): 237, 322; 51 (2003): 20, 22; 53 (2012): 140
- Sperbereule:** 22 (1948/49): 42
- Sperbergrasmücke:** 21 (1947/48): 5, 9; 23 (1949/50): 26-31; 24 (1950/51): 36; 28 (1954/55): 7B5; 33 (1960): 46; 37 (1964): 11B, 62; 40 (1967-69): 193B, 274; 41 (1970-72): 103, 187B; 42 (1973-75): 150; 46 (1988-90): 81; 50 (1999): 172, 193; 53 (2012): 40-41
- Sperlingskauz:** 41 (1970-72): 178
- Sperlingsvögel:** 46 (1988-90): 52, 219, 260, 278, 299; 47 (1991-93): 15, 27
- Spermestes:** 48 (1994/95): 24
- Pheniculus magellanicus:** 46 (1988-90): 278; 47 (1991-93): 32
- Phenisciformes:** 46 (1988-90): 258-300; 47 (1991-93): 18, 22, 30, 35, 38, 39, 127, 148; 48 (1994/95): 22
- Pheniscus humboldti:** 46 (1988-90): 274; 47 (1991-93): 23, 32, 39, 53, 128
- Pheniscus mendiculus:** 47 (1991-93): 32
- Spiessente:** 12 (1938/39): 27; 13 (1939/40): 24; 14 (1940/41): 65; 30 (1956/57): 24, 25; 31 (1957/58): 89; 36 (1963): 25; 37 (1964): 21; 41 (1970-72): 68, 87, 211; 43 (1976-78): 63; 44 (1979-82): 213-225; 46 (1988-90): 22; 47 (1991-93): 19, 92, 103, 241; 48 (1994/95): 133; 50 (1999): 139, 189; 53 (2012): 140
- Spinus tristis:** 47 (1991-93): 126, 133
- Spinus tristis jewetti:** 47 (1991-93): 18
- Spitzschwanz-Paradieswitwe:** 13 (1939/40): 8
- Spizella arborea:** 47 (1991-93): 145
- Spizella passerina:** 47 (1991-93): 53
- Spornammer:** 41 (1970-72): 178; 47 (1991-93): 192
- Spornkiebitz:** 44 (1979-82): 213-225; 45 (1983-86): 83-87; 47 (1991-93): 155
- Spottdrossel:** 45 (1983-86): 194
- Sprosser:** 41 (1970-72): 97; 46 (1988-90): 16, 74, 81; 50 (1999): 165, 192; 53 (2012): 46
- Star:** 07 (1930/31): 17R; 08 (1931/32): 10R, 12; 09 (1932/33): 11R, 15, 22, 30; 10 (1933/34): 14R; 11 (1934/35): 12R, 20, 30, 31; 09 (1935/36): 13R, 20, 21, 23; 10 (1936/37): 13R; 11 (1937/38): 13-19; 12 (1938/39): 30; 14 (1940/41): 42; 21 (1947/48): 5; 22 (1948/49): 19R; 23 (1949/50): 20R; 24 (1950/51): 9R; 25 (1951/52): 16-19, 20, 21; 26 (1952/53): 7R; 27 (1953/54): 11R; 28 (1954/55): 7B, 8R, 70; 29 (1955/56): 7B, 8R, 10; 30 (1956/57): 7B, 9R, 19; 31 (1957/58): 3,

16, 41, 97B, 99R; 32 (1959): 10B, 11R, 13, 32; 33 (1960): 14B, 16; 34 (1960/61): 9B, 11R; 35 (1962): 9B, 11R, 13, 14; 36 (1963): 11B, 34, 35, 48; 37 (1964): 12B; 46 (1988-90): 322; 51 (2003): 09, 45, 117, 118; 52 (2009): 137, 139; 53 (2012): 71, 88, 89, 91, 125, 130-136, 140, 141, 161

**Steatornis caripensis:** 47 (1991-93): 144

**Steganura paradisaea:** 13 (1939/40): 8

**Steinadler:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 70, 81, 90, 91, 94, 352; 48 (1994/95): 36

**Steinkauz:** 07 (1930/31): 27R; 09 (1932/33): 17, 28; 11 (1934/35): 15R, 31; 10 (1936/37): 14R; 11 (1937/38): 12R; 13 (1939/40): 29; 14 (1940/41): 55; 23 (1949/50): 20R; 27 (1953/54): 10R; 28 (1954/55): 7B, 78; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 97B; 33 (1960): 14B; 36 (1963): 31; 40 (1967-69): 192B; 41 (1970-72): 186B, 211, 272; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 64, 242, 265B; 44 (1979-82): 95-114, 213-225, 328B, 339R; 44 (1979-82): 339R; 45 (1983-86): 90, 91, 232; 46 (1988-90): 322-324; 47 (1991-93): 91, 103, 241, 355, 365; 48 (1994/95): 140, 141; 50 (1999): 155, 186, 191; 51 (2003): 134-136; 53 (2012): 140

**Steinlärche:** 44 (1979-82): 213-225

**Steinrötel:** 08 (1931/32): 25; 41 (1970-72): 56; 46 (1988-90): 72, 81, 218, 227; 48 (1994/95): 159; 53 (2012): 43

**Steinschmätzer:** 08 (1931/32): 8R; 10 (1933/34): 16R; 11 (1934/35): 20; 28 (1954/55): 7B, 76; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 47, 97B, 99R; 32 (1959): 9B; 33 (1960): 13B, 34; 34 (1960/61): 9B, 29; 35 (1962): 9B; 36 (1963): 10B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 102, 250B; 43 (1976-78): 47B, 266B; 44 (1979-82): 41-88, 95-114, 213-225, 329B; 45 (1983-86): 83-87, 230; 46 (1988-90): 72, 78, 81, 218; 47 (1991-93): 103, 193, 195, 196, 242, 322, 327, 340, 365; 48 (1994/95): 144; 53 (2012): 48, 51, 140

**Steinsperling:** 08 (1931/32): 24; 44 (1979-82): 95-114; 46 (1988-90): 219, 239

**Steinwälzer:** 36 (1963): 26; 37 (1964): 16, 47; 38 (1965): 108; 39 (1966): 11, 127; 40 (1967-69): 67, 180, 262, 272; 42 (1973-75): 148; 43 (1976-78): 260; 44 (1979-82): 213-225; 46 (1988-90): 107; 47 (1991-93): 192, 196, 198, 320, 335, 340; 53 (2012): 112

**Steisschühner:** 46 (1988-90): 301

**Stellula calliope:** 47 (1991-93): 26, 54

**Stelzenläufer:** 38 (1965): 73; 39 (1966): 11, 128; 40 (1967-69): 193B; 42 (1973-75): 197, 244; 44 (1979-82): 95-114, 213-225; 46 (1988-90): 233, 358; 47 (1991-93): 155

**Stelzenwaldsänger:** 47 (1991-93): 19

**Stentorrohrsänger:** 44 (1979-82): 213-225

**Steppenadler:** 44 (1979-82): 213-225; 45 (1983-86): 231, 341-344; 48 (1994/95): 36, 43

**Steppenkiebitz:** 43 (1976-78): 33; 47 (1991-93): 103, 339

**Steppenmöwe:** 52 (2009): 109-110

- Steppenweihe:** 14 (1940/41): 57; 44 (1979-82): 213-225; 46 (1988-90): 81, 77; 48 (1994/95): 36
- Stercorarius parasiticus:** 33 (1960): 45; 40 (1967-69): 18; 42 (1973-75): 149; 43 (1976-78): 31, 256; 47 (1991-93): 192, 198, 317, 322, 328, 335, 337, 340
- Stercorarius pomarinus:** 43 (1976-78): 256; 48 (1994/95): 158
- Stercorarius skua:** 42 (1973-75): 149; 44 (1979-82): 339R; 47 (1991-93): 317, 322, 327, 328, 335, 336, 337, 340
- Sterna albifrons:** 14 (1940/41): 73; 38 (1965): 38; 39 (1966): 15, 128; 40 (1967-69): 262, 273; 42 (1973-75): 149; 44 (1979-82): 93, 112
- Sterna hirundo:** 14 (1940/41): 73; 33 (1960): 45; 38 (1965): 102; 39 (1966): 15, 128; 40 (1967-69): 59; 41 (1970-72): 56, 102; 43 (1976-78): 63, 273R; 44 (1979-82): 213-225; 46 (1988-90): 237; 48 (1994/95): 158
- Sterna paradisaea:** 41 (1970-72): 95; 45 (1983-86): 95; 47 (1991-93): 192, 195, 196, 198, 200, 231, 337, 338, 340
- Sterna sandvicensis:** 44 (1979-82): 213-225
- Sternelfe:** 47 (1991-93): 26, 54
- Sternidae:** 46 (1988-90): 81, 358
- Sterntaucher:** 14 (1940/41): 68; 27 (1953/54): 21; 33 (1960): 37; 34 (1960/61): 18; 38 (1965): 59; 39 (1966): 125; 42 (1973-75): 236; 43 (1976-78): 29, 37, 258; 45 (1983-86): 354; 47 (1991-93): 103, 193, 324, 330, 335, 337, 340
- Stieglitz:** 08 (1931/32): 32; 10 (1933/34): 56; 13 (1939/40): 9; 14 (1940/41): 42; 24 (1950/51): 9R; 28 (1954/55): 6B, 71; 29 (1955/56): 6B, 10; 30 (1956/57): 5B, 7R; 31 (1957/58): 42, 96B; 32 (1959): 8B; 33 (1960): 12B, 15; 34 (1960/61): 9B, 11R; 35 (1962): 9B, 12R; 36 (1963): 11B, 15R, 19R, 34, 70; 37 (1964): 12B, 17R, 19, 63; 38 (1965): 88B, 94R; 39 (1966): 110B, 116R; 40 (1967-69): 194B; 41 (1970-72): 187B, 192R; 42 (1973-75): 11, 23, 43B, 51R, 54R, 251B, 258R; 43 (1976-78): 48B, 206-235, 267B, 272R; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 269-302, 331B; 45 (1983-86): 91, 230; 46 (1988-90): 32, 39, 72, 81, 239, 283, 322; 51 (2003): 47, 117, 118; 52 (2009): 115, 137, 139; 53 (2012): 84, 135, 136, 140, 150-151
- Stockente:** 09 (1932/33): 15; 12 (1938/39): 27; 13 (1939/40): 8, 24, 25; 14 (1940/41): 64; 28 (1954/55): 8B; 29 (1955/56): 8B; 30 (1956/57): 24, 25; 31 (1957/58): 49, 51, 89, 98B; 32 (1959): 29; 34 (1960/61): 8B; 36 (1963): 9B, 25, 30; 37 (1964): 10B, 15R; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 17, 192B; 41 (1970-72): 66, 87, 103R, 185B, 238; 42 (1973-75): 41B, 52R, 248B; 43 (1976-78): 46B, 71, 198, 206-235, 264B; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 265, 269-302, 327B; 45 (1983-86): 89-91; 46 (1988-90): 22, 33-36, 47, 54, 265, 322; 51 (2003): 21, 121-125; 53 (2012): 140, 141, 161, 163, 164
- Strandpieper:** 47 (1991-93): 193, 322; 53 (2012): 112
- Strauss:** 46 (1988-90): 259, 261, 269, 270, 283; 47 (1991-93): 17, 22, 39, 158, 160
- Streifengans:** 46 (1988-90): 86; 47 (1991-93): 104, 348; 48 (1994/95): 118, 132
- Streifenkauz:** 47 (1991-93): 19
- Streifenprinie:** 44 (1979-82): 213-225; 45 (1983-86): 83-87

**Streptopelia decaocto:** 24 (1950/51): 10-24, 22, 24; 27 (1953/54): 13, 14; 28 (1954/55): 8B; 29 (1955/56): 8B, 19; 30 (1956/57): 26, 27; 31 (1957/58): 31, 78; 32 (1959): 31; 33 (1960): 14B, 31, 50; 34 (1960/61): 8B, 16, 22, 25, 26; 35 (1962): 8B, 33, 37; 36 (1963): 10B, 31, 59, 60, 61; 37 (1964): 10B, 60; 38 (1965): 32, 86B, 91R; 39 (1966): 11, 108B; 40 (1967-69): 192B; 41 (1970-72): 186B; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 41-88, 95-114, 213-225, 328B; 45 (1983-86): 91; 46 (1988-90): 25, 33, 37, 54, 322; 47 (1991-93): 91; 48 (1994/95): 47, 48; 50 (1999): 154, 186, 188, 191; 51 (2003): 24; 53 (2012): 113, 140

**Streptopelia risoria:** 27 (1953/54): 19

**Streptopelia senegalensis:** 44 (1979-82): 213-225; 45 (1983-86): 83-87; 47 (1991-93): 19

**Streptopelia turtur:** 14 (1940/41): 69; 24 (1950/51): 21, 23; 28 (1954/55): 8B, 81; 30 (1956/57): 7B; 31 (1957/58): 49, 98B; 33 (1960): 14B; 34 (1960/61): 8B; 36 (1963): 10B, 19R, 31; 37 (1964): 10B; 38 (1965): 32, 86B; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 186B, 211, 239; 42 (1973-75): 42B, 47R, 135, 249B; 43 (1976-78): 46B, 50R, 64, 139-142, 247, 265B; 44 (1979-82): 41-88, 112, 159-186, 213-225, 265, 269-302, 328B, 334R; 45 (1983-86): 90, 91; 46 (1988-90): 25, 33, 40, 238, 277, 322; 47 (1991-93): 91; 51 (2003): 117, 121-123; 53 (2012): 115, 116, 140

**Strichelschwirl:** 47 (1991-93): 339

**Strigiformes:** 46 (1988-90): 92, 260, 274, 299; 47 (1991-93): 134; 48 (1994/95): 22

**Strix aluco:** 08 (1931/32): 32; 09 (1932/33): 18; 11 (1934/35): 31; 09 (1935/36): 15R; 12 (1938/39): 38; 14 (1940/41): 55; 22 (1948/49): 41, 44; 24 (1950/51): 37; 28 (1954/55): 7B, 78; 30 (1956/57): 7B; 31 (1957/58): 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 193B; 41 (1970-72): 186B, 239; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 265B, 273R; 44 (1979-82): 11, 255-268, 269-302, 328B; 46 (1988-90): 19, 26, 33, 37, 278; 47 (1991-93): 91, 104; 48 (1994/95): 141; 50 (1999): 155, 188, 191; 51 (2003): 25

**Strix butleri:** 46 (1988-90): 90, 93

**Strix varia:** 47 (1991-93): 19

**Strohwitwe:** 45 (1983-86): 194-196

**Struthio camelus:** 46 (1988-90): 259, 261, 269, 270, 283; 47 (1991-93): 17, 22, 39, 158, 160

**Struthioniformes:** 46 (1988-90): 300

**Stummellerche:** 44 (1979-82): 95-114, 213-225; 46 (1988-90): 238

**Sturmmöwe:** 14 (1940/41): 73; 24 (1950/51): 39; 30 (1956/57): 16; 31 (1957/58): 52; 33 (1960): 40; 35 (1962): 15; 36 (1963): 28; 37 (1964): 26; 39 (1966): 15; 40 (1967-69): 98; 41 (1970-72): 88; 45 (1983-86): 243; 46 (1988-90): 36, 111, 219; 47 (1991-93): 48, 104, 192, 196, 198, 200, 242, 340, 365, 366; 48 (1994/95): 120, 140; 50 (1999): 153, 191; 52 (2009): 86, 100-101

**Sturmschwalbe:** 26 (1952/53): 39-40; 33 (1960): 28; 46 (1988-90): 236, 268; 47 (1991-93): 317, 340

- Sturnopastor contra:** 46 (1988-90): 149
- Sturnus pagodarum:** 45 (1983-86): 181-200
- Sturnus roseus:** 46 (1988-90): 125
- Sturnus unicolor:** 44 (1979-82): 95-114
- Sturnus vulgaris:** 07 (1930/31): 17R; 08 (1931/32): 10R, 12; 09 (1932/33): 11R, 15, 22, 30; 10 (1933/34): 14R; 11 (1934/35): 12R, 20, 30, 31; 09 (1935/36): 13R, 20, 21, 23; 10 (1936/37): 13R; 11 (1937/38): 13-19; 12 (1938/39): 30; 14 (1940/41): 42; 21 (1947/48): 5; 22 (1948/49): 19R; 23 (1949/50): 20R; 24 (1950/51): 9R; 25 (1951/52): 16-19, 20, 21; 26 (1952/53): 7R; 27 (1953/54): 11R; 28 (1954/55): 7B, 8R, 70; 29 (1955/56): 7B, 8R, 10; 30 (1956/57): 7B, 9R, 19; 31 (1957/58): 3, 16, 41, 97B, 99R; 32 (1959): 10B, 11R, 13, 32; 33 (1960): 14B, 16; 34 (1960/61): 9B, 11R; 35 (1962): 9B, 11R, 13, 14; 36 (1963): 11B, 34, 35, 48; 37 (1964): 12B; 46 (1988-90): 322; 51 (2003): 09, 45, 117, 118; 52 (2009): 137, 139; 53 (2012): 71, 88, 89, 91, 125, 130-136, 140, 141, 161
- Störche:** 46 (1988-90): 259, 289, 300
- Sula bassana:** 29 (1955/56): 11; 44 (1979-82): 95-114; 45 (1983-86): 353; 47 (1991-93): 328, 329, 336, 340
- Sula dactyla:** 46 (1988-90): 259
- Sula leucogaster:** 44 (1979-82): 213-225; 44 (1979-82): 213-225
- Sula sula:** 46 (1988-90): 259
- Sumpfammer:** 47 (1991-93): 49
- Sumpfläufer:** 37 (1964): 26, 30; 40 (1967-69): 46, 67, 177; 41 (1970-72): 102, 245
- Sumpfmeise:** 07 (1930/31): 25R; 09 (1932/33): 25, 33; 11 (1934/35): 20; 09 (1935/36): 10R, 20; 10 (1936/37): 24; 11 (1937/38): 10R; 12 (1938/39): 16R; 14 (1940/41): 46; 28 (1954/55): 7B, 73; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 65, 96B; 32 (1959): 9B, 13; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 9B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 111, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 159-186, 189-200, 265, 329B; 45 (1983-86): 153; 46 (1988-90): 28, 34, 38, 55, 281; 47 (1991-93): 91, 173; 50 (1999): 175, 193; 51 (2003): 40; 52 (2009): 137, 139; 53 (2012): 140, 141, 153, 161, 163, 164, 182
- Sumpfohreule:** 08 (1931/32): 26; 12 (1938/39): 35-36; 14 (1940/41): 55; 28 (1954/55): 7B8; 29 (1955/56): 6B; 33 (1960): 32, 40; 37 (1964): 26; 38 (1965): 15, 86B; 39 (1966): 128; 40 (1967-69): 59, 189, 195B; 41 (1970-72): 56, 102, 174, 180, 211; 42 (1973-75): 42B, 136, 242, 244, 249B; 43 (1976-78): 63; 44 (1979-82): 41-88, 213-225; 46 (1988-90): 81; 47 (1991-93): 366; 48 (1994/95): 158; 50 (1999): 156, 191
- Sumpfrohrsänger:** 09 (1932/33): 14; 14 (1940/41): 49; 28 (1954/55): 7B4; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 33; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 187B; 42 (1973-75): 13, 18, 42B, 110, 111, 206, 250B; 43 (1976-78): 47B, 52R, 206-235, 266B; 44 (1979-82): 41-88, 159-186, 220, 269-302, 305-316, 330B; 45 (1983-86): 90, 91, 194; 46 (1988-90): 30, 54, 322-325; 48 (1994/95): 159; 51 (2003): 35, 103,

110, 112, 118-129, 168; 52 (2009): 137, 139; 53 (2012): 39, 88, 140, 153, 155

**Surnia ulula:** 22 (1948/49): 42

**Sylvia:** 46 (1988-90): 52, 323, 324

**Sylvia atricapilla:** 07 (1930/31): 21R; 08 (1931/32): 8R, 32; 09 (1932/33): 9R; 10 (1933/34): 13R, 55; 11 (1934/35): 20; 09 (1935/36): 9R; 10 (1936/37): 11R; 11 (1937/38): 10R, 19-20; 14 (1940/41): 50; 27 (1953/54): 18; 28 (1954/55): 7B, 75; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B, 11R; 33 (1960): 13B; 34 (1960/61): 9B, 11R; 35 (1962): 9B; 36 (1963): 11B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 23, 187B, 191R, 238; 42 (1973-75): 43B, 49R, 250B, 255R; 43 (1976-78): 47B, 52R, 56R, 206-235, 266B; 44 (1979-82): 95-114, 159-186, 213-225, 265, 269-302, 330B, 335R; 46 (1988-90): 322; 51 (2003): 36, 121-125; 52 (2009): 137, 138; 53 (2012): 139, 142, 155, 160, 161-163, 172-173, 183-185

**Sylvia atricapilla obscura:** 46 (1988-90): 238

**Sylvia borin:** 10 (1933/34): 56; 11 (1934/35): 20; 14 (1940/41): 50; 23 (1949/50): 27; 28 (1954/55): 7B, 75; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 46, 96B; 32 (1959): 9B; 33 (1960): 13B, 47; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 23, 193B; 41 (1970-72): 23, 187B, 238; 42 (1973-75): 13, 43B, 110, 206, 250B, 255R; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 159-186, 213-225, 264, 269-302, 330B, 335R; 45 (1983-86): 91; 46 (1988-90): 36, 54, 321, 325; 47 (1991-93): 20, 35, 37, 91, 134, 135, 152, 340; 48 (1994/95): 159; 51 (2003): 36, 121-125; 52 (2009): 136, 138; 53 (2012): 115, 139, 153, 155, 161, 162

**Sylvia cantillans:** 40 (1967-69): 195B; 44 (1979-82): 95-114

**Sylvia communis:** 07 (1930/31): 22R; 09 (1932/33): 14, 27; 10 (1933/34): 56; 11 (1934/35): 20; 14 (1940/41): 50; 21 (1947/48): 6; 23 (1949/50): 27; 25 (1951/52): 19; 28 (1954/55): 7B, 75; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B; 40 (1967-69): 19, 193B; 41 (1970-72): 187B, 238; 42 (1973-75): 13, 43B, 110, 206, 250B, 255R; 43 (1976-78): 47B, 56R, 206-235, 266B; 44 (1979-82): 41-88, 159-186, 213-225, 269-302, 330B; 45 (1983-86): 91; 46 (1988-90): 321; 51 (2003): 36, 110-129; 52 (2009): 136, 138; 53 (2012): 41, 82, 89, 139, 142, 153

**Sylvia conspic. orbitalis:** 46 (1988-90): 233, 234, 238

**Sylvia curruca:** 10 (1933/34): 16R, 56; 11 (1934/35): 20; 14 (1940/41): 50; 22 (1948/49): 37; 28 (1954/55): 7B, 76; 29 (1955/56): 7B, 10; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 187B, 238; 42 (1973-75): 13, 43B, 110, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 41-88, 159-186, 213-225, 330B; 45 (1983-86): 91; 46 (1988-90): 50, 54, 322; 47 (1991-93): 35, 91, 98; 50 (1999): 172, 193; 51 (2003): 35, 122, 124; 52 (2009): 137, 138; 53 (2012): 139, 153, 161

**Sylvia hortensis:** 41 (1970-72): 187B; 44 (1979-82): 213-225; 45 (1983-86): 233

**Sylvia melanocephala:** 40 (1967-69): 195B; 44 (1979-82): 95-114; 45 (1983-86): 228; 46 (1988-90): 72, 81, 219, 238

- Sylvia minula:** 44 (1979-82): 213-225
- Sylvia nisoria:** 21 (1947/48): 5, 9; 23 (1949/50): 26-31; 24 (1950/51): 36; 28 (1954/55): 7B5; 33 (1960): 46; 37 (1964): 11B, 62; 40 (1967-69): 193B, 274; 41 (1970-72): 103, 187B; 42 (1973-75): 150; 46 (1988-90): 81; 50 (1999): 172, 193; 53 (2012): 40-41
- Sylvia rueppelli:** 44 (1979-82): 213-225; 46 (1988-90): 72, 81
- Sylvia undata:** 44 (1979-82): 95-114
- Syrmaticus mikado:** 46 (1988-90): 153
- Säbelpipra:** 47 (1991-93): 49
- Säbelschnäbler:** 37 (1964): 37; 39 (1966): 15, 110B; 40 (1967-69): 46, 59, 98, 122, 259, 262; 42 (1973-75): 148; 43 (1976-78): 38, 261; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 323; 46 (1988-90): 70; 47 (1991-93): 155; 50 (1999): 149, 190
- Sägekauz:** 46 (1988-90): 274; 47 (1991-93): 44
- Tachybaptus ruficollis:** 14 (1940/41): 68; 21 (1947/48): 14; 22 (1948/49): 44; 28 (1954/55): 8B, 81; 30 (1956/57): 24, 25; 31 (1957/58): 49, 90; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 26, 30; 37 (1964): 10B; 38 (1965): 86B; 41 (1970-72): 68, 185B; 42 (1973-75): 41B; 43 (1976-78): 46B, 206-235, 264B; 44 (1979-82): 95-114, 213-225, 269-302, 327B; 46 (1988-90): 21, 33, 35, 40, 103, 357; 47 (1991-93): 91, 92, 106, 243, 348, 366; 48 (1994/95): 118, 119, 130, 158; 50 (1999): 133, 188; 53 (2012): 122, 136, 140, 153, 161, 163
- Tachycineta thalassina:** 46 (1988-90): 268
- Tadorna ferruginea:** 40 (1967-69): 121, 186, 262; 41 (1970-72): 89; 44 (1979-82): 93, 232; 47 (1991-93): 101; 48 (1994/95): 119
- Tadorna tadorna:** 36 (1963): 53; 39 (1966): 10, 121; 40 (1967-69): 195B; 41 (1970-72): 87, 89, 211; 43 (1976-78): 65; 44 (1979-82): 213-225; 47 (1991-93): 95, 340
- Taeniopygia guttata:** 46 (1988-90): 274
- Taeniopygia guttata castanotis:** 44 (1979-82): 201-212; 45 (1983-86): 196; 47 (1991-93): 18, 54, 158, 159, 160
- Tafelente:** 12 (1938/39): 28; 13 (1939/40): 24; 14 (1940/41): 66; 28 (1954/55): 8B; 30 (1956/57): 24; 31 (1957/58): 49, 89, 90; 36 (1963): 25; 37 (1964): 21; 40 (1967-69): 17; 41 (1970-72): 56, 68, 211; 43 (1976-78): 30, 64, 133; 44 (1979-82): 95-114; 45 (1983-86): 89-91; 46 (1988-90): 23, 274, 322; 47 (1991-93): 91, 104, 242, 348, 349, 351, 366; 48 (1994/95): 118, 119, 133; 50 (1999): 140, 189
- Takazzenektarvogel:** 47 (1991-93): 50
- Tannenhäher:** 25 (1951/52): 26; 28 (1954/55): 6B, 70; 29 (1955/56): 13, 18; 31 (1957/58): 46; 32 (1959): 25; 35 (1962): 38; 37 (1964): 27, 60; 40 (1967-69): 123, 189, 195B; 41 (1970-72): 16, 165, 177, 239; 42 (1973-75): 251B; 44 (1979-82): 329B; 47 (1991-93): 148; 50 (1999): 179-180, 193
- Tannenmeise:** 11 (1934/35): 20; 09 (1935/36): 10R; 12 (1938/39): 16R; 14 (1940/41): 46; 21 (1947/48): 6; 28 (1954/55): 7B, 73; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 44, 61, 64, 65, 66, 87, 96B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 9B; 36 (1963): 10B, 32, 37; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B, 239;

- 42 (1973-75): 43B, 48R, 250B; 43 (1976-78): 1, 47B, 56R, 266B; 44 (1979-82): 89, 95-114, 189-200, 262, 264, 329B; 45 (1983-86): 23-61, 91, 153; 46 (1988-90): 79, 81, 280, 322; 47 (1991-93): 91; 50 (1999): 176, 193; 51 (2003): 41; 53 (2012): 140, 161, 163, 164
- Tauben:** 46 (1988-90): 259, 274, 291, 299; 47 (1991-93): 15, 138, 153; 48 (1994/95): 43; 52 (2009): 137
- Taubenteiste:** 47 (1991-93): 45
- Teichralle:** 09 (1932/33): 14; 11 (1937/38): 13R; 12 (1938/39): 33-35; 14 (1940/41): 74; 22 (1948/49): 44; 24 (1950/51): 27; 28 (1954/55): 8B, 82; 29 (1955/56): 8B; 30 (1956/57): 7B, 26; 31 (1957/58): 41, 49; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 9B, 30, 58; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 186B, 191R; 42 (1973-75): 41B, 249B; 43 (1976-78): 46B, 198, 206-235, 265B; 44 (1979-82): 90, 95-114, 213-225, 265, 269-302, 327B; 45 (1983-86): 89-91, 229; 46 (1988-90): 24, 33, 40, 47, 54, 237, 322; 47 (1991-93): 91, 104, 340; 48 (1994/95): 158; 50 (1999): 148, 186, 190; 51 (2003): 23, 121-123; 53 (2012): 140, 153
- Teichrohrsänger:** 09 (1932/33): 14; 14 (1940/41): 48; 22 (1948/49): 44; 28 (1954/55): 7B4; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B, 114R; 40 (1967-69): 193B, 197R; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B, 255R, 261R; 43 (1976-78): 47B, 52R, 55R, 266B; 44 (1979-82): 95-114, 213-225, 269-302, 305-316, 330B; 45 (1983-86): 90, 91; 46 (1988-90): 50, 54, 81, 322-325; 47 (1991-93): 91, 104; 50 (1999): 171, 192; 51 (2003): 121-125, 168; 52 (2009): 137, 139; 53 (2012): 140, 153
- Teichwasserläufer:** 37 (1964): 35; 38 (1965): 103, 108; 39 (1966): 17; 42 (1973-75): 148; 44 (1979-82): 213-225
- Temminckstrandläufer:** 10 (1936/37): 20-22; 36 (1963): 27, 47, 48; 37 (1964): 25, 36, 41, 49; 39 (1966): 123; 40 (1967-69): 67, 175, 272; 42 (1973-75): 42B; 46 (1988-90): 358; 47 (1991-93): 192, 320, 340; 50 (1999): 150, 190
- Teneriffa-Blaumeise:** 46 (1988-90): 238
- Terekwasserläufer:** 39 (1966): 17
- Tetraenura fischeri:** 45 (1983-86): 194-196
- Tetraenura regia:** 45 (1983-86): 194-196
- Tetrao urogallus:** 24 (1950/51): 40; 31 (1957/58): 76; 33 (1960): 41; 36 (1963): 30; 40 (1967-69): 187; 41 (1970-72): 56, 172, 208, 211; 42 (1973-75): 183; 43 (1976-78): 63, 243; 47 (1991-93): 58; 50 (1999): 40
- Tetraoninae:** 41 (1970-72): 7, 57
- Texasnachtschwalbe:** 46 (1988-90): 267
- Teydefink:** 46 (1988-90): 239
- Theklalerche:** 44 (1979-82): 95-114
- Thorshühnchen:** 42 (1973-75): 139; 44 (1979-82): 227
- Thryothorus rufalbus:** 47 (1991-93): 26
- Thunberg-Schafstelze:** 53 (2012): 49, 51

- Tiaris canora:** 45 (1983-86): 195, 196
- Tichodroma muraria:** 10 (1936/37): 23; 32 (1959): 32; 37 (1964): 61; 42 (1973-75): 150; 53 (2012): 41-42, 51
- Tinamiformes:** 46 (1988-90): 301
- Tordalk:** 13 (1939/40): 24; 45 (1983-86): 237; 46 (1988-90): 259; 47 (1991-93): 16, 193, 316, 340; 48 (1994/95): 158
- Torgos tracheliotus:** 44 (1979-82): 213-225; 46 (1988-90): 89-94
- Trauerente:** 14 (1940/41): 67; 29 (1955/56): 20; 31 (1957/58): 51, 90; 33 (1960): 38; 37 (1964): 22, 50; 38 (1965): 28, 36, 37, 107; 39 (1966): 13, 126; 40 (1967-69): 96, 186, 271; 41 (1970-72): 89; 43 (1976-78): 38, 254; 47 (1991-93): 104, 340; 50 (1999): 141, 189
- Trauerschnäpper:** 08 (1931/32): 10R, 31; 09 (1932/33): 11R, 27; 11 (1934/35): 11R, 20; 10 (1936/37): 12R; 11 (1937/38): 11R; 13 (1939/40): 12-16; 14 (1940/41): 47; 21 (1947/48): 6; 23 (1949/50): 20R, 37; 24 (1950/51): 35; 25 (1951/52): 9R; 26 (1952/53): 7R; 27 (1953/54): 11R, 21; 28 (1954/55): 7B, 9R, 74; 29 (1955/56): 7B, 9R, 22; 30 (1956/57): 6B, 8R, 13; 31 (1957/58): 45, 56, 60-67, 97B, 99R; 32 (1959): 9B, 11R, 13; 33 (1960): 13B, 16; 34 (1960/61): 9B, 11R, 31; 35 (1962): 9B, 21; 36 (1963): 11B, 34, 41; 37 (1964): 12B, 62; 38 (1965): 87B; 39 (1966): 110B, 114R; 40 (1967-69): 56, 194B, 197R, 267; 41 (1970-72): 187B, 192R; 42 (1973-75): 43B, 49R, 111, 207, 250B, 256R; 46 (1988-90): 322; 51 (2003): 07, 40; 52 (2009): 137, 139; 53 (2012): 140, 161, 163, 181-182
- Trauerschwan:** 47 (1991-93): 348; 48 (1994/95): 118, 119, 131
- Trauerseeschwalbe:** 14 (1940/41): 72; 21 (1947/48): 13; 29 (1955/56): 14; 33 (1960): 40, 44, 45; 36 (1963): 28, 48; 37 (1964): 26, 59; 39 (1966): 110B; 40 (1967-69): 262; 41 (1970-72): 56, 211; 43 (1976-78): 63; 44 (1979-82): 112; 47 (1991-93): 242; 48 (1994/95): 140; 50 (1999): 153, 191
- Trauersteinschmätzer:** 44 (1979-82): 95-114
- Triel:** 37 (1964): 26; 39 (1966): 128; 43 (1976-78): 35; 45 (1983-86): 230; 46 (1988-90): 237
- Tringa erythropus:** 14 (1940/41): 70; 16 (1942/43): 16-18; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 39; 35 (1962): 8B, 36; 36 (1963): 27, 46, 47; 37 (1964): 25, 35, 37, 48; 39 (1966): 17, 108B, 123; 40 (1967-69): 58, 259; 41 (1970-72): 186B, 244; 43 (1976-78): 255; 44 (1979-82): 95-114, 213-225; 47 (1991-93): 95; 50 (1999): 152, 190; 53 (2012): 139
- Tringa glareola:** 14 (1940/41): 71; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 39; 35 (1962): 36; 36 (1963): 9B, 22, 23, 46, 47; 37 (1964): 10B, 25, 35, 48; 38 (1965): 86B, 90R; 39 (1966): 17, 85, 108B, 123; 40 (1967-69): 23, 192B, 259; 41 (1970-72): 186B, 211, 244, 250; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 65, 255, 265B; 44 (1979-82): 213-225, 328B; 45 (1983-86): 229; 47 (1991-93): 95, 233; 50 (1999): 152, 191; 53 (2012): 137, 139
- Tringa nebularia:** 12 (1938/39): 28; 14 (1940/41): 70; 16 (1942/43): 17; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 39; 35 (1962): 8B, 36; 36 (1963): 21, 46, 47; 37 (1964): 25, 35, 37, 49; 39 (1966): 14, 17, 85, 108B, 123; 40 (1967-69): 192B, 259; 41 (1970-72): 102, 174, 186B, 244; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 255, 265B; 44 (1979-82): 95-114, 213-225, 328B; 45 (1983-86): 229; 46 (1988-90): 111; 47 (1991-93): 97, 234, 235; 50 (1999): 152, 190; 53 (2012): 139

- Tringa ochropus:** 14 (1940/41): 71; 16 (1942/43): 17; 23 (1949/50): 38; 24 (1950/51): 39; 25 (1951/52): 24; 28 (1954/55): 8B1; 29 (1955/56): 19; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 39; 35 (1962): 8B, 36; 36 (1963): 27, 46, 47; 37 (1964): 24, 34, 48; 39 (1966): 15, 17, 85, 123; 40 (1967-69): 97, 189, 192B, 259, 261; 41 (1970-72): 174, 186B, 211, 244; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 65, 255, 265B; 44 (1979-82): 95-114, 213-225, 269-302, 328B; 45 (1983-86): 229, 243; 46 (1988-90): 111; 47 (1991-93): 91, 105; 50 (1999): 152, 191; 53 (2012): 137, 140, 161
- Tringa stagnatilis:** 37 (1964): 35; 38 (1965): 103, 108; 39 (1966): 17; 42 (1973-75): 148; 44 (1979-82): 213-225
- Tringa terek:** 39 (1966): 17
- Tringa totanus:** 14 (1940/41): 70; 16 (1942/43): 16-18; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 39; 35 (1962): 8B, 36; 36 (1963): 27, 46, 47; 37 (1964): 25, 35, 48; 39 (1966): 17, 85, 108B; 40 (1967-69): 23, 192B, 259; 41 (1970-72): 101, 174, 211, 244, 249; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 65; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 323; 46 (1988-90): 111, 233; 47 (1991-93): 192, 195, 196, 200, 320, 340; 48 (1994/95): 139; 50 (1999): 152, 190; 53 (2012): 140
- Tristramstar:** 44 (1979-82): 213-225; 45 (1983-86): 83-87; 47 (1991-93): 51
- Trochiliformes:** 46 (1988-90): 260-299; 47 (1991-93): 15, 20, 54, 121, 127, 144; 48 (1994/95): 17
- Troglodytes aedon:** 47 (1991-93): 26, 54
- Troglodytes troglodytes:** 07 (1930/31): 21R; 08 (1931/32): 32; 09 (1932/33): 15; 10 (1933/34): 17R; 11 (1934/35): 20; 09 (1935/36): 9R; 10 (1936/37): 11R; 12 (1938/39): 17-19; 13 (1939/40): 30; 14 (1940/41): 52; 22 (1948/49): 41; 28 (1954/55): 7B, 77; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 65, 66, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 9B; 36 (1963): 10B, 33, 64; 37 (1964): 11B, 16R; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 23, 186B, 239; 42 (1973-75): 42B, 249B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 95-114, 159-186, 269-302, 329B; 45 (1983-86): 91, 230; 46 (1988-90): 28, 34, 36, 54, 81, 274-281, 322; 51 (2003): 31, 122, 124; 52 (2009): 115, 137, 139; 53 (2012): 107-109, 112, 134, 140, 141, 144, 160, 161-164, 178-179, 183-185
- Trogon rufus:** 47 (1991-93): 54
- Trogone:** 47 (1991-93): 15; 48 (1994/95): 17
- Trogonidae:** 47 (1991-93): 15; 48 (1994/95): 17
- Trottellumme:** 45 (1983-86): 237; 47 (1991-93): 16, 315, 340
- Truthahngeier:** 46 (1988-90): 262, 285; 47 (1991-93): 45, 153
- Turdoides squamiceps:** 44 (1979-82): 213-225; 45 (1983-86): 83-87
- Turdus iliacus:** 07 (1930/31): 18R; 14 (1940/41): 51; 28 (1954/55): 7B6; 31 (1957/58): 47; 32 (1959): 33; 33 (1960): 13B; 35 (1962): 9B; 36 (1963): 10B; 37 (1964): 11B, 27; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 49R, 136, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 41-88, 213-225, 265, 330B; 46 (1988-90): 29; 47 (1991-93): 91, 101, 364; 50 (1999): 170, 192; 52 (2009): 137; 53 (2012): 43, 130, 140

**Turdus merula:** 07 (1930/31): 15-17R, 28-31, 35; 08 (1931/32): 8R, 12; 09 (1932/33): 10R, 15; 10 (1933/34): 13R; 11 (1934/35): 11R, 20; 09 (1935/36): 9R, 20, 23; 10 (1936/37): 11R, 23; 11 (1937/38): 11R; 13 (1939/40): 30; 14 (1940/41): 51; 21 (1947/48): 5; 22 (1948/49): 25; 23 (1949/50): 20R; 24 (1950/51): 26-28, 36; 25 (1951/52): 19; 27 (1953/54): 15; 28 (1954/55): 7B, 76; 29 (1955/56): 7B, 10; 30 (1956/57): 6B, 19; 31 (1957/58): 41, 97B; 32 (1959): 9B, 13; 33 (1960): 13B, 16, 51; 34 (1960/61): 9B, 27, 28; 35 (1962): 9B, 14; 36 (1963): 10B, 33, 66; 37 (1964): 11B, 66; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 23, 187B, 192R, 238; 42 (1973-75): 13, 14, 18, 19, 43B, 104, 110, 206, 250B, 256R; 46 (1988-90): 321; 51 (2003): 34, 121-125; 52 (2009): 115, 136, 138; 53 (2012): 71, 82, 83, 88, 89, 114, 118, 125, 134, 135, 141, 145, 153, 160, 161, 162, 164, 175-177, 183-185

**Turdus merula cabrerae:** 46 (1988-90): 238

**Turdus philomelos:** 07 (1930/31): 18R; 08 (1931/32): 8R; 09 (1932/33): 10R, 23, 36; 10 (1933/34): 13R; 11 (1934/35): 10R, 20, 35; 09 (1935/36): 9R; 10 (1936/37): 11R; 14 (1940/41): 50; 21 (1947/48): 5; 23 (1949/50): 20R; 25 (1951/52): 19; 26 (1952/53): 7R; 27 (1953/54): 11R; 28 (1954/55): 7B, 76; 29 (1955/56): 7B, 9R, 10; 30 (1956/57): 6B, 8R; 31 (1957/58): 46, 97B, 99R; 32 (1959): 9B, 11R; 33 (1960): 13B, 16; 34 (1960/61): 9B; 35 (1962): 9B, 11R; 36 (1963): 10B, 33; 37 (1964): 11B, 66; 38 (1965): 87B; 39 (1966): 65, 109B; 40 (1967-69): 194B; 41 (1970-72): 23, 187B, 192R, 238; 42 (1973-75): 43B, 49R, 103, 110, 250B, 256R, 262R; 46 (1988-90): 322; 51 (2003): 34, 121-123; 52 (2009): 137, 139; 53 (2012): 118, 140, 161, 163

**Turdus pilaris:** 11 (1934/35): 20; 13 (1939/40): 23; 14 (1940/41): 50; 23 (1949/50): 21-25; 24 (1950/51): 25-26; 25 (1951/52): 15; 27 (1953/54): 17; 28 (1954/55): 7B, 76; 29 (1955/56): 17; 31 (1957/58): 46, 54; 32 (1959): 21, 33; 33 (1960): 13B, 33, 34; 34 (1960/61): 8B, 16; 35 (1962): 9B, 43; 36 (1963): 10B, 14R, 24, 33, 64, 65; 37 (1964): 11B; 38 (1965): 33, 34, 87B; 39 (1966): 16, 48, 109B; 40 (1967-69): 22, 47, 119, 194B, 274; 41 (1970-72): 160, 187B, 239, 306; 42 (1973-75): 43B, 48R, 111, 250B, 256R; 43 (1976-78): 47B, 53R, 206-235, 266B; 44 (1979-82): 41-88, 159-186, 265, 269-302, 330B; 45 (1983-86): 91; 46 (1988-90): 322; 51 (2003): 34, 117, 118, 125; 52 (2009): 117, 139; 53 (2012): 89, 91, 125, 130-136, 140, 141, 146, 155

**Turdus ruficollis atrogularis:** 47 (1991-93): 229, 365

**Turdus sibiricus:** 40 (1967-69): 122

**Turdus torquatus:** 14 (1940/41): 51; 28 (1954/55): 7B6; 29 (1955/56): 18; 31 (1957/58): 41, 47; 33 (1960): 40; 35 (1962): 44; 36 (1963): 10B; 37 (1964): 11B, 27, 66; 39 (1966): 129; 40 (1967-69): 59, 123, 190, 274; 41 (1970-72): 103; 43 (1976-78): 39, 261; 46 (1988-90): 112; 50 (1999): 168, 192; 53 (2012): 42-43, 118, 140

**Turdus viscivorus:** 11 (1934/35): 20; 14 (1940/41): 50; 24 (1950/51): 27; 28 (1954/55): 7B6; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 46, 54, 97B; 32 (1959): 9B; 33 (1960): 13B, 34; 34 (1960/61): 8B; 35 (1962): 9B; 36 (1963): 10B, 33; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 194B; 41 (1970-72): 187B, 238; 42 (1973-75): 43B, 103; 43 (1976-78): 47B, 206-235; 44 (1979-82): 95-114, 159-186, 265, 330B; 46 (1988-90): 28, 81, 74, 224; 47 (1991-93): 363; 48 (1994/95): 47; 50 (1999): 170, 186, 188, 192; 51 (2003): 34; 53 (2012):

161, 163

**Turmfalke:** 07 (1930/31): 25R; 09 (1932/33): 13R, 15, 18, 29; 11 (1934/35): 15R, 31; 09 (1935/36): 15R, 18-19; 10 (1936/37): 14R; 11 (1937/38): 12R; 13 (1939/40): 29; 14 (1940/41): 56; 21 (1947/48): 6; 22 (1948/49): 19R, 20-30; 23 (1949/50): 20R; 25 (1951/52): 28; 28 (1954/55): 7B, 79; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 53, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B, 12R; 35 (1962): 8B; 36 (1963): 9B, 30; 37 (1964): 10B; 38 (1965): 86B; 40 (1967-69): 192B; 41 (1970-72): 185B, 268; 42 (1973-75): 41B, 249B, 253R; 43 (1976-78): 46B, 49R, 55R, 187-205, 206-235, 265B, 268R, 271R; 44 (1979-82): 41-88, 95-114, 159-186, 213-225, 265, 269-302, 327B; 46 (1988-90): 322; 51 (2003): 23, 51, 117, 168; 53 (2012): 140, 141

**Turteltaube:** 14 (1940/41): 69; 24 (1950/51): 21, 23; 28 (1954/55): 8B, 81; 30 (1956/57): 7B; 31 (1957/58): 49, 98B; 33 (1960): 14B; 34 (1960/61): 8B; 36 (1963): 10B, 19R, 31; 37 (1964): 10B; 38 (1965): 32, 86B; 39 (1966): 108B; 40 (1967-69): 192B; 41 (1970-72): 186B, 211, 239; 42 (1973-75): 42B, 47R, 135, 249B; 43 (1976-78): 46B, 50R, 64, 139-142, 247, 265B; 44 (1979-82): 41-88, 112, 159-186, 213-225, 265, 269-302, 328B, 334R; 45 (1983-86): 90, 91; 46 (1988-90): 25, 33, 40, 238, 277, 322; 47 (1991-93): 91; 51 (2003): 117, 121-123; 53 (2012): 115, 116, 140

**Tyrannus tyrannus:** 47 (1991-93): 54

**Tyto alba:** 09 (1932/33): 18, 28; 11 (1934/35): 16R, 31; 09 (1935/36): 15R; 13 (1939/40): 29; 14 (1940/41): 55; 22 (1948/49): 44; 23 (1949/50): 20R; 28 (1954/55): 7B; 29 (1955/56): 7B; 32 (1959): 10B, 11R; 33 (1960): 14B, 17R; 34 (1960/61): 8B; 35 (1962): 8B, 11R, 37; 36 (1963): 10B, 13R, 31; 38 (1965): 86B, 91R; 39 (1966): 108B; 40 (1967-69): 189, 192B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 47R, 54R, 249B, 253R, 260R; 43 (1976-78): 46B, 50R, 55R, 64, 265B, 269R; 44 (1979-82): 5-16, 95-114, 258, 328B, 335R, 338-339R; 45 (1983-86): 93-94; 51 (2003): 117

**Tyto alba gracilirostris:** 46 (1988-90): 238

**Tüpfelsumpfhuhn:** 09 (1932/33): 14; 14 (1940/41): 74; 28 (1954/55): 8B1; 31 (1957/58): 52; 36 (1963): 9B, 58; 37 (1964): 10B, 24, 34, 57; 38 (1965): 30, 86B; 39 (1966): 13, 108B; 40 (1967-69): 114, 192B, 271; 41 (1970-72): 56, 186B, 211; 42 (1973-75): 41B, 249B; 43 (1976-78): 64, 260, 265B, 43 (1976-78): 64, 260, 265B; 44 (1979-82): 93, 327B; 45 (1983-86): 89-91; 48 (1994/95): 158; 50 (1999): 147, 190; 51 (2003): 122, 124, 168

**Türkentaube:** 24 (1950/51): 10-24, 22, 24; 27 (1953/54): 13, 14; 28 (1954/55): 8B; 29 (1955/56): 8B, 19; 30 (1956/57): 26, 27; 31 (1957/58): 31, 78; 32 (1959): 31; 33 (1960): 14B, 31, 50; 34 (1960/61): 8B, 16, 22, 25, 26; 35 (1962): 8B, 33, 37; 36 (1963): 10B, 31, 59, 60, 61; 37 (1964): 10B, 60; 38 (1965): 32, 86B, 91R; 39 (1966): 11, 108B; 40 (1967-69): 192B; 41 (1970-72): 186B; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 206-235, 265B; 44 (1979-82): 41-88, 95-114, 213-225, 328B; 45 (1983-86): 91; 46 (1988-90): 25, 33, 37, 54, 322; 47 (1991-93): 91; 48 (1994/95): 47, 48; 50 (1999): 154, 186, 188, 191; 51 (2003): 24; 53 (2012): 113, 140

**Uferschnepfe:** 14 (1940/41): 71; 32 (1959): 21; 33 (1960): 39; 35 (1962): 36; 36 (1963): 27, 51; 37 (1964): 10B, 24, 34, 48; 38 (1965): 31, 86B; 39 (1966): 14, 75, 108B; 40 (1967-69): 189, 250, 259, 262; 41 (1970-72): 56, 211, 244; 42 (1973-75): 197; 43 (1976-78): 47B, 64; 44 (1979-82): 95-114, 213-225; 46 (1988-

- 90): 358; 47 (1991-93): 340; 48 (1994/95): 139; 50 (1999): 151, 190; 53 (2012): 112
- Uferschwalbe:** 08 (1931/32): 12R, 25; 09 (1932/33): 15; 11 (1934/35): 20; 12 (1938/39): 30; 14 (1940/41): 52; 28 (1954/55): 7B, 77; 31 (1957/58): 97B; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 19R, 24, 32; 37 (1964): 11B; 38 (1965): 87B, 97R; 39 (1966): 109B; 40 (1967-69): 56, 193B, 197R; 41 (1970-72): 178, 186B, 211; 42 (1973-75): 42B, 48R, 53R, 249B, 254R; 43 (1976-78): 47B, 51R, 64, 265B, 269R; 44 (1979-82): 95-114, 213-225, 329B; 45 (1983-86): 1-22; 46 (1988-90): 27, 268; 47 (1991-93): 104, 242, 366; 48 (1994/95): 141, 158; 50 (1999): 162, 186, 191; 53 (2012): 140
- Uferwaldsänger:** 47 (1991-93): 53, 145
- Uhu:** 08 (1931/32): 23, 26; 31 (1957/58): 75; 41 (1970-72): 56; 43 (1976-78): 63; 46 (1988-90): 353; 47 (1991-93): 33; 51 (2003): 134; 53 (2012): 120
- Upupa epops:** 08 (1931/32): 25; 11 (1934/35): 20; 12 (1938/39): 19-25; 14 (1940/41): 53; 21 (1947/48): 10; 25 (1951/52): 26; 28 (1954/55): 7B, 78; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 48, 88, 97B; 32 (1959): 31; 33 (1960): 14B, 34; 34 (1960/61): 8B, 26; 36 (1963): 14R, 31, 48; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 11, 109B; 40 (1967-69): 98, 193B; 41 (1970-72): 175, 211; 42 (1973-75): 233, 244; 43 (1976-78): 64, 261; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 83-87, 230, 232, 243; 46 (1988-90): 72, 81, 215, 218, 234, 238; 47 (1991-93): 243; 48 (1994/95): 141; 50 (1999): 158, 186, 191; 53 (2012): 140
- Upupa epops fuerteventurae:** 46 (1988-90): 238
- Uraeginthus ianthinogaster:** 45 (1983-86): 195, 196
- Uragus sibiricus:** 48 (1994/95): 146
- Uria aalge:** 45 (1983-86): 237; 47 (1991-93): 16, 315, 340
- Uria lomvia:** 47 (1991-93): 16
- Urocolius macrourus:** 46 (1988-90): 260, 282, 283; 47 (1991-93): 54, 128, 134; 48 (1994/95): 15-31
- Vanellus albiceps:** 46 (1988-90): 284
- Vanellus miles:** 47 (1991-93): 23
- Vanellus vanellus:** 08 (1931/32): 29; 09 (1932/33): 14; 11 (1934/35): 21; 09 (1935/36): 15R; 14 (1940/41): 69; 24 (1950/51): 27; 25 (1951/52): 29; 28 (1954/55): 8B1; 30 (1956/57): 18, 24; 31 (1957/58): 51, 52, 54, 80; 32 (1959): 19; 33 (1960): 26, 42; 34 (1960/61): 8B, 21; 35 (1962): 8B, 35; 36 (1963): 9B, 26, 31, 46, 47; 37 (1964): 10B, 33, 46, 57, 58, 65; 38 (1965): 38, 86B, 90R; 39 (1966): 75, 85, 108B, 112R, 122; 40 (1967-69): 67, 115, 178, 187, 192B, 250, 253, 259, 260, 272; 41 (1970-72): 173, 178, 186B, 190R, 243, 248; 42 (1973-75): 41B, 46R, 191, 249B, 253R; 43 (1976-78): 46B, 49R, 265B, 269R; 44 (1979-82): 41-88, 90, 95-114, 159-186, 269-302, 327B; 51 (2003): 104, 110-125; 53 (2012): 112, 114, 118, 137, 139, 155
- Veilchenastrild:** 45 (1983-86): 195, 196
- Vermivora celata:** 47 (1991-93): 54
- Vermivora pinus:** 47 (1991-93): 54
- Vidua paradisea:** 47 (1991-93): 55, 121

**Violettgrüne Schwalbe:** 46 (1988-90): 268

**Vireo olivacea:** 47 (1991-93): 145

**Wacholderdrossel:** 11 (1934/35): 20; 13 (1939/40): 23; 14 (1940/41): 50; 23 (1949/50): 21-25; 24 (1950/51): 25-26; 25 (1951/52): 15; 27 (1953/54): 17; 28 (1954/55): 7B, 76; 29 (1955/56): 17; 31 (1957/58): 46, 54; 32 (1959): 21, 33; 33 (1960): 13B, 33, 34; 34 (1960/61): 8B, 16; 35 (1962): 9B, 43; 36 (1963): 10B, 14R, 24, 33, 64, 65; 37 (1964): 11B; 38 (1965): 33, 34, 87B; 39 (1966): 16, 48, 109B; 40 (1967-69): 22, 47, 119, 194B, 274; 41 (1970-72): 160, 187B, 239, 306; 42 (1973-75): 43B, 48R, 111, 250B, 256R; 43 (1976-78): 47B, 53R, 206-235, 266B; 44 (1979-82): 41-88, 159-186, 265, 269-302, 330B; 45 (1983-86): 91; 46 (1988-90): 322; 51 (2003): 34, 117, 118, 125; 52 (2009): 117, 139; 53 (2012): 89, 91, 125, 130-136, 140, 141, 146, 155

**Wachtel:** 08 (1931/32): 30; 11 (1934/35): 21; 14 (1940/41): 74; 21 (1947/48): 6; 25 (1951/52): 19; 36 (1963): 30; 39 (1966): 11; 40 (1967-69): 187; 41 (1970-72): 211; 43 (1976-78): 63, 243; 44 (1979-82): 41-88, 213-225; 45 (1983-86): 231; 46 (1988-90): 81, 237, 277; 47 (1991-93): 46, 91, 128, 158; 48 (1994/95): 22, 137; 50 (1999): 147, 186, 188, 190; 53 (2012): 140

**Wachtelkönig:** 14 (1940/41): 74; 21 (1947/48): 6; 31 (1957/58): 91; 37 (1964): 24, 57; 40 (1967-69): 13, 97, 122; 41 (1970-72): 56, 101, 172, 186B, 211; 42 (1973-75): 148; 43 (1976-78): 64, 243; 50 (1999): 147, 188, 190

**Waffenkiebitz:** 47 (1991-93): 155

**Waldbaumläufer:** 11 (1934/35): 14R, 20; 28 (1954/55): 7B; 29 (1955/56): 7B; 31 (1957/58): 40, 44, 54, 64, 97B; 32 (1959): 10B; 33 (1960): 13B; 35 (1962): 9B; 36 (1963): 10B, 32; 37 (1964): 11B; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 60, 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 48B, 266B; 44 (1979-82): 95-114, 265, 329B; 45 (1983-86): 145, 153; 46 (1988-90): 281; 47 (1991-93): 91, 104; 48 (1994/95): 29; 50 (1999): 177, 193; 51 (2003): 20, 42; 52 (2009): 137, 139; 53 (2012): 161, 162

**Waldkauz:** 08 (1931/32): 32; 09 (1932/33): 18; 11 (1934/35): 31; 09 (1935/36): 15R; 12 (1938/39): 38; 14 (1940/41): 55; 22 (1948/49): 41, 44; 24 (1950/51): 37; 28 (1954/55): 7B, 78; 30 (1956/57): 7B; 31 (1957/58): 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 31; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 193B; 41 (1970-72): 186B, 239; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 265B, 273R; 44 (1979-82): 11, 255-268, 269-302, 328B; 46 (1988-90): 19, 26, 33, 37, 278; 47 (1991-93): 91, 104; 48 (1994/95): 141; 50 (1999): 155, 188, 191; 51 (2003): 25

**Waldlaubsänger:** 10 (1933/34): 56; 11 (1934/35): 20; 14 (1940/41): 48; 21 (1947/48): 4R, 6; 24 (1950/51): 9R; 25 (1951/52): 9R; 28 (1954/55): 7B, 74; 29 (1955/56): 7B, 9R; 30 (1956/57): 6B, 8R; 31 (1957/58): 46, 97B, 99R; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 9B, 14; 35 (1962): 9B; 36 (1963): 11B, 34; 37 (1964): 12B; 38 (1965): 87B; 39 (1966): 110B; 40 (1967-69): 194B; 41 (1970-72): 187B; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 265, 330B; 45 (1983-86): 91; 46 (1988-90): 31, 54, 322; 47 (1991-93): 91, 104; 50 (1999): 172, 186, 193; 51 (2003): 37; 52 (2009): 139; 53 (2012): 118, 161, 163

**Waldnektarvogel:** 47 (1991-93): 45

**Waldochreule:** 07 (1930/31): 26R; 09 (1932/33): 18, 29; 11 (1934/35): 31; 14 (1940/41): 54; 28 (1954/55): 7B8; 31 (1957/58): 97B; 32 (1959): 10B; 33 (1960):

14B; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 10B, 24, 31; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 193B, 197R; 41 (1970-72): 104R, 186B; 42 (1973-75): 42B, 249B, 254R, 261R; 43 (1976-78): 46B, 50R, 265B; 44 (1979-82): 328B; 45 (1983-86): 90, 91, 325; 46 (1988-90): 238; 47 (1991-93): 91, 104, 366; 48 (1994/95): 38, 47, 141; 50 (1999): 156, 188, 191; 51 (2003): 25; 53 (2012): 140

**Waldpieper:** 47 (1991-93): 321

**Waldschnepfe:** 14 (1940/41): 72; 33 (1960): 14B; 34 (1960/61): 10; 36 (1963): 9B, 31; 41 (1970-72): 189R, 211, 238, 302; 42 (1973-75): 148, 195; 43 (1976-78): 64, 265B; 44 (1979-82): 264; 46 (1988-90): 25, 237; 47 (1991-93): 105; 48 (1994/95): 139, 158; 50 (1999): 151, 190; 51 (2003): 23; 53 (2012): 140

**Waldstorch:** 46 (1988-90): 289; 47 (1991-93): 153

**Waldtyrann:** 47 (1991-93): 46

**Waldwasserläufer:** 14 (1940/41): 71; 16 (1942/43): 17; 23 (1949/50): 38; 24 (1950/51): 39; 25 (1951/52): 24; 28 (1954/55): 8B1; 29 (1955/56): 19; 31 (1957/58): 52; 32 (1959): 20; 33 (1960): 39; 35 (1962): 8B, 36; 36 (1963): 27, 46, 47; 37 (1964): 24, 34, 48; 39 (1966): 15, 17, 85, 123; 40 (1967-69): 97, 189, 192B, 259, 261; 41 (1970-72): 174, 186B, 211, 244; 42 (1973-75): 42B, 249B; 43 (1976-78): 46B, 65, 255, 265B; 44 (1979-82): 95-114, 213-225, 269-302, 328B; 45 (1983-86): 229, 243; 46 (1988-90): 111; 47 (1991-93): 91, 105; 50 (1999): 152, 191; 53 (2012): 137, 140, 161

**Wanderalbatros:** 46 (1988-90): 259

**Wanderfalke:** 08 (1931/32): 26; 11 (1934/35): 31; 12 (1938/39): 39; 14 (1940/41): 56; 28 (1954/55): 7B9; 31 (1957/58): 53; 32 (1959): 10B; 33 (1960): 31; 37 (1964): 23; 40 (1967-69): 187; 41 (1970-72): 7, 56, 148, 211; 42 (1973-75): 236; 43 (1976-78): 46B, 63, 124-128, 187-205, 243, 249, 260, 265B; 44 (1979-82): 112, 327B; 46 (1988-90): 36, 89, 90, 94, 101, 231; 47 (1991-93): 242; 48 (1994/95): 37, 48, 136; 50 (1999): 146, 190; 51 (2003): 52-54; 53 (2012): 120

**Wanderlaubsänger:** 47 (1991-93): 334; 53 (2012): 37, 51

**Wasseramsel:** 09 (1932/33): 14; 11 (1934/35): 15R, 20; 09 (1935/36): 13R, 20, 23; 10 (1936/37): 13R; 13 (1939/40): 9-12; 22 (1948/49): 39; 31 (1957/58): 48; 33 (1960): 14B, 51; 35 (1962): 42; 36 (1963): 10B; 37 (1964): 11B, 27; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 190, 193B, 274; 41 (1970-72): 8, 103, 176, 184, 186B, 211, 277, 298; 42 (1973-75): 42B, 199-203, 249B; 43 (1976-78): 23-28, 47B, 64, 266B; 44 (1979-82): 159-186; 46 (1988-90): 352; 47 (1991-93): 19, 366; 48 (1994/95): 143; 51 (2003): 20, 31; 53 (2012): 140, 161, 163, 164

**Wasserralle:** 09 (1932/33): 14; 14 (1940/41): 73; 28 (1954/55): 8B, 81; 31 (1957/58): 52, 97B; 32 (1959): 10B; 36 (1963): 28; 37 (1964): 10B, 15R, 23, 34; 39 (1966): 108B; 40 (1967-69): 192B, 271; 41 (1970-72): 185B, 211; 42 (1973-75): 41B, 244, 249B; 43 (1976-78): 46B, 64, 265B; 44 (1979-82): 269-302, 327B; 45 (1983-86): 89-91; 46 (1988-90): 322-325; 47 (1991-93): 91, 105; 48 (1994/95): 138, 158; 50 (1999): 147, 188, 190; 51 (2003): 121, 123; 53 (2012): 140

**Webervogel:** 48 (1994/95): 24

**Wegekuckuck:** 46 (1988-90): 285, 286; 47 (1991-93): 24, 48, 158, 160

**Weidengelbkehlchen:** 47 (1991-93): 48

**Weidenmeise:** 11 (1934/35): 20; 10 (1936/37): 23; 14 (1940/41): 46, 76-79; 31 (1957/58): 45, 52; 32 (1959): 9B; 33 (1960): 13B; 34 (1960/61): 8B; 35 (1962): 9B, 39; 36 (1963): 10B; 37 (1964): 11B, 27; 38 (1965): 87B; 39 (1966): 16, 109B; 40 (1967-69): 194B; 41 (1970-72): 98, 178, 187B, 238; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 159-186, 265, 269-302, 329B; 45 (1983-86): 90, 91, 221; 46 (1988-90): 36, 55, 257, 262, 322; 47 (1991-93): 91, 105, 144, 173; 50 (1999): 176, 186, 193; 51 (2003): 40, 173; 52 (2009): 137; 53 (2012): 35-36, 140, 141, 161, 182

**Weidensperling:** 40 (1967-69): 195B; 44 (1979-82): 213-225; 45 (1983-86): 230; 46 (1988-90): 73, 81, 234, 239

**Weihe:** 45 (1983-86): 231, 232, 242, 337-346, 355

**Weissbartgrasmücke:** 40 (1967-69): 195B; 44 (1979-82): 95-114

**Weissbartseeschwalbe:** 39 (1966): 11; 40 (1967-69): 122, 262; 43 (1976-78): 31; 44 (1979-82): 95-114

**Weissbrauen-Sericornis:** 47 (1991-93): 133

**Weissbrustsegler:** 46 (1988-90): 267

**Weissflügelgimpel:** 44 (1979-82): 213-225

**Weissflügelseeschwalbe:** 33 (1960): 44, 45; 37 (1964): 59; 39 (1966): 11, 128; 40 (1967-69): 189, 262; 42 (1973-75): 149; 43 (1976-78): 38

**Weisskehlammer:** 47 (1991-93): 55, 145, 334

**Weisskopfkiebitz:** 47 (1991-93): 155

**Weisskopfruderente:** 46 (1988-90): 355, 356

**Weisskopfseeadler:** 47 (1991-93): 19

**Weissrückenschwalbe:** 46 (1988-90): 268

**Weissstanzsteppenkiebitz:** 44 (1979-82): 213-225

**Weissstirn-Regenpfeifer:** 47 (1991-93): 155

**Weissstorch:** 07 (1930/31): 26R; 08 (1931/32): 13-20; 09 (1932/33): 19, 29, 34-35; 11 (1934/35): 16R; 09 (1935/36): 15R; 10 (1936/37): 14R; 11 (1937/38): 12R; 12 (1938/39): 40; 14 (1940/41): 60; 24 (1950/51): 9R; 24 (1950/51): 38; 25 (1951/52): 9R; 26 (1952/53): 7R, 8-38; 27 (1953/54): 10R, 16, 19, 20; 28 (1954/55): 8B, 9R, 80; 29 (1955/56): 8B, 9R; 30 (1956/57): 7B, 9R; 31 (1957/58): 81, 83, 97B, 100R; 32 (1959): 10B, 11-12R; 33 (1960): 14B, 17R, 18, 48; 34 (1960/61): 8B, 10R, 19; 35 (1962): 8B, 27; 36 (1963): 9B, 30, 48, 51; 37 (1964): 10B, 13-15R, 53; 38 (1965): 86B; 39 (1966): 108B; 40 (1967-69): 49, 192B, 196R, 219, 230; 41 (1970-72): 7, 56, 89, 99, 179, 185B, 211; 42 (1973-75): 41B, 45R, 93, 145; 43 (1976-78): 46B, 63, 115-123, 182-186, 187, 188, 242, 264B; 51 (2003): 168; 52 (2009): 86

**Wellenläufer:** 40 (1967-69): 256

**Wellensittich:** 46 (1988-90): 36; 47 (1991-93): 49, 160

**Wendehals:** 08 (1931/32): 12R; 09 (1932/33): 38; 10 (1933/34): 16R; 11 (1934/35): 15R, 20; 09 (1935/36): 14R; 12 (1938/39): 30; 14 (1940/41): 54; 24 (1950/51): 9R, 37; 28 (1954/55): 7B, 9R, 78; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 48, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B, 27; 35 (1962): 8B; 36 (1963): 10B, 32, 48; 37 (1964): 11B; 38 (1965): 86B; 39 (1966): 109B; 40

(1967-69): 193B; 41 (1970-72): 186B, 211; 42 (1973-75): 42B, 111, 149, 249B; 43 (1976-78): 46B, 55R, 64, 206-235, 265B; 44 (1979-82): 159-186, 213-225, 328B; 45 (1983-86): 91; 46 (1988-90): 247, 322-324; 47 (1991-93): 91, 105, 243, 321; 48 (1994/95): 159; 51 (2003): 26; 52 (2009): 137; 53 (2012): 137, 140

**Wespenbussard:** 11 (1934/35): 31, 33; 13 (1939/40): 27; 14 (1940/41): 59; 27 (1953/54): 22; 28 (1954/55): 8B; 31 (1957/58): 74; 33 (1960): 38; 36 (1963): 30, 74; 37 (1964): 10B; 38 (1965): 86B; 41 (1970-72): 100, 185B, 211, 266; 42 (1973-75): 41B, 249B; 43 (1976-78): 46B, 49R, 63, 187-205, 206-235, 259, 264B; 44 (1979-82): 269-302, 327B; 45 (1983-86): 341-344, 355; 46 (1988-90): 36; 47 (1991-93): 91, 105; 48 (1994/95): 36, 134, 135; 50 (1999): 143, 186, 189; 51 (2003): 21, 168

**Westmöwe:** 47 (1991-93): 49

**Wiedehopf:** 08 (1931/32): 25; 11 (1934/35): 20; 12 (1938/39): 19-25; 14 (1940/41): 53; 21 (1947/48): 10; 25 (1951/52): 26; 28 (1954/55): 7B, 78; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 48, 88, 97B; 32 (1959): 31; 33 (1960): 14B, 34; 34 (1960/61): 8B, 26; 36 (1963): 14R, 31, 48; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 11, 109B; 40 (1967-69): 98, 193B; 41 (1970-72): 175, 211; 42 (1973-75): 233, 244; 43 (1976-78): 64, 261; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 83-87, 230, 232, 243; 46 (1988-90): 72, 81, 215, 218, 234, 238; 47 (1991-93): 243; 48 (1994/95): 141; 50 (1999): 158, 186, 191; 53 (2012): 140

**Wiesenpieper:** 14 (1940/41): 44; 20 (1946/47): 6; 21 (1947/48): 12; 28 (1954/55): 7B2; 29 (1955/56): 6B; 30 (1956/57): 6B; 31 (1957/58): 43; 32 (1959): 32; 33 (1960): 13B; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 24, 48; 37 (1964): 12B, 28; 38 (1965): 88B; 39 (1966): 110B, 115R; 40 (1967-69): 193B; 41 (1970-72): 186B, 211, 238; 42 (1973-75): 42B, 50R, 249B; 43 (1976-78): 47B, 64, 266B; 44 (1979-82): 41-88, 159-186, 213-225, 230, 330B; 46 (1988-90): 278; 47 (1991-93): 91, 105, 192, 196, 200, 243, 340, 366; 48 (1994/95): 159; 50 (1999): 164, 192; 53 (2012): 112, 140

**Wiesenstrandläufer:** 47 (1991-93): 19

**Wiesenweihe:** 14 (1940/41): 57; 25 (1951/52): 10-14; 30 (1956/57): 11; 36 (1963): 55; 37 (1964): 23; 39 (1966): 121; 40 (1967-69): 58, 122, 192B, 271; 41 (1970-72): 56, 211; 43 (1976-78): 63, 187-205, 251, 265B; 44 (1979-82): 95-114, 213-225, 327B; 46 (1988-90): 110; 48 (1994/95): 36, 136; 50 (1999): 144, 189

**Wilsonia citrina:** 47 (1991-93): 55

**Wintergoldhähnchen:** 09 (1932/33): 11R; 11 (1934/35): 20; 13 (1939/40): 30; 14 (1940/41): 46; 26 (1952/53): 41; 27 (1953/54): 12; 28 (1954/55): 7B; 29 (1955/56): 7B; 30 (1956/57): 6B; 31 (1957/58): 45, 96B; 32 (1959): 9B, 33; 33 (1960): 13B, 48; 34 (1960/61): 9B; 35 (1962): 9B; 36 (1963): 11B, 34, 37, 74; 37 (1964): 12B; 38 (1965): 87B; 39 (1966): 110B; 40 (1967-69): 194B; 41 (1970-72): 187B, 239; 42 (1973-75): 43B, 250B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 41-88, 95-114, 159-186, 264, 330B; 45 (1983-86): 91; 46 (1988-90): 31, 126, 238, 278, 322; 47 (1991-93): 13, 14, 91; 48 (1994/95): 29; 50 (1999): 174, 193; 51 (2003): 38; 52 (2009): 137, 139; 53 (2012): 140, 161, 163, 164

**Winternachtschwalbe:** 46 (1988-90): 267, 274; 47 (1991-93): 52, 158, 160

**Würgfalke:** 46 (1988-90): 77, 81, 89; 48 (1994/95): 37, 44

**Wüstenfalke:** 46 (1988-90): 90, 93, 237  
**Wüstengimpel:** 45 (1983-86): 83-87; 46 (1988-90): 239  
**Wüstenlerche:** 46 (1988-90): 278, 286  
**Wüstenläuferlerche:** 45 (1983-86): 83-87  
**Wüstenprinie:** 44 (1979-82): 213-225  
**Wüstenrabe:** 44 (1979-82): 213-225; 45 (1983-86): 83-87; 47 (1991-93): 124  
**Wüstenregenpfeifer:** 44 (1979-82): 213-225  
**Wüstenschwalbe:** 44 (1979-82): 213-225  
**Xanthocephalus xanthocephalus:** 47 (1991-93): 334  
**Zaunammer:** 12 (1938/39): 23; 21 (1947/48): 15; 23 (1949/50): 38; 31 (1957/58): 40; 39 (1966): 69-70, 110B; 43 (1976-78): 64; 44 (1979-82): 95-114; 46 (1988-90): 227; 50 (1999): 185, 194; 53 (2012): 51  
**Zaunkönig:** 07 (1930/31): 21R; 08 (1931/32): 32; 09 (1932/33): 15; 10 (1933/34): 17R; 11 (1934/35): 20; 09 (1935/36): 9R; 10 (1936/37): 11R; 12 (1938/39): 17-19; 13 (1939/40): 30; 14 (1940/41): 52; 22 (1948/49): 41; 28 (1954/55): 7B, 77; 29 (1955/56): 7B; 30 (1956/57): 7B; 31 (1957/58): 65, 66, 97B; 32 (1959): 10B; 33 (1960): 14B; 34 (1960/61): 8B; 35 (1962): 9B; 36 (1963): 10B, 33, 64; 37 (1964): 11B, 16R; 38 (1965): 87B; 39 (1966): 109B; 40 (1967-69): 193B; 41 (1970-72): 23, 186B, 239; 42 (1973-75): 42B, 249B; 43 (1976-78): 47B, 206-235, 266B; 44 (1979-82): 95-114, 159-186, 269-302, 329B; 45 (1983-86): 91, 230; 46 (1988-90): 28, 34, 36, 54, 81, 274-281, 322; 51 (2003): 31, 122, 124; 52 (2009): 115, 137, 139; 53 (2012): 107-109, 112, 134, 140, 141, 144, 160, 161-164, 178-179, 183-185  
**Zebrafink:** 46 (1988-90): 274  
**Zenaidura macroura:** 47 (1991-93): 55  
**Ziernektarvogel:** 47 (1991-93): 50  
**Zilpzalp:** 07 (1930/31): 22R; 08 (1931/32): 8R; 09 (1932/33): 15; 10 (1933/34): 56; 11 (1934/35): 10R, 20; 11 (1937/38): 11R; 12 (1938/39): 29, 30; 14 (1940/41): 48; 16 (1942/43): 14-16R; 22 (1948/49): 25; 24 (1950/51): 9R; 25 (1951/52): 9R; 28 (1954/55): 7B, 74; 29 (1955/56): 7B, 9R; 30 (1956/57): 6B; 31 (1957/58): 45, 97B, 99R; 32 (1959): 9B; 33 (1960): 13B, 16; 34 (1960/61): 9B; 35 (1962): 9B, 11R; 36 (1963): 11B, 33, 67; 37 (1964): 11B; 38 (1965): 87B, 92R; 39 (1966): 109B, 129; 40 (1967-69): 193B, 265; 41 (1970-72): 23, 187B, 239; 42 (1973-75): 13, 43B, 97, 110, 206, 250B, 256R; 43 (1976-78): 47B, 52R, 206-235, 266B; 44 (1979-82): 95-114, 159-186, 213-225, 264, 269-302, 330B; 46 (1988-90): 322; 51 (2003): 37, 121-125; 52 (2009): 137, 139; 53 (2012): 82, 88, 89, 135, 140, 153, 155, 160, 161, 163, 183-185  
**Zimtkolibri:** 47 (1991-93): 26, 53  
**Zippammer:** 08 (1931/32): 24; 23 (1949/50): 38; 25 (1951/52): 26; 31 (1957/58): 40, 43; 39 (1966): 110B, 130; 41 (1970-72): 103, 211; 42 (1973-75): 245; 43 (1976-78): 64; 44 (1979-82): 95-114, 331B  
**Zitronenwaldsänger:** 47 (1991-93): 53  
**Zitronenzeisig:** 37 (1964): 12B; 53 (2012): 50-51  
**Zonotrichia albicollis:** 47 (1991-93): 55, 145, 334

- Zonotrichia leucophrys:** 46 (1988-90): 274, 290; 47 (1991-93): 55, 149
- Zonotrichia querula:** 47 (1991-93): 55
- Zwergadler:** 44 (1979-82): 95-114, 213-225; 45 (1983-86): 83-87, 344; 46 (1988-90): 223-231, 325; 48 (1994/95): 37
- Zwergammer:** 38 (1965): 88B, 106; 40 (1967-69): 60; 43 (1976-78): 36; 47 (1991-93): 321
- Zwergdommel:** 09 (1932/33): 14; 14 (1940/41): 63; 28 (1954/55): 8B; 29 (1955/56): 8B; 33 (1960): 14B, 37; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 9B, 25, 30; 37 (1964): 10B; 38 (1965): 86B; 39 (1966): 12; 40 (1967-69): 96, 192B; 41 (1970-72): 169, 185B, 211; 43 (1976-78): 63; 44 (1979-82): 269-302, 327B; 45 (1983-86): 89-91; 46 (1988-90): 22, 282, 324; 48 (1994/95): 158; 50 (1999): 134, 186, 188; 53 (2012): 120
- Zwerggans:** 14 (1940/41): 64; 43 (1976-78): 31
- Zwergmöwe:** 22 (1948/49): 39; 37 (1964): 26; 38 (1965): 29; 39 (1966): 128; 40 (1967-69): 98, 273; 42 (1973-75): 237; 43 (1976-78): 38, 261; 44 (1979-82): 213-225; 47 (1991-93): 106; 50 (1999): 152, 191; 52 (2009): 86, 99
- Zwergohreule:** 40 (1967-69): 19, 20, 116, 117; 44 (1979-82): 95-114, 213-225; 45 (1983-86): 230; 46 (1988-90): 217
- Zwergpinguin:** 46 (1988-90): 274
- Zwergscharbe:** 40 (1967-69): 112
- Zwergschnepfe:** 14 (1940/41): 72; 33 (1960): 42; 37 (1964): 24, 34, 48; 38 (1965): 86B; 39 (1966): 108B, 113R; 40 (1967-69): 3, 58, 192B, 261; 41 (1970-72): 94, 101, 129, 186B, 244, 249; 42 (1973-75): 26, 42B, 244, 249B; 43 (1976-78): 31, 46B, 65, 265B; 44 (1979-82): 328B; 47 (1991-93): 106; 50 (1999): 150, 190; 53 (2012): 135, 140
- Zwergschnäpper:** 37 (1964): 28; 44 (1979-82): 330B; 53 (2012): 45
- Zwergschwan:** 37 (1964): 66; 38 (1965): 68, 71; 41 (1970-72): 211; 42 (1973-75): 243; 43 (1976-78): 65; 44 (1979-82): 92; 47 (1991-93): 19
- Zwergseeschwalbe:** 14 (1940/41): 73; 38 (1965): 38; 39 (1966): 15, 128; 40 (1967-69): 262, 273; 42 (1973-75): 149; 44 (1979-82): 93, 112
- Zwergstrandläufer:** 10 (1936/37): 20-22; 14 (1940/41): 70; 32 (1959): 20; 35 (1962): 36; 36 (1963): 27, 47, 48; 37 (1964): 25, 33, 36, 41, 49; 39 (1966): 108B, 123; 40 (1967-69): 67, 166, 192B, 259, 272; 41 (1970-72): 186B, 244; 42 (1973-75): 42B, 53R, 249B, 253R; 43 (1976-78): 256, 265B; 44 (1979-82): 213-225, 328B; 46 (1988-90): 107; 47 (1991-93): 192, 193, 340; 50 (1999): 150, 190
- Zwergsumpfhuhn:** 14 (1940/41): 74; 28 (1954/55): 8B2; 41 (1970-72): 56; 43 (1976-78): 63
- Zwergsäger:** 12 (1938/39): 28; 13 (1939/40): 24; 14 (1940/41): 68; 30 (1956/57): 24, 26; 31 (1957/58): 51; 36 (1963): 26; 37 (1964): 22, 55; 38 (1965): 7; 39 (1966): 13; 40 (1967-69): 96, 271; 41 (1970-72): 70, 87; 43 (1976-78): 65; 45 (1983-86): 242, 354; 46 (1988-90): 109; 47 (1991-93): 106, 243; 48 (1994/95): 119; 50 (1999): 141, 189
- Zwergtaucher:** 14 (1940/41): 68; 21 (1947/48): 14; 22 (1948/49): 44; 28 (1954/55): 8B, 81; 30 (1956/57): 24, 25; 31 (1957/58): 49, 90; 34 (1960/61): 8B; 35 (1962): 8B; 36 (1963): 26, 30; 37 (1964): 10B; 38 (1965): 86B; 41 (1970-72): 68, 185B; 42

(1973-75): 41B; 43 (1976-78): 46B, 206-235, 264B; 44 (1979-82): 95-114, 213-225, 269-302, 327B; 46 (1988-90): 21, 33, 35, 40, 103, 357; 47 (1991-93): 91, 92, 106, 243, 348, 366; 48 (1994/95): 118, 119, 130, 158; 50 (1999): 133, 188; 53 (2012): 122, 136, 140, 153, 161, 163